

PROJECT NO: 25021 - SKG26
SKYGATE PLAY
BUILDING NO: 345 & 346



SHEET NUMBER	SHEET NAME	REVISION
000000	COVER SHEET	9
000010	BAC GRID SETOUT PLAN	5
000020	PERSPECTIVES	11
000101	SITE PLAN	11
000111	DEMOLITION PLAN	2
000200	TENANCY PLAN	13
000201	GENERAL ARRANGEMENT - PART A	9
000202	GENERAL ARRANGEMENT - PART B	9
000211	WALL TYPE PLAN - PART A	2
000212	WALL TYPE PLAN - PART B	2
000213	WALL TYPE PLAN - PART A - HIGH LEVEL	3
000214	WALL TYPE PLAN - PART B - HIGH LEVEL	3
000221	STRUCTURAL SETOUT PLAN - PART A	3
000222	STRUCTURAL SETOUT PLAN - PART B	3
000241	REFLECTED CEILING PLAN - PART A	5
000242	REFLECTED CEILING PLAN - PART B	5
000251	ROOF PLAN - PART A	9
000252	ROOF PLAN - PART B	10
000301	ELEVATIONS 01	10
000302	ELEVATIONS 02	10
000303	ELEVATIONS 03	10
000401	SECTIONS 01	9
000402	SECTIONS 02	3
000601	WALL SECTIONS 01	2
000650	DETAILS 01	2
000800	WET AREA PLANS	3
000801	WET AREA INTERNAL ELEVATIONS - AREA 51	2
000803	WET AREA INTERNAL ELEVATIONS - AREA 51	2
000811	WET AREA INTERNAL ELEVATIONS - GAME OVER	1
000820	WET AREA DETAILS - TYPICAL SETOUTS	2
000950	DOOR SCHEDULE - GLAZING	2
000951	DOOR SCHEDULE	2
000952	WINDOW SCHEDULE	2

GENERAL NOTES:
PURPOSE OF THESE DOCUMENTS ARE FOR 60% DnC TENDER, AS SUCH THEY ARE SUBJECT TO FURTHER DESIGN DEVELOPMENT.
DRAWINGS TO BE READ IN COLOUR.
DRAWINGS ARE TO BE READ IN CONJUNCTION WITH SPECIFICATIONS:
SCH-001 ARCHITECTURAL MATERIALS, FIXTURES AND FITTINGS SCHEDULE.
DRAWINGS TO BE READ IN CONJUNCTION WITH STRUCTURAL ENGINEERING DRAWINGS, SERVICES DRAWINGS, ASSOCIATED SCHEDULES, ARCHITECTURAL AND PRODUCT SPECIFICATIONS.
ALL WORK TO COMPLY WITH THE CURRENT NCC, BUILDING CODES, LEGISLATION GUIDELINES, LOCAL AUTHORITY REQUIREMENTS, UTILITY AND SERVICE PROVIDERS, RELEVANT AUSTRALIAN STANDARDS AND BRISBANE AIRPORT DESIGN GUIDELINES.
WHERE NOT NOTED ON DRAWINGS, REFER TO CURRENT BRISBANE AIRPORT DESIGN GUIDELINES.
ALL SETOUTS ARE DIMENSIONED TO THE FACE OF THE STRUCTURE, ie. STUD, BRICK, CONCRETE, ALUMINIUM FRAME UNLESS NOTED OTHERWISE.
CHECK ALL LEVELS, DETAILS AND DIMENSIONS ON SITE PRIOR TO COMMENCING WORK.
CONTOURS, LEVELS, FALLS ETC. ARE INDICATIVE AND FOR INFORMATION ONLY.
ALL LEVELS ARE APPROXIMATE ONLY AND ARE SUBJECT TO CONFIRMATION BY LICENCED SURVEYOR.
WHERE AMBIGUITIES OR DISCREPANCIES EXIST, ARCHIPELAGO PTY. LTD. WILL BE CONTACTED FOR CLARIFICATION.
DO NOT SCALE OFF DRAWINGS. BUILDERS/CONTRACTORS SHALL VERIFY JOB DIMENSIONS BEFORE ANY JOB COMMENCES. FIGURED DIMENSIONS SHALL TAKE PRECEDENCE OVER SCALED WORK.
WORK SHALL ALSO CONFORM TO THE SPECIFICATION, OTHER DRAWINGS AND JOB DIMENSIONS.
SHOP DRAWINGS WHICH REQUIRE REVIEW FROM THE ARCHITECT/CONSULTANT SHALL BE SUBMITTED TO THE ARCHITECT/CONSULTANT AND MANUFACTURE SHALL NOT COMMENCE PRIOR TO THE RETURN OF INSPECTED SHOP DRAWINGS SIGNED BY THE ARCHITECT/CONSULTANT.
ANY SERVICES PENETRATING A LOAD BEARING WALL ARE TO BE APPROPRIATELY SEALED BY A BCA/AUTHORITY APPROVED METHOD/MATERIAL THAT MAINTAINS THE REQUISITE FIRE RESISTANCE.
LEVEL, SMOKE AND ACOUSTIC ISOLATION (AS APPLICABLE TO THE BUILDING CERTIFIER'S REQUIREMENTS). ALL SMOKE SEALS ARE TO BE REGARDED AS PART OF AN ESSENTIAL SERVICE.
ALL ELECTRICAL SWITCHES/CONNECTIONS POINTS PENETRATING INTO A FIRE RATED WALL ARE TO BE INSTALLED WITH A FIREBOX.
EXTERNAL GLAZING PERFORMANCE TO COMPLY WITH THE REQUIREMENTS OF THE ACOUSITC AND SECTION J REPORT.
INSTALL ALL GLAZING IN ACCORDANCE WITH CURRENT RELEVANT AUSTRALIAN STANDARDS INCLUDING BUT NOT LIMITED TO AS 1428.1, AS2047-2014, AS1288, AS/NZS 4667 AND AS/NZS 4668. GLAZED DOOR OPENING FORCES - TO AS 1428.1 WHERE DOOR REQUIRED TO BE ACCESSIBLE. LOCATIONS OTHER THAN THE ABOVE: 120N TO INITIATE MOVEMENT OF SASHES. MAXIMUM 30N TO SUSTAIN MOVEMENT OF SASHES.
DISABLED ACCESS AND SIGNAGE TO BE IN ACCORDANCE WITH AS1428.1.
TACTILE INDICATORS TO BE PROVIDED IN ACCORDANCE WITH AS 1428.4.
CONTRACTOR TO PROVIDE TERMITE TREATMENT TO COMPLY WITH AS 3660. REFER SPECIFICATION.
FIRE HAZARD INDICES TO COMPLY BCA C1.10.
ALL INSULATION AND SARKING PRODUCTS TO BE NON-COMBUSTIBLE IN ACCORDANCE WITH AS1530.1 UNLESS NOTED OTHERWISE.
PROVIDE ACOUSTIC INSULATION TO WALLS AND PARTITIONS IN ACCORDANCE WITH ACOUSTIC REPORT.
PROVIDE WALLS AND PARTITIONS IN ACCORDANCE ACOUSTIC AND SECTION J.
ALLOW FOR NOGGING OR PLY SUBSTRATE TO WET AREAS, SUFFICIENT TO SUPPORT FUTURE INSTALLATION OF GRAB RAILS AND OTHER FIXTURES.
EXTERNAL STRUCTURAL FLOOR SLABS ARE TO BE TO FALL AT 1:100 MINIMUM TO NOMINATED FLOOR WASTES AS A SUBSTRATE TO WATER PROOF MEMBRANE, SCREED, WATER PROOF MEMBRANE AND SURFACE FINISH.
MINIMUM SLAB THICKNESSES ARE NOMINATED ON THE STRUCTURAL DRAWINGS.
FALLS TO FLOOR WASTES IN STRUCTURAL SLABS.
ALL FLOOR FINISHES TO COMMON AREAS ARE TO FULLY COMPLY WITH AS/NZS 4586 & 4663 AND CSIRO HANDBOOK HB 197 AN INTRODUCTORY GUIDE TO THE SLIP RESISTANCE OF PEDESTRIAN SURFACE MATERIALS.
PROVIDE TEST CERTIFICATION TO VERIFY COMPLIANCE.
CONSULT WITH THE NOMINATED MANUFACTURERS OF ALL REQUIREMENTS AND RECOMMENDATIONS FOR THE PROCUREMENT, TRANSPORT, HANDLING, STORAGE, INSTALLATION AND POST-INSTALLATION MAINTENANCE FOR MATERIALS, FIXTURES, FITTINGS & EQUIPMENT.
WATERPROOFING - DAMP PROOFING TO BE CARRIED OUT IN ACCORDANCE WITH NCC CLAUSES F1.9 AND F1.10.
WATERPROOFING TO WET AREAS TO BE CARRIED OUT IN ACCORDANCE WITH RELEVANT NCC.
NCC CLAUSES INCLUDING AS3740 AND AS4654/2 FOR EXTERNAL ABOVE GROUND USE. IN GENERAL, CONTRACTOR TO NOMINATE PREFERRED WATERPROOFING SYSTEM AND PROVIDE DETAILS TO ARCHITECT FOR REVIEW AS REQUIRED. PROVIDE DAMP-PROOFING TO GLAZED ASSEMBLIES IN ACCORDANCE WITH AS2047.
BARGE FLASHINGS AND FASCIAS TO BE CONTINUOUS ON WALL FACE WITH NO STEPS. EXPANSION STEP TO BE MADE UP ON ROOF SIDE.
PROVIDE STAINLESS STEEL LEAF GUARDS TO ALL DOWN PIPES & GUTTER OUTLETS.
ALL EXPOSED STRUCTURAL STEEL TO BE HOT DIP GALVANISED AND FINISHED WITH PAINT SYSTEM - DULUX FERRADOR OR EQUIVALENT UNLESS NOTED OTHERWISE.

COPYRIGHT :
REPRODUCTION OF WHOLE OR PART OF THIS DOCUMENT
CONSTITUTES AN INFRINGEMENT OF COPYRIGHT. THE
INFORMATION, IDEAS AND CONCEPTS CONTAINED IN THIS
DOCUMENT ARE CONFIDENTIAL. THE RECIPIENT(S) OF
THIS DOCUMENT IS PROHIBITED FROM DISCLOSING SUCH
INFORMATION IDEAS AND CONCEPTS TO ANY PERSON
WITHOUT THE PRIOR WRITTEN CONSENT OF THE
BRISBANE AIRPORT CORPORATION PTY. LTD.

DRN	AMENDMENTS	DATE	REV
JB	PRELIMINARY WIP ISSUE	25.07.2025	1
JB	QUANTITY SURVEYOR ISSUE	29.08.2025	2
JB	30% DD ISSUE	12.09.2025	3
JB	FOR COORDINATION	12.11.2025	4
JB	FOR COORDINATION	04.12.2025	5
JB	60% DD ISSUE 1	18.12.2025	6
DC	FOR COORDINATION	21.01.2026	7
JB	FOR COORDINATION	29.01.2026	8
JB	60% DD ISSUE 2	05.02.2026	9

Archipelago

Archipelago
Level 3, 109 George Street, Brisbane QLD 4000
T +617 3238 4606 www.archipelago.com.au
© ARCHIPELAGO ARCHITECTS PTY. LTD. All Rights Reserved
This work is copyright and cannot be reproduced or copied by any means without written permission of Archipelago Architects Pty Ltd. Any license, express or implied, to use this document for any purpose whatsoever is restricted to the terms of the agreement between Archipelago Architects Pty Ltd and the instructing party.

SKYGATE PLAY

COVER SHEET

Drawn
JB

Checked
DC

Design Coordinated
N/A

Compliance Checked
N/A

Authorised For Issue
DC

Construction Checked
N/A

Brisbane Airport

Brisbane Airport Corporation Pty Ltd
11 The Circuit Brisbane Airport QLD 4008
PO Box 61 Hamilton QLD 4007 Australia
Telephone : 61 7 3406 3000
Facsimile : 61 7 3406 3111
Email : info@bne.com.au
www.brisbaneairport.com.au
ABN 54 076 870 650

Scale
1 : 2500

Size
A1

Revision
9

Project No.	Originator	Volume	Level	Type	Discipline	Number
Drawing No.	25021	- ARC	- XX	- 01	- DR	- AR - 000000

Plot Date & Time: 5/02/2026 10:20:28 AM