

CUSTOMER QUOTATION NO. 13825

Denis
Tricore Plumbing Services
PO Box 7081
Hemmant QLD 4174

Quote No: 13825
Site: CQ University Rockhampton
Salesperson: Andrew Myers
Created Date: 15/04/2026

Re: CQ University Rockhampton

Summary	
Sanitary Drainage Pump Station - 3lps @ 35m	
SDPS	\$35563.00
Freight	\$8965.00
Hot Water Primary Pump	
HWPP (1)	\$3560.00
Freight	\$95.00
Hot Water Circulation Pumps - 0.077lps @ 4.3m	
HWCP (1)	\$4845.00
Freight	\$213.00
Hot Water Circulation Pumps - 0.05lps @ 2.2m	
HWCP (2)	\$4845.00
Freight	\$213.00
Rainwater Pump - 1.0lps @ 40m	
RWP (1)	\$2092.00
Freight	\$120.70
Rainwater Pump	
RWP (2)	\$2092.00
Freight	\$120.70
Rainwater Harvesting Filters	
RWF (1)	\$4135.88
Freight	\$149.10
Rainwater Harvesting Filters	
RWF (2)	\$4135.88
Freight	\$149.10
Ice Machine Filters	
IMF	\$4258.00
Freight	\$127.80
Commissioning	
Commissioning	\$9065.00
Sub-Total ex GST	
	\$84745.16
GST	
	\$8474.52
Total inc GST	
	\$93219.68

CUSTOMER QUOTATION NO. 13825

Sanitary Drainage Pump Station - 3lps @ 35m - SDPS

Sanitary Drainage Pump Station

Hydraulic Requirements:

- **Duty:** 3.0 l/sec @ 35 metres head (each pump)

Supply:

- **One (1)** x FRP tank. 10,402 Litres max. Dimensions - 2400mm Dia x 2800mm Deep. Includes pump pedestals kit with stainless steel guide rails installed. 1 x 600mm x 900mm Class D Heavy Access lid. Integrated valve chamber fitted 600mm x 750mm x 900mm H, with 600mm x 750mm Class D Heavy Access lid.
- **Two (2)** x Grundfos SEG40 4.0kW, 415 volt submersible grinder pumps each fitted with 10 metre power cables. 8.0amps FLC each
- **Two (2)** x Guide rail kits – each comprising an upper guide rail bracket and pump pedestal.
- **One (1)** x Weatherproof wall mount control panel with M/O/A each pump, run and fault lights, high level visual and audible alarm with mute. Full BMS and hour run meter for each. All enclosed in metal IP56 enclosure with inner door.
- **One (1)** x Submersible transducer with 15 metre lead
- **One (1)** x Float switch with 15m lead (back up)

Inclusions:

- Dual 50mm PVC pipework and fittings fitout in tank.
- 50mm swing check valves, isolation valves and unions in valve chamber with single 50mm rising main inside pit.
- Operation and Maintenance manuals.
- Phone & site after sales support provided by highly skilled & trained APS staff.

Exclusions:

- Delivery to site (lifting off transport by others)
- Commissioning on site after installation by others.
- Incoming power supply to control panel
- Mechanical and electrical installation on site.
- Suction to discharge bypass pipework and valving.
- Pump, float and transducer cable extensions

Sub-Total ex GST	\$35563.00
GST	\$3556.30
Total inc GST	\$39119.30

Sanitary Drainage Pump Station - 3lps @ 35m - Freight

Freight for SDPS

Inclusions:

- Delivery to site - unloading by others

Exclusions:

CUSTOMER QUOTATION NO. 13825

- Mechanical and electrical installation on site.

Notes:

- We have allowed 30 Minute onsite for unloading. If more time is required (due to no fault of Australian Pump Solutions) extra charges will be passed on to the client.
- Freight pricing must be confirmed at time of order.

Sub-Total ex GST	\$8965.00
GST	\$896.50
Total inc GST	\$9861.50

Hot Water Primary Pump - HWPP (1)

Primary Hot Water Pump Set

Hydraulic Requirements:

- **Duty:** Not Specified

Pumps:

- **One (1)** x Grundfos CM3-2 horizontal multistage pump.
 - Construction - Stainless (weted components).
 - Connections - 25mm F BSP inlet and outlet.
 - Electric Motor - 0.46kW, 415v TEFC motor, 1.2amps FLC

Control Panel:

- **One (1)** x 415v DOL single pump controller including:
 - Main isolating switch.
 - Duty selector switch.
 - Adjustable timer
 - Manual/off/auto selector switch
 - Indicator light for power on and fault.
 - BMS outputs for pump run and fault.
 - Hour run meter for pump
 - DOL contactors with thermal overloads.
 - All mounted in a metal powder coated enclosure with inner door.

Inclusions:

- Operation and Maintenance manuals.
- Phone & site after sales support from highly skilled & trained staff.

Exclusions:

- Delivery to site
- Commissioning on site after installation by others.
- Incoming power supply to control panel
- Mechanical and electrical installation on site.

CUSTOMER QUOTATION NO. 13825

- Suction to discharge bypass pipework and valving.

Notes:

- Electric motors and panel requires adequate protection if exposed to weather.
- Maximum pump working pressure - 1600kPa.
- Maximum water temperature - 90 °C.
- Items supplied separately.

Sub-Total ex GST	\$3560.00
GST	\$356.00
Total inc GST	\$3916.00

Hot Water Primary Pump - Freight Freight for HWPP (1)

Inclusions:

- Delivery to site - unloading by others

Exclusions:

- Mechanical and electrical installation on site.

Notes:

- We have allowed 30 Minute onsite for unloading. If more time is required (due to no fault of Australian Pump Solutions) extra charges will be passed on to the client.
- Freight pricing must be confirmed at time of order.

Sub-Total ex GST	\$95.00
GST	\$9.50
Total inc GST	\$104.50

Hot Water Circulation Pumps - 0.077lps @ 4.3m - HWCP (1) Hot Water Circulation Pumps

Hydraulic Requirements:

- **Duty:** 0.077lps @ 4.3 metres head each

Pumps:

- **Two (2)** x Grundfos circulator Model UPS 20-60N pumps.
 - Pumps Construction - All stainless.
 - Connections - Threaded union, Suction - 20 mm, Discharge - 20 mm.
 - Electric Motor - 0.09 kW, Canned Electric 3 speed motor, 0.37amps FLC each
 - Base - Galvanised mild steel base for wall mounting.
 - Pipework & Valving - Supplied fully piped with 20 mm unions, ball valves, check valves and a common connection tee.

CUSTOMER QUOTATION NO. 13825

Control Panel:

- **One (1)** x 240v DOL dual pump controller including:
 - Main isolating switch.
 - Duty selector switch.
 - 24/7 programmable digital time clock
 - Manual/off/auto selector switch
 - Automatic pump alternation
 - Indicator light for power on and fault.
 - BMS outputs for pump run and fault.
 - Hour run meter for each pump
 - DOL contactors with thermal overloads.
 - All mounted in a metal powder coated enclosure with inner door.

Inclusions:

- Assembly & wiring of pumps, manifolding and panel to base
- Operation and Maintenance manuals.
- Phone & site after sales support from highly skilled & trained staff.

Exclusions:

- Delivery to site
- Commissioning on site after installation by others.
- Incoming power supply to control panel
- Mechanical and electrical installation on site.
- Suction to discharge bypass pipework and valving.

Notes:

- Electric motors and panel requires adequate protection if exposed to weather.
- Maximum pump working pressure - 1000kPa.
- Maximum water temperature - 110 °C.

Sub-Total ex GST	\$4845.00
GST	\$484.50
Total inc GST	\$5329.50

Hot Water Circulation Pumps - 0.077lps @ 4.3m - Freight Freight for HWCP (1)

Inclusions:

- Delivery to site - unloading by others

Exclusions:

- Mechanical and electrical installation on site.

Notes:

- We have allowed 30 Minute onsite for unloading. If more time is required (due to no fault of Australian Pump Solutions) extra charges will be passed on to the client.

CUSTOMER QUOTATION NO. 13825

- Freight pricing must be confirmed at time of order.

Sub-Total ex GST	\$213.00
GST	\$21.30
Total inc GST	\$234.30

Hot Water Circulation Pumps - 0.05lps @ 2.2m - HWCP (2)

Hot Water Circulation Pumps

Hydraulic Requirements:

- **Duty:** 0.05lps @ 2.2 metres head each

Pumps:

- **Two (2)** x Grundfos circulator Model UPS 20-60N pumps.
 - Pumps Construction - All stainless.
 - Connections - Threaded union, Suction - 20 mm, Discharge - 20 mm.
 - Electric Motor - 0.09 kW, Canned Electric 3 speed motor, 0.37amps FLC each
 - Base - Galvanised mild steel base for wall mounting.
 - Pipework & Valving - Supplied fully piped with 20 mm unions, ball valves, check valves and a common connection tee.

Control Panel:

- **One (1)** x 240v DOL dual pump controller including:
 - Main isolating switch.
 - Duty selector switch.
 - 24/7 programmable digital time clock
 - Manual/off/auto selector switch
 - Automatic pump alternation
 - Indicator light for power on and fault.
 - BMS outputs for pump run and fault.
 - Hour run meter for each pump
 - DOL contactors with thermal overloads.
 - All mounted in a metal powder coated enclosure with inner door.

Inclusions:

- Assembly & wiring of pumps, manifolding and panel to base
- Operation and Maintenance manuals.
- Phone & site after sales support from highly skilled & trained staff.

Exclusions:

- Delivery to site
- Commissioning on site after installation by others.
- Incoming power supply to control panel
- Mechanical and electrical installation on site.
- Suction to discharge bypass pipework and valving.

CUSTOMER QUOTATION NO. 13825

Notes:

- Electric motors and panel requires adequate protection if exposed to weather.
- Maximum pump working pressure - 1000kPa.
- Maximum water temperature - 110 °C.

Sub-Total ex GST	\$4845.00
GST	\$484.50
Total inc GST	\$5329.50

Hot Water Circulation Pumps - 0.05lps @ 2.2m - Freight Freight for HWCP (1)

Inclusions:

- Delivery to site - unloading by others

Exclusions:

- Mechanical and electrical installation on site.

Notes:

- We have allowed 30 Minute onsite for unloading. If more time is required (due to no fault of Australian Pump Solutions) extra charges will be passed on to the client.
- Freight pricing must be confirmed at time of order.

Sub-Total ex GST	\$213.00
GST	\$21.30
Total inc GST	\$234.30

Rainwater Pump - 1.0lps @ 40m - RWP (1) Rainwater Pump

Hydraulic Requirements:

- **Duty:** 1.0lps @ 40 metres head

Pumps:

- **One (1)** x Davey KRB4 Rainbank System with HM90-13.

Inclusions:

- Operation and Maintenance manuals.
- Phone & site after sales support from highly skilled & trained staff.

Exclusions:

- Delivery to site
- Commissioning on site after installation by others.

CUSTOMER QUOTATION NO. 13825

- Incoming power supply
- Mechanical and electrical installation on site.
- Suction to discharge bypass pipework and valving.

Notes:

- Pump must be protected from direct weather.

Sub-Total ex GST	\$2092.00
GST	\$209.20
Total inc GST	\$2301.20

Rainwater Pump - 1.0lps @ 40m - Freight Freight for HWCP (1)

Inclusions:

- Delivery to site - unloading by others

Exclusions:

- Mechanical and electrical installation on site.

Notes:

- We have allowed 30 Minute onsite for unloading. If more time is required (due to no fault of Australian Pump Solutions) extra charges will be passed on to the client.
- Freight pricing must be confirmed at time of order.

Sub-Total ex GST	\$120.70
GST	\$12.07
Total inc GST	\$132.77

Rainwater Pump - RWP (2) Rainwater Pump

Hydraulic Requirements:

- **Duty:** 1.0lps @ 40 metres head - **TBC**

Pumps:

- **One (1)** x Davey KRB4 Rainbank System with HM90-13. - **TBC**

Inclusions:

- Operation and Maintenance manuals.
- Phone & site after sales support from highly skilled & trained staff.

Exclusions:

- Delivery to site

CUSTOMER QUOTATION NO. 13825

- Commissioning on site after installation by others.
- Incoming power supply
- Mechanical and electrical installation on site.
- Suction to discharge bypass pipework and valving.

Notes:

- Pump must be protected from direct weather.

Sub-Total ex GST	\$2092.00
GST	\$209.20
Total inc GST	\$2301.20

Rainwater Pump - Freight Freight for HWCP (1)

Inclusions:

- Delivery to site - unloading by others

Exclusions:

- Mechanical and electrical installation on site.

Notes:

- We have allowed 30 Minute onsite for unloading. If more time is required (due to no fault of Australian Pump Solutions) extra charges will be passed on to the client.
- Freight pricing must be confirmed at time of order.

Sub-Total ex GST	\$120.70
GST	\$12.07
Total inc GST	\$132.77

Rainwater Harvesting Filters - RWF (1) Rainwater Harvesting Filters

Supply:

- **One (1)** x Southland Filtration Defender D7 filtration and disinfection system. Including auto backwash filter (100micron), cartridge filter (5micron) and UV system with weatherproof cover.

Inclusions:

- Operation and Maintenance manuals.
- Phone & site after sales support from highly skilled & trained staff.

Exclusions:

- Delivery to site
- Commissioning on site after installation by others.

CUSTOMER QUOTATION NO. 13825

- Incoming power supply
- Mechanical and electrical installation on site.
- Suction to discharge bypass pipework and valving.

Sub-Total ex GST	\$4135.88
GST	\$413.59
Total inc GST	\$4549.47

Rainwater Harvesting Filters - Freight Freight for HWCP (1)

Inclusions:

- Delivery to site - unloading by others

Exclusions:

- Mechanical and electrical installation on site.

Notes:

- We have allowed 30 Minute onsite for unloading. If more time is required (due to no fault of Australian Pump Solutions) extra charges will be passed on to the client.
- Freight pricing must be confirmed at time of order.

Sub-Total ex GST	\$149.10
GST	\$14.91
Total inc GST	\$164.01

Rainwater Harvesting Filters - RWF (2) Rainwater Harvesting Filters

Supply:

- **One (1)** x Southland Filtration Defender D7 filtration and disinfection system. Including auto backwash filter (100micron), cartridge filter (5micron) and UV system with weatherproof cover. - **TBC**

Inclusions:

- Operation and Maintenance manuals.
- Phone & site after sales support from highly skilled & trained staff.

Exclusions:

- Delivery to site
- Commissioning on site after installation by others.
- Incoming power supply
- Mechanical and electrical installation on site.
- Suction to discharge bypass pipework and valving.

Sub-Total ex GST	\$4135.88
-------------------------	-----------

CUSTOMER QUOTATION NO. 13825

Rainwater Harvesting Filters - RWF (2)

GST	\$413.59
Total inc GST	\$4549.47

Rainwater Harvesting Filters - Freight Freight for HWCP (1)

Inclusions:

- Delivery to site - unloading by others

Exclusions:

- Mechanical and electrical installation on site.

Notes:

- We have allowed 30 Minute onsite for unloading. If more time is required (due to no fault of Australian Pump Solutions) extra charges will be passed on to the client.
- Freight pricing must be confirmed at time of order.

Sub-Total ex GST	\$149.10
GST	\$14.91
Total inc GST	\$164.01

Ice Machine Filters - IMF Ice Machine Filters

Supply:

- **One (1)** x Southland Filtration Robust 1500 Reverse osmosis system.

Inclusions:

- Operation and Maintenance manuals.
- Phone & site after sales support from highly skilled & trained staff.

Exclusions:

- Delivery to site
- Commissioning on site after installation by others.
- Incoming power supply
- Mechanical and electrical installation on site.
- Suction to discharge bypass pipework and valving.

Notes:

- We have allowed 30 Minute onsite for unloading. If more time is required (due to no fault of Australian Pump Solutions) extra charges will be passed on to the client.
- The work outlined above is "electrical work" and as such will be carried out by a licensed

CUSTOMER QUOTATION NO. 13825

electrician.

- The work outlined above is "confined space work" as defined by AS 2865-1995, and as such all personnel and equipment must comply with this standard.

Exclusions:

- Electrical conduits from pump chamber to control panel - minimum 2x 63mm w/ LR bends
- Control panel mounting
- Cable pull trough from chamber to control panel
- Wiring of pump & floats into control panel
- Incoming power supply to control panel - 415v, 3.1kw, 7.0amp per pump
- Pump cable extensions

Inclusions:

- Delivery to site - unloading by others
- 1 Hour onsite to set heights of floats and activate system
- Phone & site after sales support provided by highly skilled & trained APS staff

Sub-Total ex GST	\$4258.00
GST	\$425.80
Total inc GST	\$4683.80

Ice Machine Filters - Freight Freight for HWCP (1)

Inclusions:

- Delivery to site - unloading by others

Exclusions:

- Mechanical and electrical installation on site.

Notes:

- We have allowed 30 Minute onsite for unloading. If more time is required (due to no fault of Australian Pump Solutions) extra charges will be passed on to the client.
- Freight pricing must be confirmed at time of order.

Sub-Total ex GST	\$127.80
GST	\$12.78
Total inc GST	\$140.58

Commissioning - Commissioning Commissioning

Inclusions:

- Control panel mounting - where applicable

CUSTOMER QUOTATION NO. 13825

- Cable pull trough from chamber to control panel through existing conduit (trace wire must be present)
- Wiring of pumps & floats into control panel (within cable length quoted)
- Set heights of floats and transducers
- Commissioning of equipment
- Phone & site after sales support provided by highly skilled & trained APS staff

Exclusions:

- Electrical conduits from pump chamber to control panel - minimum 2x 63mm w/ LR bends
- Incoming power supply to control panels or pumps
- Mechanical installation of equipment
- Pump, float or transducer cable extensions

Notes:

- We have allowed for commissioning to be done in one trip, over 2 days. If more time is required (due to no fault of Australian Pump Solutions) extra charges will be passed on to the client.
- The work outlined above is "electrical work" and as such will be carried out by a licensed electrician.
- The work outlined above is "confined space work" as defined by AS 2865-1995, and as such all personnel and equipment must comply with this standard.
- Travel fuel costs to be confirmed at time of order.

Terms & Conditions:

- Delays due to lack of access will be charged as an additional cost at our standard schedule of rates.
- Site amenities and parking are to be provided by the client. If parking is unavailable on site, parking fees will be charged at cost.
- All work to be carried out during normal working hours or recharged as an additional cost. (Normal hours are Monday - Friday, 7:30 am to 4.00pm)
- System Isolations other than those prescribed within this quote will be charged as an additional cost at our standard schedule of rates.
- Further Terms and Conditions are available upon request

Sub-Total ex GST	\$9065.00
GST	\$906.50
Total inc GST	\$9971.50

How To Pay



Credit Card (MasterCard or Visa)
Credit Card Surcharge of 1.4% Applies



Direct Deposit
Bank **National Australia Bank**
Acc. Name **Australian Pump Solutions Pty Ltd**
BSB **084 961**
Acc. No. **254305293**

QUOTATION NO. 13825

Customer Reference:	42	Customer Name:	Tricore Plumbing Services
----------------------------	-----------	-----------------------	----------------------------------

Terms and Conditions of Sale for Goods and Provision of Services

Warranty

1. Australian Pump Solutions Pty Ltd. ("the supplier") provides goods and services in reliance on designs specifications, representations and goods provided by the customer and third parties, including engineering specifications, designs or recommendations. The customer should make their own enquiries and satisfy themselves as to the suitability of the equipment and system design, capacity and functionality to suit the customer's requirements.
No warranty is provided for equipment or goods not manufactured by the supplier and no warranty is provided above and beyond the manufacturer's warranty and is subject to the customer complying with all requirements and conditions of that warranty.
Any warranty given by us is limited to work undertaken and completed by us that is not compliant with design and specifications provided to us, and any necessary alterations or variations necessary to practical complete installation and delivery of services and goods to you, the customer.
2. To the extent permitted by law, all warranties, conditions, and representations (whether express or implied) are excluded. Where legislation Limit of warranty implies any condition or warranty, and that legislation prohibits exclusion or modification of such condition or warranty, the supplier's liability for breach of such condition or warranty is limited, at Australian Pump Solutions Pty Ltd. ("the supplier's") option, to the repair or replacement of the goods, or the resupply of the services.
3. The supplier makes no warranties or representations, express or implied, regarding any goods or services supplied nor specifications, designs or recommendations provided by a third party, including but not limited to any warranties as to quality, fitness for purpose, design, specifications, recommendations or compliance with description nor variations or alterations necessary to practically complete any installation or delivery of services or goods to the customer. Any warranties or representations in relation to third-party goods or services are solely those provided by the third party, if any.
4. The customer indemnifies and holds harmless the supplier from and against any and all claims, losses, damages, liabilities, costs, or expenses (including legal costs on a full indemnity basis) either direct, indirect or consequential arising out of or in connection with the use, supply, or performance of any goods or services goods or services supplied nor specifications, designs or recommendations provided by a third party, except to the extent caused or contributed to by the supplier's negligence or breach of these terms.

Workplace health and safety

5. The customer acknowledges that it has the primary duty of care for workplace health and safety and will provide the supplier with a safe place of work for the supplier and its employees at all times including provision of all workplace health and safety processes, procedures inductions and supervision as is required to ensure a safe workplace is provided for the supplier, its employees, sub-contractors and invitees.
6. The customer indemnifies and holds harmless the supplier from and against any and all claims, losses, damages, liabilities, costs, or expenses (including legal costs on a full indemnity basis) either direct, indirect or consequential arising out of or in connection with any workplace health and safety breach or injury to any person whatsoever except to the extent caused or contributed to by the supplier's negligence or breach of these terms."
7. The customer will undertake its own workplace safety inspection and risk assessment from time to time during provision of goods and services and upon completion of delivery and installation of goods and services before commencement of use or permitting any of the customers employees, contractors or invitees access to or use of the goods or services supplied or installed by the supplier.

Environmental Risk

8. The customer indemnifies and holds harmless the supplier from and against any and all claims, losses, damages, liabilities, costs, or expenses (including legal costs on a full indemnity basis) either direct, indirect or consequential arising out of or in connection with any Environmental risk or breach whatsoever except to the extent caused or contributed to by the supplier's negligence or breach of these terms.

Claim Time Notice Limit

9. Except to the extent permitted by law, any claim for any breach of warranties, conditions, or representation, workplace health and safety breach or risk, or environmental risk (whether express or implied) must be notified to the supplier within three (3) days of the suppliers becoming aware of such breach or completion of works, whichever is the earlier.
10. Where legislation provides a statutory time period pursuant to which any warranty, or breach applies then the customer must notify the supplier of full particulars of such warranty or breach claim within three days of becoming aware of the potential warranty or breach claim

Plant and Equipment

11. The customer will provide the supplier with a secure and safe place to store all of the supplier's plant and equipment when not in use and indemnifies the supplier for any loss (including theft) damage or destruction of any of the suppliers plant and equipment except to the extent caused or contributed to by the supplier's negligence or breach of these terms.

Payment

12. Payment is to be made 30 days from end of month for account customers and immediately on delivery for all others unless terms have been agreed upon with Australian Pump Solutions Pty Ltd.

Interest and penalties

13. In default of such prompt payment, you undertake to pay late payment fees and interest which will be charged on overdue accounts at the rate from time to time prescribed by the Penalty Interest Rates Act 1983 plus 2.5%, calculated monthly in arrears, and to indemnify us and pay all costs and expenses on a solicitor/client basis if legal action is necessary, and/or Debt Collection Agents fees, which we may incur in recovering from you any overdue account.

Property

14. (a) immediately upon delivery the Customer accepts liability for the safe custody of the goods plant and

equipment and agrees to indemnify Australian Pump Solutions Pty Ltd. for any losses sustained in any manner whatsoever in relation thereto.

(b) Property in the goods shall not pass to the Customer until payment in full of all monies owed by the Customer to Australian Pump Solutions Pty Ltd., for those goods and any other and Australian Pump Solutions Pty Ltd. reserves the right to take possession of and dispose of the goods as it sees fit at any time until full payment has been made. The Customer hereby grants permission to Australian Pump Solutions Pty Ltd. to enter upon any land or premises where the goods are in order to do so and authorises Australian Pump Solutions Pty Ltd. to use all reasonable steps as are necessary to do so and Australian Pump Solutions Pty Ltd. shall be deemed for the purposes of the Corporations Law to have entered possession, assumed control or exercised a power in relation to goods supplied under this contract.

(c) Until payment in full is made the Customer agrees: -

- i To keep all goods unpaid for as fiduciary for Australian Pump Solutions Pty Ltd. and to store them in a manner which clearly shows Australian Pump Solutions Pty Ltd. as owner;
- ii A Customer may only effect sale of the goods or any part thereof in the usual course of its business upon condition that the Customer holds any and all proceeds of sale relating to the goods on trust for Australian Pump Solutions Pty Ltd. Sale on terms or for less than cost or after default or deemed default by the Customer shall not be "in the usual course".
- iii Upon termination of this agreement for any reason the fiduciary relationship herein shall cease and the Customer shall not sell or convert any goods in its possession.

(d) The Customer agrees that a certificate purporting to be signed by an officer of Australian Pump Solutions Pty Ltd. identifying goods as "unpaid for" shall be conclusive evidence that those identified goods have not been paid for, and of Australian Pump Solutions Pty Ltd. title to those goods.

(e) These Terms and Conditions of Sale for Goods and Provision of Services are not intended to create a charge, and will be read down to the extent necessary to prevent creating a charge.

- 15. The undersigned has the authority to enter into this agreement on behalf of the Customer.
- 16. New customers are on a cash basis until credit facilities are approved.
- 17. All invoices are payable net 30 days from end of month of Invoice.
- 18. Credit facilities may be withdrawn immediately on overdue accounts or if payment is made by dishonored cheque.
- 19. Australian Pump Solutions Pty Ltd. reserves the right to charge interest on overdue accounts in accordance with the rate set by Section 2 of the Penalty Interest Rate Act set from time to time from the due date until the account is paid in full by the applicant.
- 20. Australian Pump Solutions Pty Ltd. must be immediately notified in writing in the event of any change of ownership of the business. The Customer agrees to indemnify Australian Pump Solutions Pty Ltd. against any loss incurred if such notice is not given.
- 21. Australian Pump Solutions Pty Ltd. from time to time may vary the credit limit it will allow the Customer.
- 22. The Customer agrees to pay Australian Pump Solutions Pty Ltd. for any additional expenses (including legal costs, commissions and bank charges) incurred in collecting outstanding debts.
- 23. Credit facilities are extended to the Customer on the basis of the above terms and conditions. These terms and conditions may be varied from time to time by Australian Pump Solutions Pty Ltd. by notice to the Customer.
- 24. The Customer agrees to notify the supplier no later than 14 days prior to any change of ownership of the intended change. Failure to do so could result in the applicant being responsible for future debts. (Credit facilities will not automatically be transferred to the new owner).
- 25. The Customer agrees not to deduct any amount from an account due to a dispute of the account or quantity of good received and agrees that once the goods are signed for as being delivered and received, the quantity of goods received and/or product condition cannot be disputed.
- 26. Declare that the applicant (or any Partner, or Director of same) has never been registered under the Bankruptcy Act or been a Director of a company which has gone into liquidation or had a receiver/manager appointed.

Privacy Act

If Australian Pump Solutions Pty Ltd. considers it relevant to assessing the Customer's application for commercial credit, the Customer agrees to Australian Pump Solutions Pty Ltd. Obtaining from a credit reporting agency a credit report containing personal credit information about the customer in relation to commercial credit provided by Australian Pump Solutions Pty Ltd.

If Australian Pump Solutions Pty Ltd. considers it relevant to collecting overdue payments in respect of commercial credit provided to the Customer, the Customer agrees to Australian Pump Solutions Pty Ltd. receiving from a credit reporting agency a credit report containing personal credit information about the customer in relation to collecting overdue payments.

The Customer agrees that Australian Pump Solutions Pty Ltd. may give and seek from any credit providers named in this credit application and any credit providers that may be named in a credit report issued by reporting agency information about the Customer's credit arrangements. The Customer understands that this information can include any information about his/her credit worthiness, credit standing, credit history or credit capacity that credit providers are allowed to give or receive from each other under the Privacy Act.