

Stanwell

Stanwell New Projects Office
Switchyard Road,
Stanwell, QLD, 4702

25010 / cd Spec C / T1

Appendix C - Door Hardware Schedule

Revision	Date	Description	Issued by
T1	11/03/2026	For Tender	JB

PRELIMINARY
NOT FOR CONSTRUCTION



Cover Letter | Door Hardware Schedule

22/12/2025

Project Name: STANWELL NEW PROJECTS OFFICE

Project ID: 103525 - (1) (22-12-2025)

Revision Note:

Project Address: SWITCHYARD ROAD STANWELL QLD 4702 AUSTRALIA

Keying System: Extension of Existing System

Architect Company: M3 ARCHITECTURE

Architect Project ID: 25101

Consultant: Ron Jakob

This schedule is based on the following documentation.

Project Comments: The door hardware schedule should be checked against the final floor plans & specification prior to the ordering of door hardware by hardware supplier/builder.

This schedule is to be read in conjunction with any electronic & security documentation to avoid duplications.

Doors with access control requirements have been included in this schedule.

Temporary construction keyed cylinders should be allowed for on all lockable doors for the duration of the project.

The hardware distributor should allow for 4 construction keys.

Please allow for all key lockable doors to be keyed to the existing Stanwell Power Station master key system. (Final keying details to be confirmed).
Provide 2 keys per lock.

All Lockwood stainless steel hinges specified in this schedule are manufactured from 304 grade stainless steel.

Adjust all door closers to the lowest effective opening force. Ensure that closers to outward opening doors are mounted to the inside/push side of doors.

Door seals and kick plate lengths are to be confirmed against final door details prior to ordering.

Rev 1 - Dated 22-12-2025

Spence Doors, an ASSA ABLOY group company, can provide a full compliant solution for rated and non-rated door and frame requirements excluding aluminium solutions.

ASSA ABLOY Hardware specified within this project is compatible with applicable Spence door applications (at time of production of this documentation).

For questions concerning details of the Spence doors and frames, their specifications, and their utilisation, please contact Spence Doors salesmelb.spence@assaabloy.com. Alternatively visit www.spencedoors.com.au. For hardware related queries, please contact ASSA ABLOY consultant Ron Jakob at Ron.Jakob@assaabloy.com.

Item		Qty	Description		Brand	Finish
Mark:	0.01-D1	To/From Room:	FRONT ENTRY	Level:	G	Building:
Height:	2000	Width:	1070 + 575	Thick:	45	
Door Type:	ALUMINIUM			Frame Type:	ALUMINIUM	
AH130CAN	6		FAST FIX COMMERCIAL ALUMINIUM HINGE CAN		LOCKWOOD	CAN
570MK	1		570 OVAL CYLINDER TO MATCH EXISTING STANWELL POWER STATION MASTER KEY SYSTEM		OTHER	NONE
3782ELSS	1		3782EL 12-24VDC ELECTRIC MORTICE PRIMARY LOCK 23MM BACKSET		LOCKWOOD	SS
4820/70SC	1		4820 SQUARE END PLATE WITH CYLINDER HOLE & LED & 70 LEVER		LOCKWOOD	SC
4905/70SC	1		LOCKWOOD 4905 SQUARE END PLATE WITH 70 LEVER		LOCKWOOD	SC
P3513DSC	2		FLUSH BOLT-RECESS MT-NYLON 'D' TIP		INTERLOCK	SC
P3524	1		F/BOLT ROD 600MM PLASTIC D TIP		INTERLOCK	NONE
2615DASIL	2		2615 SERIES CAM ACTION DOOR CLOSER SIZE 1-5 DELAYED		LOCKWOOD	SIL
2616-104SIL	2		2616 SERIES ANGLED MOUNTING PLATE		LOCKWOOD	SIL
2616-152	2		2616 SERIES HOLD OPEN DEVICE		LOCKWOOD	
2616-153	2		2616 SERIES OPENING DAMPER		LOCKWOOD	
A250SC	2		A250 FLOOR MOUNTED DOOR STOP TP		LOCKWOOD	SC
SWIPE CARD READER	1		BY SECURITY CONSULTANT		OTHER	
EA280	1		EA280 CABLE POWER TRANSFER DEVICE		ABLOY	SIL
570TEMPKA	1		570 TEMPORARY CYLINDER KEYED ALIKE		OTHER	NONE
Door Notes:	REV 1.					
Mark:	0.02-D1	To/From Room:	COVERED OUTDOOR AREA	Level:	G	Building:
Height:	2005	Width:	2268	Thick:	45	
Door Type:	TIMBER GLAZED SLIDE			Frame Type:	TIMBER	
FP1-120SS	2		FP1 FLUSH PULL STAINLESS STEEL 120X50MM		LOCKWOOD	SSS
DB200NRN	1		CENTOR NON-KEYED RECESSED DROP BOLT 200MM		OTHER	NA
*WEATHER SEALS	1		ALL ROUND BY FRAME/DOOR MANUFACTURER		OTHER	NONE
Door Notes:	REV 1.					
Mark:	0.02-D2	To/From Room:	COVERED OUTDOOR AREA	Level:	G	Building:
Height:	2005	Width:	2230	Thick:	45	
Door Type:	TIMBER GLAZED SLIDE			Frame Type:	TIMBER	
FP1-120SS	2		FP1 FLUSH PULL STAINLESS STEEL 120X50MM		LOCKWOOD	SSS
DB200NRN	1		CENTOR NON-KEYED RECESSED DROP BOLT 200MM		OTHER	NA
*WEATHER SEALS	1		ALL ROUND BY FRAME/DOOR MANUFACTURER		OTHER	NONE
Door Notes:	REV 1.					
Mark:	0.02-D3	To/From Room:	COVERED OUTDOOR AREA	Level:	G	Building:
Height:	2005	Width:	2230	Thick:	45	
Door Type:	TIMBER GLAZED SLIDE			Frame Type:	TIMBER	
FP1-120SS	2		FP1 FLUSH PULL STAINLESS STEEL 120X50MM		LOCKWOOD	SSS
DB200NRN	1		CENTOR NON-KEYED RECESSED DROP BOLT 200MM		OTHER	NA
*WEATHER SEALS	1		ALL ROUND BY FRAME/DOOR MANUFACTURER		OTHER	NONE
Door Notes:	REV 1.					
Mark:	0.02-D4	To/From Room:	COVERED OUTDOOR AREA	Level:	G	Building:
Height:	2005	Width:	2230	Thick:	45	
Door Type:	TIMBER GLAZED SLIDE			Frame Type:	TIMBER	
FP1-120SS	2		FP1 FLUSH PULL STAINLESS STEEL 120X50MM		LOCKWOOD	SSS
DB200NRN	1		CENTOR NON-KEYED RECESSED DROP BOLT 200MM		OTHER	NA
*WEATHER SEALS	1		ALL ROUND BY FRAME/DOOR MANUFACTURER		OTHER	NONE
Door Notes:	REV 1.					
Mark:	0.02-D5	To/From Room:	COVERED OUTDOOR AREA	Level:	G	Building:
Height:	2005	Width:	2256	Thick:	45	
Door Type:	TIMBER GLAZED SLIDE			Frame Type:	TIMBER	
FP1-120SS	2		FP1 FLUSH PULL STAINLESS STEEL 120X50MM		LOCKWOOD	SSS
DB200NRN	1		CENTOR NON-KEYED RECESSED DROP BOLT 200MM		OTHER	NA
*WEATHER SEALS	1		ALL ROUND BY FRAME/DOOR MANUFACTURER		OTHER	NONE
Door Notes:	REV 1.					

Item	Qty	Description		Brand	Finish	
Mark:	0.02-D6	To/From Room:	COVERED OUTDOOR AREA	Level:	G	Building:
Height:	2040	Width:	920 + 520	Thick:	40	
Door Type:	TIMBER GLAZED			Frame Type:	TIMBER	
LW10075BBSSS	6	HINGES 100X75X2.5 BALL BEARING SSS PK=30			LOCKWOOD	SSS
3772-RK32SS	1	3772 SERIES REBATE KIT- 32mm LIP STRIKE			LOCKWOOD	SS
570MK	1	570 OVAL CYLINDER TO MATCH EXISTING STANWELL POWER STATION MASTER KEY SYSTEM			OTHER	NONE
3570ELM0SC	1	LOCKWOOD 3570ELM0SC SECURE 12-24VDC 60mm ELECTRIC MORICE LOCK PRIMARY			LOCKWOOD	SC
1905/70SC	1	1905 SQUARE END PLATE WITH 70 LEVER			LOCKWOOD	SC
1820/70SC	1	1820 SQUARE END PLATE WITH CYLINDER HOLE & LED & 70 LEVER			LOCKWOOD	SC
FB200SC	2	FLUSH BOLT 200MM TP			LOCKWOOD	SC
2615DASIL	1	2615 SERIES CAM ACTION DOOR CLOSER SIZE 1-5 DELAYED			LOCKWOOD	SIL
2616-104SIL	1	2616 SERIES ANGLED MOUNTING PLATE			LOCKWOOD	SIL
A350SC	2	A350 WALL MOUNTED DOOR STOP TP			LOCKWOOD	SC
SWIPE CARD READER	1	BY SECURITY CONSULTANT			OTHER	
EA280	1	EA280 CABLE POWER TRANSFER DEVICE			ABLOY	SIL
AAS7506/2250/S	1	AURA MEETING STILE SEAL 2250 SIL			LORIENT	SIL
LAS1212/DDS/B	1	BATWING SEAL 12X12 DBL DR SET BLACK			LORIENT	BLK
LAS8001/0920/S	1	DROP SEAL MORTICE 0920 SIL SQUARE END PLATE			LORIENT	SIL
LAS8001/0535/S	1	DROP SEAL MORTICE 0535 SIL SQUARE END PLATE			LORIENT	SIL
570TEMPKA	1	570 TEMPORARY CYLINDER KEYED ALIKE			OTHER	NONE
Door Notes:	REV 1.					
Mark:	0.02-D7	To/From Room:	F.I.P	Level:	G	Building:
Height:	2040	Width:	790	Thick:	40	
Door Type:	SOLID CORE TIMBER			Frame Type:	TIMBER	
LW10075FPSSS	3	HINGES 100X75X2.5 FIXED PIN SSS PK=30			LOCKWOOD	SSS
P2SS	1	STAINLESS STEEL P2 PULL HANDLE			LOCKWOOD	SS
7580SC	1	7580 ROLLER BOLT TP			LOCKWOOD	SC
Door Notes:	REV 1.					
Mark:	0.03-D1	To/From Room:	EXTERNAL CIRCULATION	Level:	G	Building:
Height:	2040	Width:	920	Thick:	40	
Door Type:	TIMBER GLAZED			Frame Type:	TIMBER	
LW10075BBSSS	3	HINGES 100X75X2.5 BALL BEARING SSS PK=30			LOCKWOOD	SSS
570MK	1	570 OVAL CYLINDER TO MATCH EXISTING STANWELL POWER STATION MASTER KEY SYSTEM			OTHER	NONE
3570ELM0SC	1	LOCKWOOD 3570ELM0SC SECURE 12-24VDC 60mm ELECTRIC MORICE LOCK PRIMARY			LOCKWOOD	SC
1905/70SC	1	1905 SQUARE END PLATE WITH 70 LEVER			LOCKWOOD	SC
1820/70SC	1	1820 SQUARE END PLATE WITH CYLINDER HOLE & LED & 70 LEVER			LOCKWOOD	SC
2615DASIL	1	2615 SERIES CAM ACTION DOOR CLOSER SIZE 1-5 DELAYED			LOCKWOOD	SIL
2616-104SIL	1	2616 SERIES ANGLED MOUNTING PLATE			LOCKWOOD	SIL
A350SC	1	A350 WALL MOUNTED DOOR STOP TP			LOCKWOOD	SC
SWIPE CARD READER	1	BY SECURITY CONSULTANT			OTHER	
EA280	1	EA280 CABLE POWER TRANSFER DEVICE			ABLOY	SIL
LAS1212/SDS/B	1	BATWING SEAL 12X12 SGL DR SET BLACK			LORIENT	BLK
LAS8001/0920/S	1	DROP SEAL MORTICE 0920 SIL SQUARE END PLATE			LORIENT	SIL
570TEMPKA	1	570 TEMPORARY CYLINDER KEYED ALIKE			OTHER	NONE
Door Notes:	REV 1.					

Item	Qty	Description	Brand	Finish		
Mark:	0.03-D2	To/From Room:	EXTERNAL CIRCULATION	Level:	G	Building:
Height:	2040	Width:	920	Thick:	40	
Door Type:	TIMBER GLAZED		Frame Type:	TIMBER		
LW10075BBSSS	3	HINGES 100X75X2.5 BALL BEARING SSS PK=30	LOCKWOOD	SSS		
570MK	1	570 OVAL CYLINDER TO MATCH EXISTING STANWELL POWER STATION MASTER KEY SYSTEM	OTHER	NONE		
3570ELM0SC	1	LOCKWOOD 3570ELM0SC SECURE 12-24VDC 60mm ELECTRIC MORICE LOCK PRIMARY	LOCKWOOD	SC		
1905/70SC	1	1905 SQUARE END PLATE WITH 70 LEVER	LOCKWOOD	SC		
1820/70SC	1	1820 SQUARE END PLATE WITH CYLINDER HOLE & LED & 70 LEVER	LOCKWOOD	SC		
2615DASIL	1	2615 SERIES CAM ACTION DOOR CLOSER SIZE 1-5 DELAYED	LOCKWOOD	SIL		
2616-104SIL	1	2616 SERIES ANGLED MOUNTING PLATE	LOCKWOOD	SIL		
A350SC	1	A350 WALL MOUNTED DOOR STOP TP	LOCKWOOD	SC		
SWIPE CARD READER	1	BY SECURITY CONSULTANT	OTHER			
EA280	1	EA280 CABLE POWER TRANSFER DEVICE	ABLOY	SIL		
LAS1212/SDS/B	1	BATWING SEAL 12X12 SGL DR SET BLACK	LORIENT	BLK		
LAS8001/0920/S	1	DROP SEAL MORTICE 0920 SIL SQUARE END PLATE	LORIENT	SIL		
570TEMPKA	1	570 TEMPORARY CYLINDER KEYED ALIKE	OTHER	NONE		
Door Notes:	REV 1.					
Mark:	0.04-D1	To/From Room:	DINING	Level:	G	Building:
Height:	2040	Width:	920 + 520	Thick:	40	
Door Type:	TIMBER GLAZED		Frame Type:	TIMBER		
LW10075BBSSS	6	HINGES 100X75X2.5 BALL BEARING SSS PK=30	LOCKWOOD	SSS		
3772-RK32SS	1	3772 SERIES REBATE KIT- 32mm LIP STRIKE	LOCKWOOD	SS		
570MK	1	570 OVAL CYLINDER TO MATCH EXISTING STANWELL POWER STATION MASTER KEY SYSTEM	OTHER	NONE		
3570ELM0SC	1	LOCKWOOD 3570ELM0SC SECURE 12-24VDC 60mm ELECTRIC MORICE LOCK PRIMARY	LOCKWOOD	SC		
1905/70SC	1	1905 SQUARE END PLATE WITH 70 LEVER	LOCKWOOD	SC		
1820/70SC	1	1820 SQUARE END PLATE WITH CYLINDER HOLE & LED & 70 LEVER	LOCKWOOD	SC		
FB200SC	2	FLUSH BOLT 200MM TP	LOCKWOOD	SC		
2615DASIL	1	2615 SERIES CAM ACTION DOOR CLOSER SIZE 1-5 DELAYED	LOCKWOOD	SIL		
2616-104SIL	1	2616 SERIES ANGLED MOUNTING PLATE	LOCKWOOD	SIL		
A350SC	2	A350 WALL MOUNTED DOOR STOP TP	LOCKWOOD	SC		
SWIPE CARD READER	1	BY SECURITY CONSULTANT	OTHER			
EA280	1	EA280 CABLE POWER TRANSFER DEVICE	ABLOY	SIL		
AAS7506/2250/S	1	AURA MEETING STILE SEAL 2250 SIL	LORIENT	SIL		
LAS1212/DDS/B	1	BATWING SEAL 12X12 DBL DR SET BLACK	LORIENT	BLK		
LAS8001/0920/S	1	DROP SEAL MORTICE 0920 SIL SQUARE END PLATE	LORIENT	SIL		
LAS8001/0535/S	1	DROP SEAL MORTICE 0535 SIL SQUARE END PLATE	LORIENT	SIL		
570TEMPKA	1	570 TEMPORARY CYLINDER KEYED ALIKE	OTHER	NONE		
Door Notes:	REV 1.					

Item		Qty	Description		Brand	Finish
Mark:	0.04-D2	To/From Room:	DINING	Level:	G	Building:
Height:	2040	Width:	920 + 520	Thick:	40	
Door Type:	TIMBER GLAZED			Frame Type:	TIMBER	
LW10075BBSSS	6		HINGES 100X75X2.5 BALL BEARING SSS PK=30		LOCKWOOD	SSS
3772-RK32SS	1		3772 SERIES REBATE KIT- 32mm LIP STRIKE		LOCKWOOD	SS
570MK	1		570 OVAL CYLINDER TO MATCH EXISTING STANWELL POWER STATION MASTER KEY SYSTEM		OTHER	NONE
3570ELM0SC	1		LOCKWOOD 3570ELM0SC SECURE 12-24VDC 60mm ELECTRIC MORICE LOCK PRIMARY		LOCKWOOD	SC
1905/70SC	1		1905 SQUARE END PLATE WITH 70 LEVER		LOCKWOOD	SC
1820/70SC	1		1820 SQUARE END PLATE WITH CYLINDER HOLE & LED & 70 LEVER		LOCKWOOD	SC
FB200SC	2		FLUSH BOLT 200MM TP		LOCKWOOD	SC
2615DASIL	1		2615 SERIES CAM ACTION DOOR CLOSER SIZE 1-5 DELAYED		LOCKWOOD	SIL
2616-104SIL	1		2616 SERIES ANGLED MOUNTING PLATE		LOCKWOOD	SIL
A350SC	2		A350 WALL MOUNTED DOOR STOP TP		LOCKWOOD	SC
SWIPE CARD READER	1		BY SECURITY CONSULTANT		OTHER	
EA280	1		EA280 CABLE POWER TRANSFER DEVICE		ABLOY	SIL
AAS7506/2250/S	1		AURA MEETING STILE SEAL 2250 SIL		LORIENT	SIL
LAS1212/DDS/B	1		BATWING SEAL 12X12 DBL DR SET BLACK		LORIENT	BLK
LAS8001/0920/S	1		DROP SEAL MORTICE 0920 SIL SQUARE END PLATE		LORIENT	SIL
LAS8001/0535/S	1		DROP SEAL MORTICE 0535 SIL SQUARE END PLATE		LORIENT	SIL
570TEMPKA	1		570 TEMPORARY CYLINDER KEYED ALIKE		OTHER	NONE
Door Notes:	REV 1.					
Mark:	0.07-D1	To/From Room:	BOARDROOM	Level:	G	Building:
Height:	2040	Width:	920 + 520	Thick:	40	
Door Type:	SOLID CORE TIMBER			Frame Type:	TIMBER	
LW10075BBSSS	6		HINGES 100X75X2.5 BALL BEARING SSS PK=30		LOCKWOOD	SSS
3772-RK32SS	1		3772 SERIES REBATE KIT- 32mm LIP STRIKE		LOCKWOOD	SS
570MK	1		570 OVAL CYLINDER TO MATCH EXISTING STANWELL POWER STATION MASTER KEY SYSTEM		OTHER	NONE
3570ELM0SC	1		LOCKWOOD 3570ELM0SC SECURE 12-24VDC 60mm ELECTRIC MORICE LOCK PRIMARY		LOCKWOOD	SC
1905/70SC	1		1905 SQUARE END PLATE WITH 70 LEVER		LOCKWOOD	SC
1820/70SC	1		1820 SQUARE END PLATE WITH CYLINDER HOLE & LED & 70 LEVER		LOCKWOOD	SC
FB200SC	2		FLUSH BOLT 200MM TP		LOCKWOOD	SC
2615DASIL	1		2615 SERIES CAM ACTION DOOR CLOSER SIZE 1-5 DELAYED		LOCKWOOD	SIL
2616-152	1		2616 SERIES HOLD OPEN DEVICE		LOCKWOOD	
A350SC	2		A350 WALL MOUNTED DOOR STOP TP		LOCKWOOD	SC
SWIPE CARD READER	1		BY SECURITY CONSULTANT		OTHER	
EA280	1		EA280 CABLE POWER TRANSFER DEVICE		ABLOY	SIL
AAS7506/2250/S	1		AURA MEETING STILE SEAL 2250 SIL		LORIENT	SIL
LAS1212/DDS/B	1		BATWING SEAL 12X12 DBL DR SET BLACK		LORIENT	BLK
LAS8001/0920/S	1		DROP SEAL MORTICE 0920 SIL SQUARE END PLATE		LORIENT	SIL
LAS8001/0535/S	1		DROP SEAL MORTICE 0535 SIL SQUARE END PLATE		LORIENT	SIL
570TEMPKA	1		570 TEMPORARY CYLINDER KEYED ALIKE		OTHER	NONE
Door Notes:	REV 1.					

Item		Qty	Description		Brand	Finish
Mark:	0.08-D1	To/From Room:	HEALTH ROOM	Level:	G	Building:
Height:	2040	Width:	920	Thick:	40	
Door Type:	SOLID CORE	TIMBER		Frame Type:	TIMBER	
LW10075BBSSS	3		HINGES 100X75X2.5 BALL BEARING SSS PK=30		LOCKWOOD	SSS
570MK	1		570 OVAL CYLINDER TO MATCH EXISTING STANWELL POWER STATION MASTER KEY SYSTEM		OTHER	NONE
3570ELM0SC	1		LOCKWOOD 3570ELM0SC SECURE 12-24VDC 60mm ELECTRIC MORICE LOCK PRIMARY		LOCKWOOD	SC
1905/70SC	1		1905 SQUARE END PLATE WITH 70 LEVER		LOCKWOOD	SC
1820/70SC	1		1820 SQUARE END PLATE WITH CYLINDER HOLE & LED & 70 LEVER		LOCKWOOD	SC
1228P/9NSC	1		SYMPHONY 1220 SERIES PRIV IND EMER TURN AND DTURN ESCUTCH KIT		LOCKWOOD	SC
6260SSS	1		6260 PRIVACY BOLT TP		LOCKWOOD	SS
2615DASIL	1		2615 SERIES CAM ACTION DOOR CLOSER SIZE 1-5 DELAYED		LOCKWOOD	SIL
A350SC	1		A350 WALL MOUNTED DOOR STOP TP		LOCKWOOD	SC
SWIPE CARD READER	1		BY SECURITY CONSULTANT		OTHER	
EA280	1		EA280 CABLE POWER TRANSFER DEVICE		ABLOY	SIL
LAS1212/SDS/B	1		BATWING SEAL 12X12 SGL DR SET BLACK		LORIENT	BLK
LAS8001/0920/S	1		DROP SEAL MORTICE 0920 SIL SQUARE END PLATE		LORIENT	SIL
570TEMPKA	1		570 TEMPORARY CYLINDER KEYED ALIKE		OTHER	NONE
Door Notes:	REV 1.					
Mark:	0.09-D1	To/From Room:	TRAINING	Level:	G	Building:
Height:	2040	Width:	920 + 520	Thick:	40	
Door Type:	SOLID CORE	TIMBER		Frame Type:	TIMBER	
LW10075BBSSS	6		HINGES 100X75X2.5 BALL BEARING SSS PK=30		LOCKWOOD	SSS
3772-RK32SS	1		3772 SERIES REBATE KIT- 32mm LIP STRIKE		LOCKWOOD	SS
570MK	1		570 OVAL CYLINDER TO MATCH EXISTING STANWELL POWER STATION MASTER KEY SYSTEM		OTHER	NONE
3570ELM0SC	1		LOCKWOOD 3570ELM0SC SECURE 12-24VDC 60mm ELECTRIC MORICE LOCK PRIMARY		LOCKWOOD	SC
1905/70SC	1		1905 SQUARE END PLATE WITH 70 LEVER		LOCKWOOD	SC
1820/70SC	1		1820 SQUARE END PLATE WITH CYLINDER HOLE & LED & 70 LEVER		LOCKWOOD	SC
FB200SC	2		FLUSH BOLT 200MM TP		LOCKWOOD	SC
2615DASIL	1		2615 SERIES CAM ACTION DOOR CLOSER SIZE 1-5 DELAYED		LOCKWOOD	SIL
2616-152	1		2616 SERIES HOLD OPEN DEVICE		LOCKWOOD	
A350SC	2		A350 WALL MOUNTED DOOR STOP TP		LOCKWOOD	SC
SWIPE CARD READER	1		BY SECURITY CONSULTANT		OTHER	
EA280	1		EA280 CABLE POWER TRANSFER DEVICE		ABLOY	SIL
AAS7506/2250/S	1		AURA MEETING STILE SEAL 2250 SIL		LORIENT	SIL
LAS1212/DDS/B	1		BATWING SEAL 12X12 DBL DR SET BLACK		LORIENT	BLK
LAS8001/0920/S	1		DROP SEAL MORTICE 0920 SIL SQUARE END PLATE		LORIENT	SIL
LAS8001/0535/S	1		DROP SEAL MORTICE 0535 SIL SQUARE END PLATE		LORIENT	SIL
570TEMPKA	1		570 TEMPORARY CYLINDER KEYED ALIKE		OTHER	NONE
Door Notes:	REV 1.					
Mark:	0.09-D2	To/From Room:	TRAINING	Level:	G	Building:
Height:	2971	Width:	1190 + 1190	Thick:	40	
Door Type:	TIMBER GLAZED SLIDE			Frame Type:		
*DOOR HARDWARE	1		TO BE SUPPLIED BY THE DOOR MANUFACTURER		OTHER	NONE
Door Notes:	REV 1.					

Item		Qty	Description		Brand	Finish
Mark:	0.10-D1	To/From Room:	TRAINING KITCHEN	Level:	G	Building:
Height:	2040	Width:	920 + 520	Thick:	40	
Door Type:	SOLID CORE	TIMBER		Frame Type:	TIMBER	
LW10075BBSSS	6		HINGES 100X75X2.5 BALL BEARING SSS PK=30		LOCKWOOD	SSS
3772-RK32SS	1		3772 SERIES REBATE KIT- 32mm LIP STRIKE		LOCKWOOD	SS
570MK	1		570 OVAL CYLINDER TO MATCH EXISTING STANWELL POWER STATION MASTER KEY SYSTEM		OTHER	NONE
3570ELM0SC	1		LOCKWOOD 3570ELM0SC SECURE 12-24VDC 60mm ELECTRIC MORICE LOCK PRIMARY		LOCKWOOD	SC
1905/70SC	1		1905 SQUARE END PLATE WITH 70 LEVER		LOCKWOOD	SC
1820/70SC	1		1820 SQUARE END PLATE WITH CYLINDER HOLE & LED & 70 LEVER		LOCKWOOD	SC
FB200SC	2		FLUSH BOLT 200MM TP		LOCKWOOD	SC
2615DASIL	1		2615 SERIES CAM ACTION DOOR CLOSER SIZE 1-5 DELAYED		LOCKWOOD	SIL
2616-152	1		2616 SERIES HOLD OPEN DEVICE		LOCKWOOD	
A350SC	2		A350 WALL MOUNTED DOOR STOP TP		LOCKWOOD	SC
SWIPE CARD READER	1		BY SECURITY CONSULTANT		OTHER	
EA280	1		EA280 CABLE POWER TRANSFER DEVICE		ABLOY	SIL
AAS7506/2250/S	1		AURA MEETING STILE SEAL 2250 SIL		LORIENT	SIL
LAS1212/DDS/B	1		BATWING SEAL 12X12 DBL DR SET BLACK		LORIENT	BLK
LAS8001/0920/S	1		DROP SEAL MORTICE 0920 SIL SQUARE END PLATE		LORIENT	SIL
LAS8001/0535/S	1		DROP SEAL MORTICE 0535 SIL SQUARE END PLATE		LORIENT	SIL
570TEMPKA	1		570 TEMPORARY CYLINDER KEYED ALIKE		OTHER	NONE
Door Notes:	REV 1.					
Mark:	0.11-D1	To/From Room:	STORE	Level:	G	Building:
Height:	2040	Width:	920 + 520	Thick:	40	
Door Type:	SOLID CORE	TIMBER		Frame Type:	TIMBER	
LW10075FPSSS	6		HINGES 100X75X2.5 FIXED PIN SSS PK=30		LOCKWOOD	SSS
3772-RK32SS	1		3772 SERIES REBATE KIT- 32mm LIP STRIKE		LOCKWOOD	SS
570MK	1		570 OVAL CYLINDER TO MATCH EXISTING STANWELL POWER STATION MASTER KEY SYSTEM		OTHER	NONE
3570ELM0SC	1		LOCKWOOD 3570ELM0SC SECURE 12-24VDC 60mm ELECTRIC MORICE LOCK PRIMARY		LOCKWOOD	SC
1905/70SC	1		1905 SQUARE END PLATE WITH 70 LEVER		LOCKWOOD	SC
1820/70SC	1		1820 SQUARE END PLATE WITH CYLINDER HOLE & LED & 70 LEVER		LOCKWOOD	SC
FB200SC	2		FLUSH BOLT 200MM TP		LOCKWOOD	SC
KPDWX150SS	4		*150MM HIGH KICKPLATE X DOOR WIDTH-STAINLESS STEEL		OTHER	SSS
A350SC	2		A350 WALL MOUNTED DOOR STOP TP		LOCKWOOD	SC
SWIPE CARD READER	1		BY SECURITY CONSULTANT		OTHER	
EA280	1		EA280 CABLE POWER TRANSFER DEVICE		ABLOY	SIL
AAS7506/2250/S	1		AURA MEETING STILE SEAL 2250 SIL		LORIENT	SIL
LAS1212/DDS/B	1		BATWING SEAL 12X12 DBL DR SET BLACK		LORIENT	BLK
LAS8001/0920/S	1		DROP SEAL MORTICE 0920 SIL SQUARE END PLATE		LORIENT	SIL
LAS8001/0535/S	1		DROP SEAL MORTICE 0535 SIL SQUARE END PLATE		LORIENT	SIL
570TEMPKA	1		570 TEMPORARY CYLINDER KEYED ALIKE		OTHER	NONE
Door Notes:	REV 1.					

Item		Qty	Description		Brand	Finish
Mark:	0.12-D1	To/From Room:	COMMS	Level:	G	Building:
Height:	2040	Width:	920	Thick:	40	
Door Type:	SOLID CORE	TIMBER		Frame Type:	TIMBER	
LW10075BBSSS	3		HINGES 100X75X2.5 BALL BEARING SSS PK=30		LOCKWOOD	SSS
570MK	1		570 OVAL CYLINDER TO MATCH EXISTING STANWELL POWER STATION MASTER KEY SYSTEM		OTHER	NONE
3570ELM0SC	1		LOCKWOOD 3570ELM0SC SECURE 12-24VDC 60mm ELECTRIC MORICE LOCK PRIMARY		LOCKWOOD	SC
1905/70SC	1		1905 SQUARE END PLATE WITH 70 LEVER		LOCKWOOD	SC
1820/70SC	1		1820 SQUARE END PLATE WITH CYLINDER HOLE & LED & 70 LEVER		LOCKWOOD	SC
724SIL	1		724 SERIES SIZE 2-4 CLOSER ADJUSTABLE BACKCHECK		LOCKWOOD	SIL
A350SC	1		A350 WALL MOUNTED DOOR STOP TP		LOCKWOOD	SC
SWIPE CARD READER	1		BY SECURITY CONSULTANT		OTHER	
EA280	1		EA280 CABLE POWER TRANSFER DEVICE		ABLOY	SIL
LAS1212/SDS/B	1		BATWING SEAL 12X12 SGL DR SET BLACK		LORIENT	BLK
LAS8006/0920/S	1		DROP SEAL HD FACE FIX 0920 SIL		LORIENT	SIL
570TEMPKA	1		570 TEMPORARY CYLINDER KEYED ALIKE		OTHER	NONE
Door Notes:	REV 1.					
Mark:	0.13-D1	To/From Room:	SHOWER	Level:	G	Building:
Height:	2040	Width:	920	Thick:	40	
Door Type:	SOLID CORE	TIMBER		Frame Type:	TIMBER	
LW10075BBSSS	3		HINGES 100X75X2.5 BALL BEARING SSS PK=30		LOCKWOOD	SSS
3774-TASS	1		60MM BACKSET ANTI-LOCKOUT PRIVACY LOCK		LOCKWOOD	
1814/70SC	1		1814 SQUARE END PLATE WITH PRIVACY INDICATOR EMERGENCY TURN & 70 LEVER		LOCKWOOD	SC
1939/70SC	1		1939 SQUARE END PLATE WITH DISABLED TURN & 70 LEVER		LOCKWOOD	SC
2615DASIL	1		2615 SERIES CAM ACTION DOOR CLOSER SIZE 1-5 DELAYED		LOCKWOOD	SIL
KPDWX150SS	2		*150MM HIGH KICKPLATE X DOOR WIDTH-STAINLESS STEEL		OTHER	SSS
A350SC	1		A350 WALL MOUNTED DOOR STOP TP		LOCKWOOD	SC
LAS1212/SDS/B	1		BATWING SEAL 12X12 SGL DR SET BLACK		LORIENT	BLK
LAS8001/0920/S	1		DROP SEAL MORTICE 0920 SIL SQUARE END PLATE		LORIENT	SIL
Door Notes:	REV 1.					
Mark:	0.14-D1	To/From Room:	P.W.D	Level:	G	Building:
Height:	2040	Width:	920	Thick:	40	
Door Type:	SOLID CORE	TIMBER		Frame Type:	TIMBER	
LW10075BBSSS	3		HINGES 100X75X2.5 BALL BEARING SSS PK=30		LOCKWOOD	SSS
3774-TASS	1		60MM BACKSET ANTI-LOCKOUT PRIVACY LOCK		LOCKWOOD	
1814/70SC	1		1814 SQUARE END PLATE WITH PRIVACY INDICATOR EMERGENCY TURN & 70 LEVER		LOCKWOOD	SC
1939/70SC	1		1939 SQUARE END PLATE WITH DISABLED TURN & 70 LEVER		LOCKWOOD	SC
2615DASIL	1		2615 SERIES CAM ACTION DOOR CLOSER SIZE 1-5 DELAYED		LOCKWOOD	SIL
KPDWX150SS	2		*150MM HIGH KICKPLATE X DOOR WIDTH-STAINLESS STEEL		OTHER	SSS
A350SC	1		A350 WALL MOUNTED DOOR STOP TP		LOCKWOOD	SC
LAS1212/SDS/B	1		BATWING SEAL 12X12 SGL DR SET BLACK		LORIENT	BLK
LAS8001/0920/S	1		DROP SEAL MORTICE 0920 SIL SQUARE END PLATE		LORIENT	SIL
Door Notes:	REV 1.					
Mark:	0.15-D1	To/From Room:	FEMALE	Level:	G	Building:
Height:	2040	Width:	920	Thick:	40	
Door Type:	SOLID CORE	TIMBER		Frame Type:	TIMBER	
LW10075BBSSS	3		HINGES 100X75X2.5 BALL BEARING SSS PK=30		LOCKWOOD	SSS
214CONPPSS	1		214 PUSH PULL FULL SET CONCEALED FIX PK=10		LOCKWOOD	SS
7714SRDASIL	1		7714 SERIES SIZE 1-4 SLIDE ARM CLOSER WITH BC DA		LOCKWOOD	SIL
KPDWX150SS	2		*150MM HIGH KICKPLATE X DOOR WIDTH-STAINLESS STEEL		OTHER	SSS
A350SC	1		A350 WALL MOUNTED DOOR STOP TP		LOCKWOOD	SC
LAS1212/SDS/B	1		BATWING SEAL 12X12 SGL DR SET BLACK		LORIENT	BLK
LAS8001/0920/S	1		DROP SEAL MORTICE 0920 SIL SQUARE END PLATE		LORIENT	SIL
Door Notes:	REV 1.					

Item	Qty	Description			Brand	Finish
Mark:	0.16-D1	To/From Room:	MALE	Level:	G	Building:
Height:	2040	Width:	920	Thick:	40	
Door Type:	SOLID CORE TIMBER			Frame Type:	TIMBER	
LW10075BBSSS	3	HINGES 100X75X2.5 BALL BEARING SSS PK=30			LOCKWOOD	SSS
214CONPPSS	1	214 PUSH PULL FULL SET CONCEALED FIX PK=10			LOCKWOOD	SS
7714SRDASIL	1	7714 SERIES SIZE 1-4 SLIDE ARM CLOSER WITH BC DA			LOCKWOOD	SIL
KPDWX150SS	2	*150MM HIGH KICKPLATE X DOOR WIDTH-STAINLESS STEEL			OTHER	SSS
A350SC	1	A350 WALL MOUNTED DOOR STOP TP			LOCKWOOD	SC
LAS1212/SDS/B	1	BATWING SEAL 12X12 SGL DR SET BLACK			LORIENT	BLK
LAS8001/0920/S	1	DROP SEAL MORTICE 0920 SIL SQUARE END PLATE			LORIENT	SIL
Door Notes:	REV 1.					
Mark:	0.16-D2	To/From Room:	STORAGE CUP'D	Level:	G	Building:
Height:	2040	Width:	720	Thick:	40	
Door Type:	SOLID CORE TIMBER			Frame Type:	TIMBER	
LW10075FPSSS	3	HINGES 100X75X2.5 FIXED PIN SSS PK=30			LOCKWOOD	SSS
507SSS	1	507 NIGHTLATCH			LOCKWOOD	SSS
201MK	1	201 N'LATCH CYLINDER TO MATCH EXISTING STANWELL POWER STATION MASTER KEY SYSTEM			OTHER	NONE
FENL201/PULLSC	1	FLUID NL LIP PULL 201CYL SC			LOCKWOOD	SC
KPDWX150SS	2	*150MM HIGH KICKPLATE X DOOR WIDTH-STAINLESS STEEL			OTHER	SSS
Door Notes:	REV 1.					
Mark:	0.17-D1	To/From Room:	FIRST AID	Level:	G	Building:
Height:	2040	Width:	920 + 520	Thick:	40	
Door Type:	SOLID CORE TIMBER			Frame Type:	TIMBER	
LW10075BBSSS	6	HINGES 100X75X2.5 BALL BEARING SSS PK=30			LOCKWOOD	SSS
3772-RK32SS	1	3772 SERIES REBATE KIT- 32mm LIP STRIKE			LOCKWOOD	SS
570MK	1	570 OVAL CYLINDER TO MATCH EXISTING STANWELL POWER STATION MASTER KEY SYSTEM			OTHER	NONE
3570ELM0SC	1	LOCKWOOD 3570ELM0SC SECURE 12-24VDC 60mm ELECTRIC MORICE LOCK PRIMARY			LOCKWOOD	SC
1905/70SC	1	1905 SQUARE END PLATE WITH 70 LEVER			LOCKWOOD	SC
1820/70SC	1	1820 SQUARE END PLATE WITH CYLINDER HOLE & LED & 70 LEVER			LOCKWOOD	SC
FB200SC	2	FLUSH BOLT 200MM TP			LOCKWOOD	SC
2615DASIL	1	2615 SERIES CAM ACTION DOOR CLOSER SIZE 1-5 DELAYED			LOCKWOOD	SIL
2616-152	1	2616 SERIES HOLD OPEN DEVICE			LOCKWOOD	
A350SC	2	A350 WALL MOUNTED DOOR STOP TP			LOCKWOOD	SC
SWIPE CARD READER	1	BY SECURITY CONSULTANT			OTHER	
EA280	1	EA280 CABLE POWER TRANSFER DEVICE			ABLOY	SIL
AAS7506/2250/S	1	AURA MEETING STILE SEAL 2250 SIL			LORIENT	SIL
LAS1212/DDS/B	1	BATWING SEAL 12X12 DBL DR SET BLACK			LORIENT	BLK
LAS8001/0920/S	1	DROP SEAL MORTICE 0920 SIL SQUARE END PLATE			LORIENT	SIL
LAS8001/0535/S	1	DROP SEAL MORTICE 0535 SIL SQUARE END PLATE			LORIENT	SIL
570TEMPKA	1	570 TEMPORARY CYLINDER KEYED ALIKE			OTHER	NONE
Door Notes:	REV 1.					

Item	Qty	Description	Brand	Finish		
Mark:	0.18-D1	To/From Room:	CLEANER	Level:	G	Building:
Height:	2040	Width:	620	Thick:	40	
Door Type:	SOLID CORE	TIMBER	Frame Type:	TIMBER		
LW10075FPSSS	3	HINGES 100X75X2.5 FIXED PIN SSS PK=30	LOCKWOOD	SSS		
3772X-SS	1	60MM BACKSET KEY ENTRY STOREROOM ESCAPE MORTICE LOCK	LOCKWOOD			
570MK	1	570 OVAL CYLINDER TO MATCH EXISTING STANWELL POWER STATION MASTER KEY SYSTEM	OTHER	NONE		
1801/70SC	1	1801 SQUARE END PLATE WITH CYLINDER HOLE & 70 LEVER	LOCKWOOD	SC		
1905/70SC	1	1905 SQUARE END PLATE WITH 70 LEVER	LOCKWOOD	SC		
KPDWX150SS	2	*150MM HIGH KICKPLATE X DOOR WIDTH-STAINLESS STEEL	OTHER	SSS		
LAS1212/SDS/B	1	BATWING SEAL 12X12 SGL DR SET BLACK	LORIENT	BLK		
LAS8006/0635/S	1	DROP SEAL HD FACE FIX 0635 SIL	LORIENT	SIL		
570TEMPKA	1	570 TEMPORARY CYLINDER KEYED ALIKE	OTHER	NONE		
Door Notes:	REV 1.					
Mark:	0.19-D1	To/From Room:	M.S.B	Level:	G	Building:
Height:	2000	Width:	1100 + 1100	Thick:	40	
Door Type:	SOLID CORE	TIMBER	Frame Type:	TIMBER		
LW10075FPSSS	6	HINGES 100X75X2.5 FIXED PIN SSS PK=30	LOCKWOOD	SSS		
507SSS	1	507 NIGHTLATCH	LOCKWOOD	SSS		
201MK	1	201 N'LATCH CYLINDER TO MATCH EXISTING STANWELL POWER STATION MASTER KEY SYSTEM	OTHER	NONE		
FENL201/PULLSC	1	FLUID NL LIP PULL 201CYL SC	LOCKWOOD	SC		
BB03.450SC.B	1	NECKED BARREL BOLT HD BS WS 450mm SC	SCOPE	SC		
BB01.150SC.B	1	BARREL BOLT HD BS WS 150mm SCP	SCOPE	SCP		
BB01.THSS	1	TOP HAT SUIT 9mm SHOOT SS	SCOPE	SS		
A3000X230 CAN	1	SEQUENCE SELECTOR TO SUIT 2300MM WIDE DOORS	LOCKWOOD	CAN		
2024HSIL	2	2024 SERIES STD HOLD OPEN NON BACKCHECK WITH PARALLEL ARM BRACKET	LOCKWOOD	SIL		
AAS7506/2250/S	1	AURA MEETING STILE SEAL 2250 SIL	LORIENT	SIL		
LAS1212/DDS/B	1	BATWING SEAL 12X12 DBL DR SET BLACK	LORIENT	BLK		
LAS8006/1220/S	2	DROP SEAL HD FACE FIX 1220 SIL	LORIENT	SIL		
Door Notes:	REV 1.					
Mark:	0.20-D1	To/From Room:	D.B	Level:	G	Building:
Height:	2000	Width:	920 + 920	Thick:	40	
Door Type:	SOLID CORE	TIMBER	Frame Type:	TIMBER		
LW10075FPSSS	6	HINGES 100X75X2.5 FIXED PIN SSS PK=30	LOCKWOOD	SSS		
507SSS	1	507 NIGHTLATCH	LOCKWOOD	SSS		
201MK	1	201 N'LATCH CYLINDER TO MATCH EXISTING STANWELL POWER STATION MASTER KEY SYSTEM	OTHER	NONE		
FENL201/PULLSC	1	FLUID NL LIP PULL 201CYL SC	LOCKWOOD	SC		
BB03.450SC.B	1	NECKED BARREL BOLT HD BS WS 450mm SC	SCOPE	SC		
BB01.150SC.B	1	BARREL BOLT HD BS WS 150mm SCP	SCOPE	SCP		
BB01.THSS	1	TOP HAT SUIT 9mm SHOOT SS	SCOPE	SS		
A3000X230 CAN	1	SEQUENCE SELECTOR TO SUIT 2300MM WIDE DOORS	LOCKWOOD	CAN		
2024HSIL	2	2024 SERIES STD HOLD OPEN NON BACKCHECK WITH PARALLEL ARM BRACKET	LOCKWOOD	SIL		
AAS7506/2250/S	1	AURA MEETING STILE SEAL 2250 SIL	LORIENT	SIL		
LAS1212/DDS/B	1	BATWING SEAL 12X12 DBL DR SET BLACK	LORIENT	BLK		
LAS8006/0920/S	2	DROP SEAL HD FACE FIX 0920 SIL	LORIENT	SIL		
Door Notes:	REV 1.					

Item		Qty	Description		Brand	Finish
Mark:	0.21-D1	To/From Room:	WEST ENTRY	Level:	G	Building:
Height:	2040	Width:	920	Thick:	40	
Door Type:	SOLID CORE	TIMBER		Frame Type:	TIMBER	
LW10075BBSSS	3		HINGES 100X75X2.5 BALL BEARING SSS PK=30		LOCKWOOD	SSS
570MK	1		570 OVAL CYLINDER TO MATCH EXISTING STANWELL POWER STATION MASTER KEY SYSTEM		OTHER	NONE
3570ELM0SC	1		LOCKWOOD 3570ELM0SC SECURE 12-24VDC 60mm ELECTRIC MORICE LOCK PRIMARY		LOCKWOOD	SC
1905/70SC	1		1905 SQUARE END PLATE WITH 70 LEVER		LOCKWOOD	SC
1820/70SC	1		1820 SQUARE END PLATE WITH CYLINDER HOLE & LED & 70 LEVER		LOCKWOOD	SC
2615DASIL	1		2615 SERIES CAM ACTION DOOR CLOSER SIZE 1-5 DELAYED		LOCKWOOD	SIL
2616-104SIL	1		2616 SERIES ANGLED MOUNTING PLATE		LOCKWOOD	SIL
A350SC	1		A350 WALL MOUNTED DOOR STOP TP		LOCKWOOD	SC
SWIPE CARD READER	1		BY SECURITY CONSULTANT		OTHER	
EA280	1		EA280 CABLE POWER TRANSFER DEVICE		ABLOY	SIL
LAS1212/SDS/B	1		BATWING SEAL 12X12 SGL DR SET BLACK		LORIENT	BLK
LAS8001/0920/S	1		DROP SEAL MORTICE 0920 SIL SQUARE END PLATE		LORIENT	SIL
570TEMPKA	1		570 TEMPORARY CYLINDER KEYED ALIKE		OTHER	NONE
Door Notes:	REV 1.					
Mark:	0.22-D1	To/From Room:	WORKSPACE (WEST)	Level:	G	Building:
Height:	2040	Width:	920 + 520	Thick:	40	
Door Type:	SOLID CORE	TIMBER		Frame Type:	TIMBER	
LW10075BBSSS	6		HINGES 100X75X2.5 BALL BEARING SSS PK=30		LOCKWOOD	SSS
3772-RK32SS	1		3772 SERIES REBATE KIT- 32mm LIP STRIKE		LOCKWOOD	SS
570MK	1		570 OVAL CYLINDER TO MATCH EXISTING STANWELL POWER STATION MASTER KEY SYSTEM		OTHER	NONE
3570ELM0SC	1		LOCKWOOD 3570ELM0SC SECURE 12-24VDC 60mm ELECTRIC MORICE LOCK PRIMARY		LOCKWOOD	SC
1905/70SC	1		1905 SQUARE END PLATE WITH 70 LEVER		LOCKWOOD	SC
1820/70SC	1		1820 SQUARE END PLATE WITH CYLINDER HOLE & LED & 70 LEVER		LOCKWOOD	SC
FB200SC	2		FLUSH BOLT 200MM TP		LOCKWOOD	SC
2615DASIL	1		2615 SERIES CAM ACTION DOOR CLOSER SIZE 1-5 DELAYED		LOCKWOOD	SIL
2616-104SIL	1		2616 SERIES ANGLED MOUNTING PLATE		LOCKWOOD	SIL
A350SC	2		A350 WALL MOUNTED DOOR STOP TP		LOCKWOOD	SC
SWIPE CARD READER	1		BY SECURITY CONSULTANT		OTHER	
EA280	1		EA280 CABLE POWER TRANSFER DEVICE		ABLOY	SIL
AAS7506/2250/S	1		AURA MEETING STILE SEAL 2250 SIL		LORIENT	SIL
LAS1212/DDS/B	1		BATWING SEAL 12X12 DBL DR SET BLACK		LORIENT	BLK
LAS8001/0920/S	1		DROP SEAL MORTICE 0920 SIL SQUARE END PLATE		LORIENT	SIL
LAS8001/0535/S	1		DROP SEAL MORTICE 0535 SIL SQUARE END PLATE		LORIENT	SIL
570TEMPKA	1		570 TEMPORARY CYLINDER KEYED ALIKE		OTHER	NONE
Door Notes:	REV 1.					
Mark:	0.23-D1X	To/From Room:	OFFICE 1	Level:	G	Building:
Height:	2040	Width:	920	Thick:	40	
Door Type:	SOLID CORE	TIMBER		Frame Type:	TIMBER	
LW10075FPSSS	3		HINGES 100X75X2.5 FIXED PIN SSS PK=30		LOCKWOOD	SSS
3774SS	1		3774MkII PASSAGE LATCH PRIMARY LOCK 60mm BACKSET		LOCKWOOD	SS
1905/70SC	1		1905 SQUARE END PLATE WITH 70 LEVER		LOCKWOOD	SC
1805/70SC	1		1805 SQUARE END PLATE & 70 LEVER		LOCKWOOD	SC
2615DASIL	1		2615 SERIES CAM ACTION DOOR CLOSER SIZE 1-5 DELAYED		LOCKWOOD	SIL
2616-152	1		2616 SERIES HOLD OPEN DEVICE		LOCKWOOD	
A350SC	1		A350 WALL MOUNTED DOOR STOP TP		LOCKWOOD	SC
LAS1212/SDS/B	1		BATWING SEAL 12X12 SGL DR SET BLACK		LORIENT	BLK
LAS8001/0920/S	1		DROP SEAL MORTICE 0920 SIL SQUARE END PLATE		LORIENT	SIL
Door Notes:	REV 1.					

Item	Qty	Description	Brand	Finish		
Mark:	0.24-D1	To/From Room:	MEETING 5	Level:	G	Building:
Height:	2040	Width:	920	Thick:	40	
Door Type:	SOLID CORE	TIMBER	Frame Type:	TIMBER		
LW10075FPSSS	3	HINGES 100X75X2.5 FIXED PIN SSS PK=30	LOCKWOOD	SSS		
3774SS	1	3774MkII PASSAGE LATCH PRIMARY LOCK 60mm BACKSET	LOCKWOOD	SS		
1905/70SC	1	1905 SQUARE END PLATE WITH 70 LEVER	LOCKWOOD	SC		
1805/70SC	1	1805 SQUARE END PLATE & 70 LEVER	LOCKWOOD	SC		
2615DASIL	1	2615 SERIES CAM ACTION DOOR CLOSER SIZE 1-5 DELAYED	LOCKWOOD	SIL		
2616-152	1	2616 SERIES HOLD OPEN DEVICE	LOCKWOOD			
A350SC	1	A350 WALL MOUNTED DOOR STOP TP	LOCKWOOD	SC		
LAS1212/SDS/B	1	BATWING SEAL 12X12 SGL DR SET BLACK	LORIENT	BLK		
LAS8001/0920/S	1	DROP SEAL MORTICE 0920 SIL SQUARE END PLATE	LORIENT	SIL		
Door Notes:	REV 1.					
Mark:	0.25-D1	To/From Room:	MEETING 6	Level:	G	Building:
Height:	2040	Width:	920	Thick:	40	
Door Type:	SOLID CORE	TIMBER	Frame Type:	TIMBER		
LW10075FPSSS	3	HINGES 100X75X2.5 FIXED PIN SSS PK=30	LOCKWOOD	SSS		
3774SS	1	3774MkII PASSAGE LATCH PRIMARY LOCK 60mm BACKSET	LOCKWOOD	SS		
1905/70SC	1	1905 SQUARE END PLATE WITH 70 LEVER	LOCKWOOD	SC		
1805/70SC	1	1805 SQUARE END PLATE & 70 LEVER	LOCKWOOD	SC		
2615DASIL	1	2615 SERIES CAM ACTION DOOR CLOSER SIZE 1-5 DELAYED	LOCKWOOD	SIL		
2616-152	1	2616 SERIES HOLD OPEN DEVICE	LOCKWOOD			
A350SC	1	A350 WALL MOUNTED DOOR STOP TP	LOCKWOOD	SC		
LAS1212/SDS/B	1	BATWING SEAL 12X12 SGL DR SET BLACK	LORIENT	BLK		
LAS8001/0920/S	1	DROP SEAL MORTICE 0920 SIL SQUARE END PLATE	LORIENT	SIL		
Door Notes:	REV 1.					
Mark:	0.26-D1	To/From Room:	WORKSPACE (NORTH)	Level:	G	Building:
Height:	2040	Width:	920 + 920	Thick:	45	
Door Type:	ALUMINIUM		Frame Type:	ALUMINIUM		
AH130CAN	6	FAST FIX COMMERCIAL ALUMINIUM HINGE CAN	LOCKWOOD	CAN		
570MK	1	570 OVAL CYLINDER TO MATCH EXISTING STANWELL POWER STATION MASTER KEY SYSTEM	OTHER	NONE		
3782ELSS	1	3782EL 12-24VDC ELECTRIC MORTICE PRIMARY LOCK 23MM BACKSET	LOCKWOOD	SS		
4820/70SC	1	4820 SQUARE END PLATE WITH CYLINDER HOLE & LED & 70 LEVER	LOCKWOOD	SC		
4905/70SC	1	LOCKWOOD 4905 SQUARE END PLATE WITH 70 LEVER	LOCKWOOD	SC		
P3513DSC	2	FLUSH BOLT-RECESS MT-NYLON 'D' TIP	INTERLOCK	SC		
P3524	1	F/BOLT ROD 600MM PLASTIC D TIP	INTERLOCK	NONE		
2615DASIL	1	2615 SERIES CAM ACTION DOOR CLOSER SIZE 1-5 DELAYED	LOCKWOOD	SIL		
2616-104SIL	1	2616 SERIES ANGLED MOUNTING PLATE	LOCKWOOD	SIL		
2616-153	1	2616 SERIES OPENING DAMPER	LOCKWOOD			
A250SC	2	A250 FLOOR MOUNTED DOOR STOP TP	LOCKWOOD	SC		
SWIPE CARD READER	1	BY SECURITY CONSULTANT	OTHER			
EA280	1	EA280 CABLE POWER TRANSFER DEVICE	ABLOY	SIL		
570TEMPKA	1	570 TEMPORARY CYLINDER KEYED ALIKE	OTHER	NONE		
*WEATHER SEALS	1	ALL ROUND BY FRAME/DOOR MANUFACTURER	OTHER	NONE		
Door Notes:	REV 1.					

Item	Qty	Description	Brand	Finish		
Mark:	0.27-D1	To/From Room:	MEETING 3	Level:	G	Building:
Height:	2040	Width:	920	Thick:	40	
Door Type:	SOLID CORE	TIMBER	Frame Type:	TIMBER		
LW10075FPSSS	3	HINGES 100X75X2.5 FIXED PIN SSS PK=30	LOCKWOOD	SSS		
3774SS	1	3774MkII PASSAGE LATCH PRIMARY LOCK 60mm BACKSET	LOCKWOOD	SS		
1905/70SC	1	1905 SQUARE END PLATE WITH 70 LEVER	LOCKWOOD	SC		
1805/70SC	1	1805 SQUARE END PLATE & 70 LEVER	LOCKWOOD	SC		
2615DASIL	1	2615 SERIES CAM ACTION DOOR CLOSER SIZE 1-5 DELAYED	LOCKWOOD	SIL		
2616-152	1	2616 SERIES HOLD OPEN DEVICE	LOCKWOOD			
A350SC	1	A350 WALL MOUNTED DOOR STOP TP	LOCKWOOD	SC		
LAS1212/SDS/B	1	BATWING SEAL 12X12 SGL DR SET BLACK	LORIENT	BLK		
LAS8001/0920/S	1	DROP SEAL MORTICE 0920 SIL SQUARE END PLATE	LORIENT	SIL		
Door Notes:	REV 1.					
Mark:	0.28-D1	To/From Room:	MEETING 4	Level:	G	Building:
Height:	2040	Width:	920	Thick:	40	
Door Type:	SOLID CORE	TIMBER	Frame Type:	TIMBER		
LW10075FPSSS	3	HINGES 100X75X2.5 FIXED PIN SSS PK=30	LOCKWOOD	SSS		
3774SS	1	3774MkII PASSAGE LATCH PRIMARY LOCK 60mm BACKSET	LOCKWOOD	SS		
1905/70SC	1	1905 SQUARE END PLATE WITH 70 LEVER	LOCKWOOD	SC		
1805/70SC	1	1805 SQUARE END PLATE & 70 LEVER	LOCKWOOD	SC		
2615DASIL	1	2615 SERIES CAM ACTION DOOR CLOSER SIZE 1-5 DELAYED	LOCKWOOD	SIL		
2616-152	1	2616 SERIES HOLD OPEN DEVICE	LOCKWOOD			
A350SC	1	A350 WALL MOUNTED DOOR STOP TP	LOCKWOOD	SC		
LAS1212/SDS/B	1	BATWING SEAL 12X12 SGL DR SET BLACK	LORIENT	BLK		
LAS8001/0920/S	1	DROP SEAL MORTICE 0920 SIL SQUARE END PLATE	LORIENT	SIL		
Door Notes:	REV 1.					
Mark:	0.29-D1	To/From Room:	MEETING 2	Level:	G	Building:
Height:	2040	Width:	920	Thick:	40	
Door Type:	SOLID CORE	TIMBER	Frame Type:	TIMBER		
LW10075FPSSS	3	HINGES 100X75X2.5 FIXED PIN SSS PK=30	LOCKWOOD	SSS		
3774SS	1	3774MkII PASSAGE LATCH PRIMARY LOCK 60mm BACKSET	LOCKWOOD	SS		
1905/70SC	1	1905 SQUARE END PLATE WITH 70 LEVER	LOCKWOOD	SC		
1805/70SC	1	1805 SQUARE END PLATE & 70 LEVER	LOCKWOOD	SC		
2615DASIL	1	2615 SERIES CAM ACTION DOOR CLOSER SIZE 1-5 DELAYED	LOCKWOOD	SIL		
2616-152	1	2616 SERIES HOLD OPEN DEVICE	LOCKWOOD			
A350SC	1	A350 WALL MOUNTED DOOR STOP TP	LOCKWOOD	SC		
LAS1212/SDS/B	1	BATWING SEAL 12X12 SGL DR SET BLACK	LORIENT	BLK		
LAS8001/0920/S	1	DROP SEAL MORTICE 0920 SIL SQUARE END PLATE	LORIENT	SIL		
Door Notes:	REV 1.					
Mark:	0.30-D1	To/From Room:	OFFICE	Level:	G	Building:
Height:	2040	Width:	920	Thick:	40	
Door Type:	SOLID CORE	TIMBER	Frame Type:	TIMBER		
LW10075FPSSS	3	HINGES 100X75X2.5 FIXED PIN SSS PK=30	LOCKWOOD	SSS		
3774SS	1	3774MkII PASSAGE LATCH PRIMARY LOCK 60mm BACKSET	LOCKWOOD	SS		
1905/70SC	1	1905 SQUARE END PLATE WITH 70 LEVER	LOCKWOOD	SC		
1805/70SC	1	1805 SQUARE END PLATE & 70 LEVER	LOCKWOOD	SC		
2615DASIL	1	2615 SERIES CAM ACTION DOOR CLOSER SIZE 1-5 DELAYED	LOCKWOOD	SIL		
2616-152	1	2616 SERIES HOLD OPEN DEVICE	LOCKWOOD			
A350SC	1	A350 WALL MOUNTED DOOR STOP TP	LOCKWOOD	SC		
LAS1212/SDS/B	1	BATWING SEAL 12X12 SGL DR SET BLACK	LORIENT	BLK		
LAS8001/0920/S	1	DROP SEAL MORTICE 0920 SIL SQUARE END PLATE	LORIENT	SIL		
Door Notes:	REV 1.					

Item	Qty	Description	Brand	Finish		
Mark:	0.31-D1	To/From Room:	MEETING 1	Level:	G	Building:
Height:	2040	Width:	920	Thick:	40	
Door Type:	SOLID CORE	TIMBER	Frame Type:	TIMBER		
LW10075FPSSS	3	HINGES 100X75X2.5 FIXED PIN SSS PK=30	LOCKWOOD	SSS		
3774SS	1	3774MkII PASSAGE LATCH PRIMARY LOCK 60mm BACKSET	LOCKWOOD	SS		
1905/70SC	1	1905 SQUARE END PLATE WITH 70 LEVER	LOCKWOOD	SC		
1805/70SC	1	1805 SQUARE END PLATE & 70 LEVER	LOCKWOOD	SC		
2615DASIL	1	2615 SERIES CAM ACTION DOOR CLOSER SIZE 1-5 DELAYED	LOCKWOOD	SIL		
2616-152	1	2616 SERIES HOLD OPEN DEVICE	LOCKWOOD			
A350SC	1	A350 WALL MOUNTED DOOR STOP TP	LOCKWOOD	SC		
LAS1212/SDS/B	1	BATWING SEAL 12X12 SGL DR SET BLACK	LORIENT	BLK		
LAS8001/0920/S	1	DROP SEAL MORTICE 0920 SIL SQUARE END PLATE	LORIENT	SIL		
Door Notes:	REV 1.					
Mark:	0.51-D1	To/From Room:	LINK TURNSTILE	Level:	G	Building:
Height:	1	Width:	1	Thick:	1	
Door Type:	OTHER		Frame Type:	OTHER		
TURNSTILE	1	SWIPE CARD BOTH SIDES - SUPPLIED BY OTHERS	OTHER			
Door Notes:	REV 1.					
Mark:	0.54-D1	To/From Room:	STAIR 1	Level:	G	Building:
Height:	2040	Width:	920	Thick:	40	
Door Type:	TIMBER GLAZED		Frame Type:	TIMBER		
LW10075BBSSS	3	HINGES 100X75X2.5 BALL BEARING SSS PK=30	LOCKWOOD	SSS		
570MK	1	570 OVAL CYLINDER TO MATCH EXISTING STANWELL POWER STATION MASTER KEY SYSTEM	OTHER	NONE		
3570ELM0SC	1	LOCKWOOD 3570ELM0SC SECURE 12-24VDC 60mm ELECTRIC MORICE LOCK PRIMARY	LOCKWOOD	SC		
1905/70SC	1	1905 SQUARE END PLATE WITH 70 LEVER	LOCKWOOD	SC		
1820/70SC	1	1820 SQUARE END PLATE WITH CYLINDER HOLE & LED & 70 LEVER	LOCKWOOD	SC		
2615DASIL	1	2615 SERIES CAM ACTION DOOR CLOSER SIZE 1-5 DELAYED	LOCKWOOD	SIL		
2616-104SIL	1	2616 SERIES ANGLED MOUNTING PLATE	LOCKWOOD	SIL		
A350SC	1	A350 WALL MOUNTED DOOR STOP TP	LOCKWOOD	SC		
SWIPE CARD READER	1	BY SECURITY CONSULTANT	OTHER			
EA280	1	EA280 CABLE POWER TRANSFER DEVICE	ABLOY	SIL		
LAS1212/SDS/B	1	BATWING SEAL 12X12 SGL DR SET BLACK	LORIENT	BLK		
LAS8001/0920/S	1	DROP SEAL MORTICE 0920 SIL SQUARE END PLATE	LORIENT	SIL		
570TEMPKA	1	570 TEMPORARY CYLINDER KEYED ALIKE	OTHER	NONE		

ASSA ABLOY is represented in all major regions, in both mature and emerging markets, with leading positions in Australia, Europe and North America.

As the world's leading lock group, ASSA ABLOY offers a more complete product range of door opening solutions than any other company in the market.



Openings Studio is a suite of BIM software tools for creating and visualising 3D doors, frames, and hardware objects for use in design, construction, and facility management. This program enables our consultants to write schedules with greater efficiency and contains built-in workflow tools for RFI's, change management, and collateral material.

Download Openings Studio
Visit assaabloy.com.au/openings to download a copy.

ASSA ABLOY Australia Pty Ltd
235 Huntingdale Road Oakleigh,
Victoria, 3166 Australia ABN 90
086 541 907 1300 LOCK UP (1300
562 587) lockweb.com.au
MELBOURNE FAX: 1800 647 673
BRISBANE FAX: 1800 626 140

Disclaimer

Whilst every effort has been made to ensure that the information (including product images and drawings) contained in this documentation is accurate at the time of print, ASSA ABLOY Australia Pty Limited ("ASSA ABLOY") recommends that you consult ASSA ABLOY or its agents prior to placing an order to ascertain current information on specific products, as ASSA ABLOY reserves the right to make changes without notice. ASSA ABLOY will not be liable for any injury, loss or damage whatsoever, arising from any errors or omissions in the information contained in the documentation or arising from the use or application of the information contained herein. © 2025 copyright by ASSA ABLOY All rights reserved