

DO NOT SCALE

FOR CONTINUATION REFER DRAWING No. L02-510-00-01

NOTE: ALL RAFTERS AND HAUNCHES SHALL HAVE FLYBRACING AT 2.4m MAX CTS. TO BE 55x5 EACH SIDE OF RAFTER AND BOLTED TO BTM FLANGE AT ONE END AND THE PURLIN LAP AT OTHER END. TYP. USE 65x6 EA FOR HAUNCH FLYBRACES

CRANE LOADING:
GANTRY CRANE OF 3.2T SWL IS SUPPORTED BY CRANE BEAMS DENOTED CB
WHEEL LOADS ASSUMED:
VERTICAL 40KN
LATERAL 7.2KN
BUFFER 40KN

INFORMATION REFLECTED ON THIS DRAWING REPRESENTS STRUCTURAL DESIGN DEVELOPED FOR D&C TENDER ADVICE ONLY, AND SHOULD NOT BE REGARDED AS COMPLETE. THE D&C CONTRACTOR SHOULD REFER TO ALL ASSOCIATED ARCHITECTURAL AND OTHER DISCIPLINE DRAWINGS, PROJECT BRIEFS AND CLIENT REQUIREMENTS AND MAKE ADEQUATE ALLOWANCES FOR ALL NECESSARY STRUCTURAL WORKS TO MEET THESE REQUIREMENTS, EQUIPMENT SCHEDULES AND COMPLIANCE WITH THE NCC & APPROPRIATE AUSTRALIAN STANDARDS

A	12.02.2026	MSB	ISSUED FOR D&C TENDER			BM	DG
P1	30.01.2026	PJH	DRAFT 60% DD ISSUE FOR REVIEW			BM	DG
REV	DATE	BY	DESCRIPTION			CHK	APP
DRAWING STATUS: DESIGN DEVELOPMENT							

wsp

http://www.wsp.com

CLIENT:



ARCHITECT:

THOMSON ADSETT + PEDDLE THORP

PROJECT:

CQU ROCKHAMPTON TAFE
CONSOLIDATION - STAGE 2

TITLE:

BuildingName
LEVEL 02 - ROOF FRAMING ARRANGEMENT PLAN -
SHEET 02

SCALE @ A1:

1:100

CHECKED:

BM

APPROVED:

DG

PROJECT NUMBER:

PS2229518

DRAWN:

PJH

DATE:

14.01.2026

DRAWING No:

92-ST-DR-L02-510-00-02

REV:

A

© WSP Australia Pty Ltd

DRAWING CREATED IN REVIT.