






1 PLAN DETAIL
1 : 50




2 ELEVATION DETAIL
1 : 50




4 ELEVATION DETAIL
1 : 50

3 ELEVATION DETAIL
1 : 50



5 ELEVATION DETAIL
1 : 50

6 PLAN DETAIL
1 : 50



7 ELEVATION DETAIL
1 : 50

8 ELEVATION DETAIL
1 : 50

9 ELEVATION DETAIL
1 : 50

10 ELEVATION DETAIL
1 : 50

11 PLAN DETAIL
1 : 50

12 ELEVATION DETAIL
1 : 50


13 ELEVATION DETAIL
1 : 50

14 ELEVATION DETAIL
1 : 50


15 ELEVATION DETAIL
1 : 50

40-LEGEND FFE - MALE 1.09			
Code	Description	Group	Count
AR45A	Mirror - Oval	1	3
BN35A	Caroma Luna Inset Basin	1	3
CU1	Cubicles - Toilet Partition	1	4
GR3	Accessible - Grab Rail 90°	1	2
LV1A	Wall Mounted Light - Sconce	1	2
TW9A	Tapware - Wall Mounted Basin Mixer	1	3
WC3G	Toilets - Concealed Unit	1	4
DS11A	Dispenser - Soap	2	2
DS22A	Dispenser - Toilet Tissue Roll Drop	2	4
DS34A	Dispenser - Paper Hand Towel	2	1


60-LEGEND JOINERY - MALE TOILET - L1	
FFE_Mark	Comments
J.33.33	Vanity Counter



6 PLAN DETAIL
1 : 50



7 ELEVATION DETAIL
1 : 50




9 ELEVATION DETAIL
1 : 50

10 ELEVATION DETAIL
1 : 50



12 ELEVATION DETAIL
1 : 50

13 ELEVATION DETAIL
1 : 50



14 ELEVATION DETAIL
1 : 50

15 ELEVATION DETAIL
1 : 50

16 ELEVATION DETAIL
1 : 50

17 ELEVATION DETAIL
1 : 50

18 ELEVATION DETAIL
1 : 50

40-LEGEND FFE - FEMALE 1.11			
Code	Description	Group	Count
AR45A	Mirror - Oval	1	3
BN35A	Caroma Luna Inset Basin	1	3
CU1	Cubicles - Toilet Partition	1	4
GR3	Accessible - Grab Rail 90°	1	2
LV1A	Wall Mounted Light - Sconce	1	2
TW9A	Tapware - Wall Mounted Basin Mixer	1	3
WC3G	Toilets - Concealed Unit	1	4
BI10A	Bin - Sanitary Waste	2	4
DS11A	Dispenser - Soap	2	2
DS22A	Dispenser - Toilet Tissue Roll Drop	2	4
DS34A	Dispenser - Paper Hand Towel	2	1

60-LEGEND JOINERY - FEMALE TOILET - L1	
FFE_Mark	Comments
J.33.33	Vanity Counter

- RLS NOTES**
- ALL ARCHITECTURAL DRAWINGS TO BE READ IN CONJUNCTION WITH OTHER DISCIPLINES.
 - REFER TO FF&E, SANITARYWARE SCHEDULES FOR ALL FURNITURE, FIXTURES, AND EQUIPMENT.
 - REFER TO HYDRAULIC ENGINEER'S DRAWINGS FOR HYDRAULIC SERVICES. FINISH OF VALVE/BOX COVERS TO MATCH ADJACENT WALL/JOINERY FINISH.
 - REFER TO ELECTRICAL DOCUMENTATION FOR OUTLET DETAILS (ie. POWER, DATA, COMMS etc.)
 - REFER TO AUDIO VISUAL DOCUMENTATION (VideoPro) FOR AV REQUIREMENTS AND DETAILS.
 - AV SUPPLIER TO CONFIRM EXACT POSITIONS OF EQUIPMENT ON SITE
 - ALL FF&E ITEMS ARE TO BE READ IN CONJUNCTION WITH FF&E SCHEDULES AND CQU DESIGN MANUAL.
 - ALL FF&E AND TRANSFER ITEMS TO BE REVIEWED AND CONFIRMED WITH CLIENT PRIOR TO COMMENCING ON SITE.
 - PROVIDE ALLOWANCE AND ADD SUPPORT TO WALLS, WHERE FITTINGS ARE WALL MOUNTED. THIS INCLUDES BUT NOT LIMITED TO HANDBASINS, HANDRAILS, SCREENS, PROJECTORS, etc.
 - FF&E COUNT IS FOR INFORMATION ONLY. THE TOTAL NUMBER OF FF&E ITEMS ARE TO BE CONFIRMED WITH CLIENT AND ARCHITECTS BEFORE PURCHASE OF ITEMS.
 - CONFIRM ALL DIMENSIONS ON SITE FOR JOINERY ITEMS.
 - ALL SANITARY FIXINGS & FIXTURES IN PWD TOILETS TO BE INSTALLED IN ACCORDANCE WITH AS1428.1
 - ALLOW FOR FIRE EXTINGUISHERS & FIRE BLANKETS AS PER AS2444.2001
 - POWER AND DATA POINTS SHOWN ON THE ROOM LAYOUT SHEETS WERE SHOWN AND DISCUSSED DURING USER GROUP BRIEFING. THESE RELATE TO PARTICULAR EQUIPMENT THAT WAS DISCUSSED AS REQUIRING POWER AND DATA. THESE REFLECT STAKEHOLDER EXPECTATIONS FOR SPECIFIC POWER AND DATA POINTS AND HAVE REMAINED IN THE DOCUMENTATION AS A USEFUL REFERENCE FOR THE CONTRACTOR. THESE ARE NOT A COMPLETE QUANTITY AND SPECIFICATION OF POWER AND DATA. THE CONTRACTOR IS TO REFER TO ELECTRICAL ENGINEER'S DOCUMENTATION FOR ALLOWANCE. REFER TO ELECTRICAL DOCUMENTATION FOR AMPS AND 3 PHASE POWER REQUIREMENTS. REFER TO AUDIO VISUAL (VIDEOPRO) DOCUMENTATION FOR ADDITIONAL POWER AND DATA REQUIREMENTS
 - ALLOW FOR STRUCTURAL PLY BACKING BEHIND PLASTERBOARD FOR FULL EXTENT OF WALLS WITH MOUNTED AUDIO VISUAL EQUIPMENT. REFER TO AUDIO VISUAL (VIDEOPRO) DOCUMENTATION FOR LOCATIONS OF WALL MOUNTED EQUIPMENT.
 - ALLOW FOR PRIVACY FILM TO ALL INTERNAL GLAZING (DOORS AND WINDOWS) TO OFFICES AND MEETING ROOMS. CONFIRM SET OUT PRIOR TO INSTALLATION
 - ALLOW FOR DOUBLE BLOCK OUT BLINDS TO ALL WINDOWS UNLESS NOTED OTHERWISE
 - ALL INTERNAL DOORS ARE TO BE SOLID CORE DOORS WITHIN ALUMINIUM FRAMED SUITES UNLESS NOTED OTHERWISE.
 - FLOOR BOXES MUST BE COORDINATED WITH BOTH THE STRUCTURAL AND ELECTRICAL ENGINEERS. BEFORE ANY CUTTING OF THE EXISTING SLAB OCCURS, CONFIRM THE EXACT LOCATIONS AND REQUIREMENTS WITH THE STRUCTURAL ENGINEER.
 - HEARING AUGMENTATION TO AUSTRALIAN STANDARDS – REFER VIDEOPRO AND ELECTRICAL SPECIFICATION

FF&E LEGEND	
	GROUP 1 ITEMS (PROVIDED & FITTED UNDER CONTRACT)
	GROUP 2 ITEMS (PROVIDED BY CLIENT & FITTED UNDER CONTRACT)
	GROUP 2T ITEMS - EXISTING EQUIPMENT (PROVIDED BY CLIENT & FITTED UNDER CONTRACT)
	GROUP 3 ITEMS (PROVIDED & INSTALLED BY CLIENT)
PLANS TO BE PRINTED IN COLOUR	
	FF&E TAG
	JOINERY TAG

- AMENITIES NOTES**
- SETOUT MARKER DENOTES TILE SETOUT POINT.
NB: WALL TILES ALIGN WITH FLOOR TILES.
- NOTE: ALL SANITARY FITTINGS AND FIXTURES IN PWD WC INSTALLED IN ACCORDANCE WITH AUSTRALIAN STANDARD AS1428.1
- NOTE: REFER TO SCHEDULES FOR ALL SANITARY FIXTURES AND FITTINGS.
- PROVIDE NOGGINGS IN PARTITION WALLS TO SUPPORT SANITARY FIXTURES AND FITTINGS; INCLUDING IN-WALL CISTERNS, AS REQUIRED.

ELECTRICAL LEGEND	
	SINGLE POWER OUTLET
	DOUBLE POWER OUTLET
	SINGLE DATA
	DOUBLE DATA
	LIGHT SWITCH
	TV
	FLOOR BOX (FB)
REFER TO ELECTRICAL ENGINEER'S DRAWINGS FOR DETAILS	

A	12/02/26	ISSUED FOR TENDER	SM
2	30/01/26	60% DRAFT ISSUE	SM
1	23/01/26	FOR COORDINATION ISSUE	SM
rev/d	date	details	init.

drawn	date
PT/TA	19/12/25
checked	date
JT	19/12/25
verified	date
JT	19/12/25

scale

**RLS - BLD33-L1 - MALE &
FEMALE TOILETS, PWD**

scale project no.
1 : 50 @ A1 260018
revision
A
sheet no.

CQU-ROK-033-01-ARC-60-07

ISSUE FOR TENDER