


DO NOT SCALE

STRUCTURAL LEGEND:

	LOAD BEARING RC OVER
	LOAD BEARING PRECAST OVER
	LOAD BEARING MASONRY OVER
	LOAD BEARING RC UNDER
CWxxx	CORE WALL
RCxxx	REINFORCED CONCRETE WALL
MWxxx	MASONRY WALL
PWxxx	PRECAST WALL

PENETRATIONS AND SETDOWNS

	FORMED PENETRATION, EXACT LOCATIONS & SIZES OF PENETRATIONS TO BE CONFIRMED/COORDINATION WITH SERVICES ENGINEER
	PENETRATION ZONE. EXACT LOCATIONS & SIZES OF PENETRATIONS TO BE CONFIRMED/COORDINATION WITH SERVICES ENGINEER
	SETDOWN AREA WET AREAS: XXmm MAX. TERRACES: XXmm MAX.
	CONSTRUCTION JOINT
	DOWELLED JOINT
	ISOLATION JOINT
	KEYED JOINT
	SAWN JOINT
	DENOTES STEP (V=VARIES)

LEVEL 1 FRAMING SCHEDULE			
MARK	DIMENSIONS		REMARKS
	WIDTH	DEPTH	
B1	300	600	RC BEAM (ALLOW 150kg/m³)
B2	500	600	RC BEAM (ALLOW 150kg/m³)

GROUND LEVEL CONCRETE COLUMN SCHEDULE			
MARK	LENGTH	WIDTH	REMARKS
C1	300	300	RC COLUMN (ALLOW180kg/m³)
C2	450	250	RC COLUMN (ALLOW180kg/m³)

ALLOW 120kg/m³ FOR THE NEW BALCONY SLAB.

INFORMATION REFLECTED ON THIS DRAWING REPRESENTS STRUCTURAL DESIGN DEVELOPED FOR D&C TENDER ADVICE ONLY, AND SHOULD NOT BE REGARDED AS COMPLETE. THE D&C CONTRACTOR SHOULD REFER TO ALL ASSOCIATED ARCHITECTURAL AND OTHER DISCIPLINE DRAWINGS, PROJECT BRIEFS AND CLIENT REQUIREMENTS AND MAKE ADEQUATE ALLOWANCES FOR ALL NECESSARY STRUCTURAL WORKS TO MEET THESE REQUIREMENTS, EQUIPMENT SCHEDULES AND COMPLIANCE WITH THE NCC & APPROPRIATE AUSTRALIAN STANDARDS

A	12.02.2026	MSB	ISSUED FOR DAC TENDER			BM	DG
P1	30.01.2026	MSB	DRAFT 60% DD ISSUE FOR REVIEW			BM	DG
REV	DATE	BY	DESCRIPTION			CHK	APP
DRAWING STATUS: DESIGN DEVELOPMENT							



<http://www.wsp.com>

CLIENT



ARCHITECT:

PEDDLE THORP

PROJECT:

CQU ROCKHAMPTON TAFE
CONSOLIDATION - STAGE 2

TITLE:

BUILDING 36
LEVEL 01 - GENERAL ARRANGEMENT PLAN

SCALE @ A1:

1:100

CHECKED:

BM

APPROVED:

DG

PROJECT NUMBER:

DRAWN:

DATE: _____

DRAWING No:

36-ST-DR-L01-510-00-00

EV:

A

© WSP Australia Pty Ltd