

Last login: Sun Sep 12 17:40:40 on ttys001

(base) mitchellseiter@Mitchells-MacBook-Pro ~ % cd desktop

(base) mitchellseiter@Mitchells-MacBook-Pro desktop % cd "Metis Work"

(base) mitchellseiter@Mitchells-MacBook-Pro Metis Work % cd "Project One"

(base) mitchellseiter@Mitchells-MacBook-Pro Project One % sqlite3 MTA.db

SQLite version 3.35.4 2021-04-02 15:20:15

Enter ".help" for usage hints.

sqlite> database

...> ;

Error: near "database": syntax error

sqlite> .database

main: /Users/mitchellseiter/Desktop/Metis Work/Project One/MTA.db r/w

sqlite> .mode csv MTA

sqlite> .separator ","

sqlite> .import (turnstile_210417.txt, turnstile_210410.txt) MTA

ERROR: extra argument: "MTA". Usage:

.import FILE TABLE Import data from FILE into TABLE

Options:

--ascii	Use \037 and \036 as column and row separators
--csv	Use , and \n as column and row separators
--skip N	Skip the first N rows of input
-v	"Verbose" - increase auxiliary output

Notes:

- * If TABLE does not exist, it is created. The first row of input determines the column names.
- * If neither --csv or --ascii are used, the input mode is derived from the ".mode" output mode
- * If FILE begins with "|" then it is a command that generates the input text.

sqlite> .import turnstile_210417.txt MTA

sqlite> .import turnstile_210403.txt MTA

sqlite> .import turnstile_210410.txt MTA

sqlite> .import turnstile_210424.txt MTA

sqlite> .import turnstile_210501.txt MTA

sqlite> .import turnstile_210508.txt MTA

sqlite> .import turnstile_210515.txt MTA

sqlite> .import turnstile_210522.txt MTA

sqlite> .import turnstile_210529.txt MTA

```
sqlite> .import turnstile_210605.txt MTA
sqlite> .import turnstile_210612.txt MTA
sqlite> .import turnstile_210619.txt MTA
sqlite> .import turnstile_210626.txt MTA
sqlite>
```