

Keyboard Shortcuts

CTRL + X	Exit Nano, Close Buffer
CTRL + O	Save as, aka offer to write file
CTRL + S	Save file
CTRL + R	Open file
CTRL + Z	Suspend Nano (shell)

CTRL + G	Show Help
CTRL + L	Refresh the Screen

ALT + D	line / word / character Count
CTRL + C	Cursor position?

ALT + U	undo last action
ALT + E	Redo last undo action

ALT + N	Turn line Numbers On / OFF
ALT + M	-"- Mouse Support -"-
ALT + P	-"- visible white space -"-

CTRL + J	Complete current word
ALT + V	Enter next key as-is, not the symbol

Tab	Indent line / region
SHIFT + Tab	unindent line / region

CTRL + B	Move one {character} backward
CTRL + F	forward
CTRL + ←	{word} backward
CTRL + →	forward
CTRL + P	{line} up
CTRL + N	down
CTRL + Y	{page} up
CTRL + V	down
CTRL + A	to start {of line}
CTRL + E	end
CTRL + ↑	previous {block}
CTRL + ↓	next
ALT + \	top {of buffer}
ALT + /	end

ALT + G	Go to line - number
ALT + J	Go to complementary bracketed

ALT + ↑	{ Scroll viewport } up
ALT + ↓	down
ALT + <	{ Scroll between buffers } previous
ALT + >	succeeding

CTRL + H	Delete {character} before {cursor}
CTRL + D	under
ALT + Backspace	{ word to the } left
CTRL + Del	right
ALT + Del	current line

ALT + A	Turn marking tool On / OFF
ALT + G	Copy line / region
CTRL + K	Cut line / region
CTRL + U	Paste
ALT + T	Cut until end of buffer
ALT + Z	(Un)comment line / region
CTRL + W	{ Search } forward
CTRL + Q	
ALT + W	{ Find next Occurrence } forward
ALT + Q	
ALT + R	Start Replacement tool
CTRL + J	{ Justify } paragraph / region
ALT + J	
ALT + B	Run syntax Check
ALT + F	Run formatter / linter
ALT + :	Start / Stop recording macro
ALT + ;	Replay Macro
CTRL + T	Execute Command in Pano Cmd line

Useful .nanorc Options

Can be enabled by writing `set <option>`

`autoindent` automatically begin a new line with same number of tabs/spaces as previous

`brackets` Set the characters treated as closing brackets when justifying paragraphs

`breaklonglines` Break too long lines

`linenumber` Automatically enable line number

`mouse` enable mouse support

`multibuffer` Opening file by default in new buffer

`saveonexit` automatically save files on exit

`tabsize <num>` Set tab size to <number> columns

key-binding in .nanorc

`bind key function name`

`bind key "string" name`