Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for FeupShare_ask_new_question_authenticated.htm

Checker Input
Show ✓ source ✓ outline ✓ image report Options
Check by file upload Browse No file selected.
Uploaded files with .xhtml or .xht extensions are parsed using the XML parser.
Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

```
1. Error A document must not include both a meta element with an http-equiv attribute whose value is content-type, and a meta element with a charset attribute.

From line 4, column 5; to line 4, column 26

F-8">← ⟨meta charset="utf-8">← ⟨
```

- 2. Error An input element with a type attribute whose value is hidden must not have an autocomplete attribute whose value is on or off.

 From line 68, column 25; to line 68, column 127

 <input type="hidden" name="_token"

 value="QBEkooFTehkCPdWHYqGdrugZv3raWV0tNnp90vQJ" autocomplete="off">
- 3. Error Element style not allowed as child of element div in this context.

 (Suppressing further errors from this subtree.)

 From line 110, column 1; to line 110, column 7

 > とく/nav> とくstyle> と@medi

 Contexts in which element style may be used:

 Where metadata content is expected.

 In a noscript element that is a child of a head element.

 Content model for element div:

 If the element is a child of a dl element: one or more dt elements followed by one or more dd

elements, optionally intermixed with script-supporting elements.

If the element is not a child of a d1 element: flow content.

Document checking completed.

Image report

No images in the document.

Source

```
1. <!DOCTYPE html>↔

 <a href="https://www.arm.new.ed">httml lang="en"><a href="head">←</a>

 3. <meta http-equiv="content-type" content="text/html; charset=UTF-8">←

        <meta charset="utf-8">←<sup>)</sup>
 4.
        <meta http-equiv="X-UA-Compatible" content="IE=edge">←
 5.
 6.
        <meta name="viewport" content="width=device-width, initial-scale=1">←
 7.
 8.
        <!-- CSRF Token -->↔
 9.
        <meta name="csrf-token"</pre>
    content="QBEkooFTehkCPdWHYqGdrugZv3raWV0tNnp90vQJ">←
10. ب
11.
        <title>FeupShare</title>←
12. ي
13.
        <!-- Styles -->↔
        <link rel="stylesheet"</pre>
14.
    href="FeupShare_ask_new_question_authenticated_files/bootstrap.min.css"
    integrity="sha384-MCw98/
    SFnGE8fJT3GXwEOngsV7Zt27NXFoaoApmYm81iuXoPkF0JwJ8ERdknLPMO"
    crossorigin="anonymous">↔
15.
        <link rel="stylesheet"</pre>
    href="FeupShare_ask_new_question_authenticated_files/css2.css">↔
        <link rel="stylesheet"</pre>
16.
    href="FeupShare_ask_new_question_authenticated_files/all.min.css">↔
17.
        <style>↔
18.
             .input-group .form-control, .input-group .btn {←
19.
                 height: auto;↔
            }€
20.
21.
             .input-group {←
22.
                 display: flex;↔
23.
                 align-items: stretch;↔
24.
25.
             .navbar-toggler { /* Hamburger Icon to toggle the sidebar */↔
26.
                 z-index: 9999;↔
            }€
27.
28.
        </style>↔
29. </head>
30. ~
31. ⟨body⟩↩
32.
        <!-- Fixed Header -->↔
33.
        <header class="navbar navbar-expand-lg navbar-light bg-light fixed-top">←
34.
             <div class="container-fluid">←
35.
                 <!-- Hamburger Icon (visible on small screens) to toggle the
```

```
sidebar -->↔
36.
                 <button class="navbar-toggler d-lg-none" type="button"</pre>
    id="sidebarToggle" style="border:none;">↔
37.
                     <span class="material-symbols-outlined">menu</span>↔
                 </button>↔
38.
39. ↩
40.
                 <!-- Logo -->↩
41.
                 <a class="navbar-brand" href="http://127.0.0.1:8000/" style="font-</pre>
    size: 2rem; color:#007bff">FEUPshare</a>↔
42.
43.
                 <!-- Search Form -->↔
                 <form class="form-inline mx-auto w-50 max-w-600"</pre>
44.
    action="http://127.0.0.1:8000/api/questions" method="GET">←
45.
                     <div class="input-group w-100">←
46.
                          <input class="form-control" type="search"</pre>
    placeholder="Search questions..." aria-label="Search" name="query">
47.
                          div class="input-group-append">←
48.
                              <button class="btn btn-outline-success d-flex align-</pre>
    items-center justify-content-center type="submit">←
49.
                                  <span class="material-symbols-outlined">search
    span>↔
50.
                              </button>↔
51.
                          </div>↔
52.
                     </div>↔
53.
                 </form>↔
54.
    ↩
55.
                 <!-- User Links -->↔
                 <div class="d-flex align-items-center">←
56.
57.
                                           <!-- Profile Icon -->↔
58.
                          <a href="http://127.0.0.1:8000/users/1" class="btn btn-link</pre>
    p-0 mx-2" title="Profile">←
59.
                              <span class="material-symbols-outlined" style="font-</pre>
    size: 2rem;">person</span>↔
60.
                          </a>↔
61.
                          <!-- Notifications Icon -->↔
62.
                          <a href="#" class="btn btn-link p-0 mx-2"
    title="Notifications">↔
63.
                              <span class="material-symbols-outlined" style="font-</pre>
    size: 2rem;">notifications</span>←
                          </a>↔
64.
65.
66.
                          <!-- Logout Button -->↔
67.
                          <form action="http://127.0.0.1:8000/logout" method="POST"</pre>
    class="d-inline-block ml-2">\leftarrow
68.
                              <input type="hidden" name="_token"</pre>
    value="QBEkooFTehkCPdWHYqGdrugZv3raWV0tNnp90vQJ" autocomplete="off">
    <br/><button type="submit" class="btn btn-primary d-flex align-items-center">m{\leftarrow}
                                  <span class="material-symbols-outlined"</pre>
69.
    style="font-size: 1.5rem; margin-right: 5px;">logout</span> Logout↔
70.
                              </button>↔
71.
                          </form>↔
72.
                                  </div>↔
73.
             </div>↔
74.
        </header>↔
75. ↩
76.
        <!-- Main Content with Sidebar -->↔
77.
        <div class="container-fluid" style="padding-top: 70px; height: 100vh;">↔
78.
             <div class="row h-100">←
79.
                 <!-- Sidebar Column -->↔
80.
                 <div class="col-md-2 bg-light sidebar pb-3 vh-100">←
81.
                     <!-- Sidebar -->↔
   <nav class="nav flex-column d-none d-lg-flex" id="sidebar" style="position:</pre>
    fixed; top: 70px; z-index: 9999; background-color: #f8f9fa;">↔
        <a class="nav-link d-flex align-items-center mb-2"</pre>
83.
    href="http://127.0.0.1:8000/">↔
84.
             <span class="material-symbols-outlined me-2">home</span> Homeoldsymbol{\epsilon}
85.
        </a>↔
86.
        <a class="nav-link d-flex align-items-center mb-2"</pre>
    href="http://127.0.0.1:8000/questions">↔
```

```
87.
             <span class="material-symbols-outlined me-2">question answer</span>
     Questions↔
88.
         </a>↔
89.
         <a class="nav-link d-flex align-items-center mb-2"</pre>
     href="http://127.0.0.1:8000/users/1/bookmarks">↔
90.
             <span class="material-symbols-outlined me-2">bookmark</span> Bookmarks↔
         </a>↔
91.
92.
         <a class="nav-link d-flex align-items-center mb-2"</pre>
     href="http://127.0.0.1:8000/tags">↔
93.
             <span class="material-symbols-outlined me-2">label</span> Tags↔
94.
95.
         <a class="nav-link d-flex align-items-center mb-2"</pre>
     href="http://127.0.0.1:8000/users">↔
96.
             <span class="material-symbols-outlined me-2">person</span> Usersoldsymbol{\epsilon}
97.
98.
         <!-- <hr style="border-top: 1px solid black; width: calc(100% + 5rem);
     margin-left: 10;"> -->↔
99.
         <a class="nav-link d-flex align-items-center mb-2"</pre>
     href="http://127.0.0.1:8000/faq?1">↔
100.
             <span class="material-symbols-outlined me-2">help</span> FAQ↔
101.
102.
         <a class="nav-link d-flex align-items-center mb-2"</pre>
     href="http://127.0.0.1:8000/aboutUs?1">←
103.
             <span class="material-symbols-outlined me-2">info</span> About Us↔
104.
         </a>↔
105.
         <a class="nav-link d-flex align-items-center mb-2"</pre>
     href="http://127.0.0.1:8000/contactUs?1">↔
106.
             <span class="material-symbols-outlined me-2">mail</span> Contact Usoldsymbol{\epsilon}
107.
         </a>↩
108. </nav>↔
109. ↔
110. <style>↔
111. @media (max-width: 992px) { ←
       #sidebar {↩
112.
113.
         top: 120px !important; /* makes it so all the buttons are slightly lower on
     small screens, because the top bar expands and would cover the home button */e
         background-color: #f8f9fa !important; /* makes the sidebar have a
114.
     background when it's toggled on so that the buttons don't go directly over the
     contents of the page in small screens */↔
115.
116. }ئ
117. ⟨/style>↔
نع .118
119. ⟨script⟩↔
120. document.getElementById('sidebarToggle').addEventListener('click', function()
121.
       var sidebar = document.getElementById('sidebar'); ↔
122.
       // toggle sidebar↔
123.
       sidebar.classList.toggle('d-none'); ↔
124. });↩
125. </script>↩
126.
                 </div>↔
127. ↔
128.
                 <!-- Main Content Column -->↔
129.
                 <div class="col-md-10">←
                      <div class="container">↔
130.
         <h1 class="my-4">Ask a New Question</h1>↔
131.
132. ↔
133.
         <!-- Display Validation Errors -->↔
134.
135.
         <form action="http://127.0.0.1:8000/questions" method="POST">\leftrightarrow
136.
             <input type="hidden" name="_token"</pre>
     value="QBEkooFTehkCPdWHYqGdrugZv3raWV0tNnp90vQJ" autocomplete="off">↔
137.
             <!-- Question Title -->↔
138.
             <div class="mb-3">↔
139.
                 <label for="title" class="form-label">Question Title</label>←
                 <input type="text" name="title" class="form-control" id="title"</pre>
140.
     required="">↔
141.
             </div>↔
```

```
142. ↔
143.
             <!-- Question Content -->↔
             <div class="mb-3">↔
144.
                 <label for="content" class="form-label">Question Details</label>←
145.
146.
                 <textarea name="content" class="form-control" id="content" rows="5"</pre>
     required=""></textarea>↔
147.
             </div>↔
148. ↔
149.
             <!-- Tags (Comma-Separated) -->↔
150.
             <div class="mb-3">↔
151.
                 <label for="tags" class="form-label">Tags (comma-separated)
     label>↔
152.
                 <input type="text" name="tags" class="form-control" id="tags"</pre>
     placeholder="e.g., laravel, php, web-development">↔
153.
                 <div class="form-text">Add tags related to your question, separated
     by commas.</div>↔
154.
             </div>↔
155. ↔
156.
             <!-- Submit Button -->↔
             <button type="submit" class="btn btn-success">←
157.
158.
                 <i class="fas fa-paper-plane mr-1"></i> Submit Question←
159.
             </button>↔
160.
         </form>↔
161. ⟨/div⟩↩
162.
                 </div>↔
163.
             </div>↔
164.
         </div>↔
165. ↔
166. ↔
167. </body></html>
```

Outline

<h1> Ask a New Question

Used the HTML parser.

Total execution time 8 milliseconds.

About this checker • Report an issue • Version: 24.12.23