# Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

# Showing results for FeupShare\_add\_new\_tag\_admin.htm

Checker Input
Show ✓ source ✓ outline ✓ image report Options
Check by file upload V Browse No file selected.
Uploaded files with .xhtml or .xht extensions are parsed using the XML parser.
Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

```
1. Error A document must not include both a meta element with an http-equiv attribute whose value is content-type, and a meta element with a charset attribute.

From line 4, column 5; to line 4, column 26

F-8">← ⟨meta charset="utf-8">← ⟨
```

- 2. Error An input element with a type attribute whose value is hidden must not have an autocomplete attribute whose value is on or off.

  From line 68, column 25; to line 68, column 127

  <input type="hidden" name="\_token"

  value="lwsrnVAphFz1BZgqTbvlFJ8tadNJV39xNaYwpaaX" autocomplete="off">
- 3. Error Element style not allowed as child of element div in this context.

  (Suppressing further errors from this subtree.)

  From line 110, column 1; to line 110, column 7

  > とく/nav> とくstyle と medi

  Contexts in which element style may be used:

  Where metadata content is expected.

  In a noscript element that is a child of a head element.

  Content model for element div:

  If the element is a child of a dl element: one or more dt elements followed by one or more dd

elements, optionally intermixed with script-supporting elements.

If the element is not a child of a d1 element: flow content.

```
4. Error An input element with a type attribute whose value is hidden must not have an autocomplete attribute whose value is on or off.

From line 136, column 9; to line 136, column 111

> ← ⟨input type="hidden" name="_token"

value="lwsrnVAphFz1BZgqTbv1FJ8tadNJV39xNaYwpaaX" autocomplete="off"> ←
```

#### Document checking completed.

## Image report

No images in the document.

#### Source

```
1. <!DOCTYPE html>←

 <a href="https://www.scheads">httml lang="en"><a href="head"><a href="https://www.scheads">+</a>

 3. <meta http-equiv="content-type" content="text/html; charset=UTF-8">←

         <meta charset="utf-8">←<sup>)</sup>
 4.
 5.
         <meta http-equiv="X-UA-Compatible" content="IE=edge">←
 6.
         <meta name="viewport" content="width=device-width, initial-scale=1">↔
 7.
 8.
         <!-- CSRF Token -->↔
 9.
         <meta name="csrf-token"</pre>
    content="lwsrnVAphFz1BZgqTbv1FJ8tadNJV39xNaYwpaaX">↔
10. ب
11.
         <title>FeupShare</title>↔
12. ب
13.
         <!-- Styles -->↩
         <link rel="stylesheet" href="FeupShare_add_new_tag_admin_files/</pre>
14.
    bootstrap.min.css" integrity="sha384-MCw98/
    SFnGE8fJT3GXwEOngsV7Zt27NXFoaoApmYm81iuXoPkF0JwJ8ERdknLPMO"
    crossorigin="anonymous">↔
15.
         k rel="stylesheet" href="FeupShare_add_new_tag_admin_files/css2.css">\boldsymbol{\leftarrow}
         <link rel="stylesheet" href="FeupShare_add_new_tag_admin_files/</pre>
16.
    all.min.css">↔
17.
         <style>
             .input-group .form-control, .input-group .btn \{ \boldsymbol{\epsilon} \}
18.
19.
                  height: auto;↔
20.
21.
             .input-group {↔
22.
                  display: flex;↔
23.
                  align-items: stretch;↔
24.
25.
             .navbar-toggler { /* Hamburger Icon to toggle the sidebar */↔
26.
                  z-index: 9999;↩
             ۍ{
27.
28.
         </style>↔
29. </head>↩
30. \rightarrow
31. ⟨body⟩↩
32.
         <!-- Fixed Header -->↔
33.
         <header class="navbar navbar-expand-lg navbar-light bg-light fixed-top">←
34.
             <div class="container-fluid">↔
35.
                  <!-- Hamburger Icon (visible on small screens) to toggle the
    sidebar -->↔
36.
                  <button class="navbar-toggler d-lg-none" type="button"</pre>
```

```
id="sidebarToggle" style="border:none;">↔
37.
                     <span class="material-symbols-outlined">menu</span>↔
38.
                </button>↔
   ب
39.
40.
                <!-- Logo -->↩
41.
                <a class="navbar-brand" href="http://127.0.0.1:8000/" style="font-</pre>
    size: 2rem; color:#007bff">FEUPshare</a>↔
42.
43.
                <!-- Search Form -->↔
44.
                <form class="form-inline mx-auto w-50 max-w-600"</pre>
    action="http://127.0.0.1:8000/api/questions" method="GET">\leftarrow
45.
                     <div class="input-group w-100">←
    46.
47.
                         div class="input-group-append">←
48.
                             <button class="btn btn-outline-success d-flex align-</pre>
    items-center justify-content-center type="submit">↔
49.
                                 <span class="material-symbols-outlined">search/
    span>↔
50.
                             </button>↔
51.
                         </div>↔
52.
                     </div>↔
53.
                </form>↔
54. ↔
55.
                <!-- User Links -->↔
56.
                <div class="d-flex align-items-center">←
57.
                                          <!-- Profile Icon -->↔
58.
                         <a href="http://127.0.0.1:8000/users/3" class="btn btn-link</pre>
    p-0 mx-2" title="Profile">←
59.
                             <span class="material-symbols-outlined" style="font-</pre>
    size: 2rem;">person</span>↔
60.
                         </a>↔
61.
                         <!-- Notifications Icon -->↔
62.
                         <a href="#" class="btn btn-link p-0 mx-2"
    title="Notifications">↔
63.
                             <span class="material-symbols-outlined" style="font-</pre>
    size: 2rem;">notifications</span>↔
64.
                         </a>↔
65.
66.
                         <!-- Logout Button -->↔
67.
                         <form action="http://127.0.0.1:8000/logout" method="POST"</pre>
    class="d-inline-block ml-2">↔
68.
                             <input type="hidden" name="_token"</pre>
    value="lwsrnVAphFz1BZgqTbv1FJ8tadNJV39xNaYwpaaX" autocomplete="off">
    <br/>
<br/>button type="submit" class="btn btn-primary d-flex align-items-center">\boldsymbol{\leftrightarrow}
69.
                                 <span class="material-symbols-outlined"</pre>
    style="font-size: 1.5rem; margin-right: 5px;">logout</span> Logout↔
70.
                             </button>↔
71.
                         </form>←
72.
                                 </div>↔
73.
            </div>↔
74.
        </header>↔
75. ↩
76.
        <!-- Main Content with Sidebar -->↔
77.
        <div class="container-fluid" style="padding-top: 70px; height: 100vh;">↔
78.
            <div class="row h-100">↔
                 <!-- Sidebar Column -->↔
79.
80.
                 <div class="col-md-2 bg-light sidebar pb-3 vh-100">↔
81.
                     <!-- Sidebar -->↔
82. <nav class="nav flex-column d-none d-lg-flex" id="sidebar" style="position:
    fixed; top: 70px; z-index: 9999; background-color: #f8f9fa;">←
        <a class="nav-link d-flex align-items-center mb-2"</pre>
83.
    href="http://127.0.0.1:8000/">↔
84.
            <span class="material-symbols-outlined me-2">home</span> Home↔
85.
        </a>↔
86.
        <a class="nav-link d-flex align-items-center mb-2"</pre>
    href="http://127.0.0.1:8000/questions">↔
87.
            <span class="material-symbols-outlined me-2">question_answer</span>
    Questions \leftarrow
```

```
88.
         </a>↔
89.
         <a class="nav-link d-flex align-items-center mb-2"</pre>
     href="http://127.0.0.1:8000/users/3/bookmarks">↔
90.
             <span class="material-symbols-outlined me-2">bookmark</span> Bookmarks↔
91.
         </a>↔
92.
         <a class="nav-link d-flex align-items-center mb-2"
     href="http://127.0.0.1:8000/tags">←
93.
             <span class="material-symbols-outlined me-2">label</span> Tags↔
94.
95.
         <a class="nav-link d-flex align-items-center mb-2"</pre>
     href="http://127.0.0.1:8000/users">↔
96.
             <span class="material-symbols-outlined me-2">person</span> Usersoldsymbol{\epsilon}
97.
98.
         <!-- <hr style="border-top: 1px solid black; width: calc(100% + 5rem);
     margin-left: 10;"> -->↔
99.
         <a class="nav-link d-flex align-items-center mb-2"</pre>
     href="http://127.0.0.1:8000/faq?3">↔
100.
             <span class="material-symbols-outlined me-2">help</span> FAQm{arphi}
101.
102.
         <a class="nav-link d-flex align-items-center mb-2"
     href="http://127.0.0.1:8000/aboutUs?3">←
103.
             <span class="material-symbols-outlined me-2">info</span> About Usoldsymbol{\epsilon}
104.
         </a>↔
105.
         <a class="nav-link d-flex align-items-center mb-2"</pre>
     href="http://127.0.0.1:8000/contactUs?3">←
106.
             <span class="material-symbols-outlined me-2">mail</span> Contact Usoldsymbol{\epsilon}
107.
         </a>↔
108. </nav>↔
109. ↔
110. <style>↔
111. @media (max-width: 992px) {↔
112.
       #sidebar {↩
         top: 120px !important; /* makes it so all the buttons are slightly lower on
113.
     small screens, because the top bar expands and would cover the home button */e
         background-color: #f8f9fa !important; /* makes the sidebar have a
114.
     background when it's toggled on so that the buttons don't go directly over the
     contents of the page in small screens */↔
115.
116. }ئ
117. ⟨/style>↔
ئے .118
119. ⟨script⟩↔
120. document.getElementById('sidebarToggle').addEventListener('click', function()
121.
       var sidebar = document.getElementById('sidebar');↔
122.
       // toggle sidebar↔
123.
       sidebar.classList.toggle('d-none');
124. });↔
125. </script>↩
126.
                 </div>↔
127. ↔
128.
                 <!-- Main Content Column -->↔
129.
                 <div class="col-md-10">←
                      <div class="container">←
130.
131.
         <h1 class="my-4">Add New Tag</h1>↔
132. ↔
133.
         <!-- Display Validation Errors -->↔
134.
         <form action="http://127.0.0.1:8000/tags" method="POST">←
135.
136.
             <input type="hidden" name=" token"</pre>
     value="lwsrnVAphFz1BZgqTbvlFJ8tadNJV39xNaYwpaaX" autocomplete="off">↔
137.
             <!-- Tag Name -->↔
             <div class="mb-3">↔
138.
139.
                 <label for="name" class="form-label">Tag Name</label>←
140.
                  <input type="text" name="name" class="form-control" id="name"</pre>
    required="">
141.
             </div>↔
142. ↔
             <!-- Submit Button -->←
143.
```

### **Outline**

## <h1> Add New Tag

Used the HTML parser.

Total execution time 8 milliseconds.

About this checker • Report an issue • Version: 24.12.23