

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for FeupShare_specific_tag_unauthenticated.htm

Checker Input

Show ☒ source ☒ outline ☒ image report [Options...](#)

Check by [file upload](#) [Browse...](#) No file selected.

Uploaded files with .xhtml or .xht extensions are parsed using the XML parser.

[Check](#)

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

[Message Filtering](#)

- Error** A document must not include both a `meta` element with an `http-equiv` attribute whose value is `content-type`, and a `meta` element with a `charset` attribute.

[From line 4, column 5; to line 4, column 26](#)

```
F-8">< <meta charset="utf-8"> <
```

- Error** Element `style` not allowed as child of element `div` in this context.
(Suppressing further errors from this subtree.)

[From line 98, column 1; to line 98, column 7](#)

```
></nav><style>@medi
```

Contexts in which element `style` may be used:

Where [metadata content](#) is expected.

In a [noscript](#) element that is a child of a [head](#) element.

Content model for element `div`:

If the element is a child of a [dl](#) element: one or more [dt](#) elements followed by one or more [dd](#) elements, optionally intermixed with [script-supporting elements](#).

If the element is not a child of a [dl](#) element: [flow content](#).

Document checking completed.

Image report

No images in the document.

Source

```
1. <!DOCTYPE html>↵
2. <html lang="en"><head>↵
3. <meta http-equiv="content-type" content="text/html; charset=UTF-8">↵
4.   <meta charset="utf-8">↵
5.   <meta http-equiv="X-UA-Compatible" content="IE=edge">↵
6.   <meta name="viewport" content="width=device-width, initial-scale=1">↵
7. ↵
8.   <!-- CSRF Token -->↵
9.   <meta name="csrf-token"
content="3bHJIZVlP6dQFkIz14jevRI361499J29VeDfrRbQ">↵
10. ↵
11.   <title>FeupShare</title>↵
12. ↵
13.   <!-- Styles -->↵
14.   <link rel="stylesheet" href="FeupShare_specific_tag_unauthenticated_files/
bootstrap.min.css" integrity="sha384-MCw98/
SFnGE8fJT3GXwEOngsV7Zt27NXFoaoApmYm81iuXoPkFOJwJ8ERdknLPMO"
crossorigin="anonymous">↵
15.   <link rel="stylesheet" href="FeupShare_specific_tag_unauthenticated_files/
css2.css">↵
16.   <link rel="stylesheet" href="FeupShare_specific_tag_unauthenticated_files/
all.min.css">↵
17.   <style>↵
18.     .input-group .form-control, .input-group .btn {↵
19.       height: auto;↵
20.     }↵
21.     .input-group {↵
22.       display: flex;↵
23.       align-items: stretch;↵
24.     }↵
25.     .navbar-toggler { /* Hamburger Icon to toggle the sidebar */↵
26.       z-index: 9999;↵
27.     }↵
28.   </style>↵
29. </head>↵
30. ↵
31. <body>↵
32.   <!-- Fixed Header -->↵
33.   <header class="navbar navbar-expand-lg navbar-light bg-light fixed-top">↵
34.     <div class="container-fluid">↵
35.       <!-- Hamburger Icon (visible on small screens) to toggle the
sidebar -->↵
36.       <button class="navbar-toggler d-lg-none" type="button"
id="sidebarToggle" style="border:none;">↵
37.         <span class="material-symbols-outlined">menu</span>↵
38.       </button>↵
39. ↵
40.       <!-- Logo -->↵
41.       <a class="navbar-brand" href="http://127.0.0.1:8000/" style="font-
size: 2rem; color:#007bff">FEUPshare</a>↵
42. ↵
43.       <!-- Search Form -->↵
44.       <form class="form-inline mx-auto w-50 max-w-600"
action="http://127.0.0.1:8000/api/questions" method="GET">↵
45.         <div class="input-group w-100">↵
46.           <input class="form-control" type="search"
placeholder="Search questions..." aria-label="Search" name="query">↵
47.           <div class="input-group-append">↵
48.             <button class="btn btn-outline-success d-flex align-
items-center justify-content-center" type="submit">↵
49.               <span class="material-symbols-outlined">search</
span>↵
50.             </button>↵
51.           </div>↵
52.         </div>↵
53.       </form>↵
```

```
54. ↵
55.         <!-- User Links -->↵
56.         <div class="d-flex align-items-center">↵
57.             <!-- Login and Register Links -->↵
58.             <a class="btn btn-primary ml-2"
href="http://127.0.0.1:8000/login">Login</a>↵
59.             <a class="btn btn-secondary ml-2"
href="http://127.0.0.1:8000/register">Register</a>↵
60.             </div>↵
61.         </div>↵
62.     </header>↵
63. ↵
64.     <!-- Main Content with Sidebar -->↵
65.     <div class="container-fluid" style="padding-top: 70px; height: 100vh;">↵
66.         <div class="row h-100">↵
67.             <!-- Sidebar Column -->↵
68.             <div class="col-md-2 bg-light sidebar pb-3 vh-100">↵
69.                 <!-- Sidebar -->↵
70.                 <nav class="nav flex-column d-none d-lg-flex" id="sidebar" style="position:
fixed; top: 70px; z-index: 9999; background-color: #f8f9fa;">↵
71.                     <a class="nav-link d-flex align-items-center mb-2"
href="http://127.0.0.1:8000/">↵
72.                         <span class="material-symbols-outlined me-2">home</span> Home↵
73.                     </a>↵
74.                     <a class="nav-link d-flex align-items-center mb-2"
href="http://127.0.0.1:8000/questions">↵
75.                         <span class="material-symbols-outlined me-2">question_answer</span>
Questions↵
76.                     </a>↵
77.                     <a class="nav-link d-flex align-items-center mb-2"
href="http://127.0.0.1:8000/login">↵
78.                         <span class="material-symbols-outlined me-2">bookmark</span> Bookmarks↵
79.                     </a>↵
80.                     <a class="nav-link d-flex align-items-center mb-2"
href="http://127.0.0.1:8000/tags">↵
81.                         <span class="material-symbols-outlined me-2">label</span> Tags↵
82.                     </a>↵
83.                     <a class="nav-link d-flex align-items-center mb-2"
href="http://127.0.0.1:8000/users">↵
84.                         <span class="material-symbols-outlined me-2">person</span> Users↵
85.                     </a>↵
86.                     <!-- <hr style="border-top: 1px solid black; width: calc(100% + 5rem);
margin-left: 10%;" -->↵
87.                     <a class="nav-link d-flex align-items-center mb-2"
href="http://127.0.0.1:8000/faq">↵
88.                         <span class="material-symbols-outlined me-2">help</span> FAQ↵
89.                     </a>↵
90.                     <a class="nav-link d-flex align-items-center mb-2"
href="http://127.0.0.1:8000/aboutUs">↵
91.                         <span class="material-symbols-outlined me-2">info</span> About Us↵
92.                     </a>↵
93.                     <a class="nav-link d-flex align-items-center mb-2"
href="http://127.0.0.1:8000/contactUs">↵
94.                         <span class="material-symbols-outlined me-2">mail</span> Contact Us↵
95.                     </a>↵
96.                 </nav>↵
97.                 ↵
98.             <style>↵
99.             @media (max-width: 992px) {↵
100.                 #sidebar {↵
101.                     top: 120px !important; /* makes it so all the buttons are slightly lower on
small screens, because the top bar expands and would cover the home button */↵
102.                     background-color: #f8f9fa !important; /* makes the sidebar have a
background when it's toggled on so that the buttons don't go directly over the
contents of the page in small screens */↵
103.                 }↵
104.             }↵
105.             </style>↵
106.         </div>↵
```

```

107. <script>↵
108. document.getElementById('sidebarToggle').addEventListener('click', function()
109. {↵
110.     var sidebar = document.getElementById('sidebar');↵
111.     // toggle sidebar↵
112.     sidebar.classList.toggle('d-none');↵
113. });↵
114. </script>↵
115.     </div>↵
116.     <!-- Main Content Column -->↵
117.     <div class="col-md-10">↵
118.         <div class="container">↵
119.             <div class="d-flex justify-content-between align-items-center my-4">↵
120.                 <h1>javascript</h1>↵
121.                 <div class="d-flex">↵
122.                     <a href="http://127.0.0.1:8000/login" class="btn
123. btn-primary me-2">↵
124.                         <i class="fas fa-plus-circle"></i> Follow Tag↵
125.                     </a>↵
126.                 </div>↵
127.             </div>↵
128.             <div class="row">↵
129.                 <div class="col-md-12 mb-3">↵
130.                     <div class="card">↵
131.                         <div class="card-body">↵
132.                             <h5 class="card-title">↵
133.                                 <a href="http://127.0.0.1:8000/questions/92">How
134. can I implement a dark mode in my web application using CSS</a>↵
135.                             </h5>↵
136.                             <p class="card-text">I want to add a dark mode ↵
137. feature to my web app for better user experience especially at night ↵
138. What are the steps to implement this using CSS and how...</p>↵
139.                             <p class="card-text text-muted">↵
140.                                 Posted by <span style="position: relative; top:
-2px;"> <!-- user button, receives the user that the button refers to, it
displays the username and the user's reputation (the user total score that is
stored inside the view in the database), that when hovered changes color and
that when pressed goes to that user's profile -->↵
141.                                 ↵
142.                                 <a href="http://127.0.0.1:8000/users/22" class="btn btn-link d-inline-flex
align-items-center text-decoration-none p-0">↵
143.                                     <span>up090788854</span>↵
144.                                     <span class="badge text-warning mt-1 ms-2">↵
145.                                         <i class="fas fa-star me-1"></i> 9↵
146.                                     </span>↵
147.                                 </a>↵
148.                                 </span> on May 22, 2024↵
149.                             </p>↵
150.                         </div>↵
151.                     </div>↵
152.                 </div>↵
153.                 <div class="col-md-12 mb-3">↵
154.                     <div class="card">↵
155.                         <div class="card-body">↵
156.                             <h5 class="card-title">↵
157.                                 <a href="http://127.0.0.1:8000/questions/94">What
is the difference between synchronous and asynchronous programming</a>↵
158.                             </h5>↵
159.                             <p class="card-text">Ive come across the terms ↵
160. synchronous and asynchronous programming in my studies but Im still not ↵
161. clear on how they differ Can someone explain it in t...</p>↵
162.                             <p class="card-text text-muted">↵
163.                                 Posted by <span style="position: relative; top:
-2px;"> <!-- user button, receives the user that the button refers to, it
displays the username and the user's reputation (the user total score that is
stored inside the view in the database), that when hovered changes color and

```

```
that when pressed goes to that user's profile -->↵
164. ↵
165. <a href="http://127.0.0.1:8000/users/15" class="btn btn-link d-inline-flex
align-items-center text-decoration-none p-0">↵
166.   <span>up012172879</span>↵
167.   <span class="badge text-warning mt-1 ms-2">↵
168.     <i class="fas fa-star me-1"></i> 2↵
169.   </span>↵
170. </a>↵
171. </span> on Feb 04, 2024↵
172.   </p>↵
173. </div>↵
174. </div>↵
175. </div>↵
176.   <div class="col-md-12 mb-3">↵
177.     <div class="card">↵
178.       <div class="card-body">↵
179.         <h5 class="card-title">↵
180.           <a href="http://127.0.0.1:8000/
questions/315">Machine learning model evaluation techniques</a>↵
181.         </h5>↵
182.         <p class="card-text">Explanation of different metrics
used to assess model performance</p>↵
183.         <p class="card-text text-muted">↵
184.           Posted by <span style="position: relative; top:
-2px;"> <!-- user button, receives the user that the button refers to, it
displays the username and the user's reputation (the user total score that is
stored inside the view in the database), that when hovered changes color and
that when pressed goes to that user's profile -->↵
185. ↵
186. <a href="http://127.0.0.1:8000/users/368" class="btn btn-link d-inline-flex
align-items-center text-decoration-none p-0">↵
187.   <span>up215469056</span>↵
188.   <span class="badge text-warning mt-1 ms-2">↵
189.     <i class="fas fa-star me-1"></i> 53↵
190.   </span>↵
191. </a>↵
192. </span> on Aug 17, 2024↵
193.   </p>↵
194. </div>↵
195. </div>↵
196. </div>↵
197.   <div class="col-md-12 mb-3">↵
198.     <div class="card">↵
199.       <div class="card-body">↵
200.         <h5 class="card-title">↵
201.           <a href="http://127.0.0.1:8000/
questions/333">Designing a RESTful API</a>↵
202.         </h5>↵
203.         <p class="card-text">Principles of creating stateless
and scalable APIs following REST guidelines</p>↵
204.         <p class="card-text text-muted">↵
205.           Posted by <span style="position: relative; top:
-2px;"> <!-- user button, receives the user that the button refers to, it
displays the username and the user's reputation (the user total score that is
stored inside the view in the database), that when hovered changes color and
that when pressed goes to that user's profile -->↵
206. ↵
207. <a href="http://127.0.0.1:8000/users/317" class="btn btn-link d-inline-flex
align-items-center text-decoration-none p-0">↵
208.   <span>up203570511</span>↵
209.   <span class="badge text-warning mt-1 ms-2">↵
210.     <i class="fas fa-star me-1"></i> 39↵
211.   </span>↵
212. </a>↵
213. </span> on Jun 27, 2024↵
214.   </p>↵
215. </div>↵
216. </div>↵
```

```
217.         </div><br>
218.             <div class="col-md-12 mb-3"><br>
219.                 <div class="card"><br>
220.                     <div class="card-body"><br>
221.                         <h5 class="card-title"><br>
222.                             <a href="http://127.0.0.1:8000/
questions/370">Optimizing a SQL query for performance</a><br>
223.                             </h5><br>
224.                             <p class="card-text">Techniques for improving the speed
of complex database queries</p><br>
225.                             <p class="card-text text-muted"><br>
226.                                 Posted by <span style="position: relative; top:
-2px;"> <!-- user button, receives the user that the button refers to, it
displays the username and the user's reputation (the user total score that is
stored inside the view in the database), that when hovered changes color and
that when pressed goes to that user's profile --><br>
227.                                 <br>
228.                                 <a href="http://127.0.0.1:8000/users/381" class="btn btn-link d-inline-flex
align-items-center text-decoration-none p-0"><br>
229.                                     <span>up284012967</span><br>
230.                                     <span class="badge text-warning mt-1 ms-2"><br>
231.                                         <i class="fas fa-star me-1"></i> 27<br>
232.                                     </span><br>
233.                                 </a><br>
234.                                 </span> on Oct 21, 2024<br>
235.                                     </p><br>
236.                             </div><br>
237.                         </div><br>
238.                     </div><br>
239.                 <div class="col-md-12 mb-3"><br>
240.                     <div class="card"><br>
241.                         <div class="card-body"><br>
242.                             <h5 class="card-title"><br>
243.                                 <a href="http://127.0.0.1:8000/
questions/460">Concurrency in programming</a><br>
244.                                 </h5><br>
245.                                 <p class="card-text">Could you explain what concurrency
is in programming and how it can be achieved?</p><br>
246.                                 <p class="card-text text-muted"><br>
247.                                     Posted by <span style="position: relative; top:
-2px;"> <!-- user button, receives the user that the button refers to, it
displays the username and the user's reputation (the user total score that is
stored inside the view in the database), that when hovered changes color and
that when pressed goes to that user's profile --><br>
248.                                     <br>
249.                                     <a href="http://127.0.0.1:8000/users/448" class="btn btn-link d-inline-flex
align-items-center text-decoration-none p-0"><br>
250.                                         <span>up310600756</span><br>
251.                                         <span class="badge text-warning mt-1 ms-2"><br>
252.                                             <i class="fas fa-star me-1"></i> 2<br>
253.                                         </span><br>
254.                                     </a><br>
255.                                     </span> on Mar 28, 2024<br>
256.                                         </p><br>
257.                                 </div><br>
258.                         </div><br>
259.                     </div><br>
260.                 <div class="col-md-12 mb-3"><br>
261.                     <div class="card"><br>
262.                         <div class="card-body"><br>
263.                             <h5 class="card-title"><br>
264.                                 <a href="http://127.0.0.1:8000/questions/746">How
does a blockchain maintain security and integrity</a><br>
265.                                 </h5><br>
266.                                 <p class="card-text">Im curious about the mechanisms
that make blockchain technology secure.</p><br>
267.                                 <p class="card-text text-muted"><br>
268.                                     Posted by <span style="position: relative; top:
-2px;"> <!-- user button, receives the user that the button refers to, it
```

```

displays the username and the user's reputation (the user total score that is
stored inside the view in the database), that when hovered changes color and
that when pressed goes to that user's profile -->
269. <a href="http://127.0.0.1:8000/users/805" class="btn btn-link d-inline-flex
270. align-items-center text-decoration-none p-0">
271.   <span>up657180602</span>
272.   <span class="badge text-warning mt-1 ms-2">
273.     <i class="fas fa-star me-1"></i> 39
274.   </span>
275. </a>
276. </span> on Dec 03, 2024
277. </p>
278. </div>
279. </div>
280. </div>
281. </div>
282.
283. <!-- Pagination Links -->
284. <div class="d-flex justify-content-center">
285.   <ul class="pagination pagination-sm">
286.     <li class="page-item disabled" aria-
287. disabled="true">
288.       <span class="page-link">Previous</span>
289.     </li>
290.     <li>
291.       <span class="page-link"></span>
292.     </li>
293.     <li>
294.       <span class="page-link"></span>
295.     </li>
296.     <li class="page-item active" aria-current="page"><span class="page-link">1</
297. span></li>
298.     <li class="page-item disabled" aria-
299. disabled="true">
300.       <span class="page-link">Next</span>
301.     </li>
302.   </ul>
303. </div>
304. </div>
305. </div>
306. </div>
307.
308.
309. </body></html>

```

Outline

<h1> **javascript**

<h2> **[missing]**

<h3> **[missing]**

<h4> **[missing]**

<h5> **How can I implement a dark mode in my web application using CSS**

<h5> **What is the difference between synchronous and asynchronous programming**

<h5> **Machine learning model evaluation techniques**

<h5> **Designing a RESTful API**

<h5> **Optimizing a SQL query for performance**

<h5> **Concurrency in programming**

<h5> **How does a blockchain maintain security and integrity**

Used the HTML parser.

Total execution time 10 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 24.12.23