

# Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

## Showing results for FeupShare\_tags\_unauthenticated.htm

### Checker Input

Show ☒ source ☒ outline ☒ image report [Options...](#)

Check by [file upload](#) [Browse...](#) No file selected.

Uploaded files with .xhtml or .xht extensions are parsed using the XML parser.

[Check](#)

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

[Message Filtering](#)

- Error** A document must not include both a `meta` element with an `http-equiv` attribute whose value is `content-type`, and a `meta` element with a `charset` attribute.

[From line 4, column 5; to line 4, column 26](#)

```
F-8">< <meta charset="utf-8"> <
```

- Error** Element `style` not allowed as child of element `div` in this context.  
(Suppressing further errors from this subtree.)

[From line 98, column 1; to line 98, column 7](#)

```
></nav><style>@medi
```

Contexts in which element `style` may be used:

Where [metadata content](#) is expected.

In a [noscript](#) element that is a child of a [head](#) element.

Content model for element `div`:

If the element is a child of a [dl](#) element: one or more [dt](#) elements followed by one or more [dd](#) elements, optionally intermixed with [script-supporting elements](#).

If the element is not a child of a [dl](#) element: [flow content](#).

Document checking completed.

### Image report

No images in the document.

## Source

```
1. <!DOCTYPE html>↵
2. <html lang="en"><head>↵
3. <meta http-equiv="content-type" content="text/html; charset=UTF-8">↵
4.   <meta charset="utf-8">↵
5.   <meta http-equiv="X-UA-Compatible" content="IE=edge">↵
6.   <meta name="viewport" content="width=device-width, initial-scale=1">↵
7. ↵
8.   <!-- CSRF Token -->↵
9.   <meta name="csrf-token"
10.  content="3bHJIZVlP6dQFkIz14jevRI361499J29VeDfrRbQ">↵
11. ↵
12.   <title>FeupShare</title>↵
13. ↵
14.   <!-- Styles -->↵
15.   <link rel="stylesheet" href="FeupShare_tags_unauthenticated_files/
16. bootstrap.min.css" integrity="sha384-MCw98/
17. SFnGE8fJT3GXwEOngsV7Zt27NXFoaoApmYm81iuXoPkFOJwJ8ERdknLPMO"
18. crossorigin="anonymous">↵
19.   <link rel="stylesheet" href="FeupShare_tags_unauthenticated_files/
20. css2.css">↵
21.   <link rel="stylesheet" href="FeupShare_tags_unauthenticated_files/
22. all.min.css">↵
23.   <style>↵
24.     .input-group .form-control, .input-group .btn {↵
25.       height: auto;↵
26.     }↵
27.     .input-group {↵
28.       display: flex;↵
29.       align-items: stretch;↵
30.     }↵
31.     .navbar-toggler { /* Hamburger Icon to toggle the sidebar */↵
32.       z-index: 9999;↵
33.     }↵
34.   </style>↵
35. </head>↵
36. ↵
37. <body>↵
38.   <!-- Fixed Header -->↵
39.   <header class="navbar navbar-expand-lg navbar-light bg-light fixed-top">↵
40.     <div class="container-fluid">↵
41.       <!-- Hamburger Icon (visible on small screens) to toggle the
42.       sidebar -->↵
43.       <button class="navbar-toggler d-lg-none" type="button"
44.       id="sidebarToggle" style="border:none;">↵
45.         <span class="material-symbols-outlined">menu</span>↵
46.       </button>↵
47.       ↵
48.       <!-- Logo -->↵
49.       <a class="navbar-brand" href="http://127.0.0.1:8000/" style="font-
50.       size: 2rem; color:#007bff">FEUPshare</a>↵
51.       ↵
52.       <!-- Search Form -->↵
53.       <form class="form-inline mx-auto w-50 max-w-600"
54.       action="http://127.0.0.1:8000/api/questions" method="GET">↵
55.         <div class="input-group w-100">↵
56.           <input class="form-control" type="search"
57.           placeholder="Search questions..." aria-label="Search" name="query">↵
58.           <div class="input-group-append">↵
59.             <button class="btn btn-outline-success d-flex align-
60.             items-center justify-content-center" type="submit">↵
61.               <span class="material-symbols-outlined">search</
62.               span>↵
63.             </button>↵
64.           </div>↵
65.         </div>↵
66.       </form>↵
```

```
54. ↵
55.         <!-- User Links -->↵
56.         <div class="d-flex align-items-center">↵
57.             <!-- Login and Register Links -->↵
58.             <a class="btn btn-primary ml-2"
href="http://127.0.0.1:8000/login">Login</a>↵
59.             <a class="btn btn-secondary ml-2"
href="http://127.0.0.1:8000/register">Register</a>↵
60.             </div>↵
61.         </div>↵
62.     </header>↵
63. ↵
64.     <!-- Main Content with Sidebar -->↵
65.     <div class="container-fluid" style="padding-top: 70px; height: 100vh;">↵
66.         <div class="row h-100">↵
67.             <!-- Sidebar Column -->↵
68.             <div class="col-md-2 bg-light sidebar pb-3 vh-100">↵
69.                 <!-- Sidebar -->↵
70.                 <nav class="nav flex-column d-none d-lg-flex" id="sidebar" style="position:
fixed; top: 70px; z-index: 9999; background-color: #f8f9fa;">↵
71.                     <a class="nav-link d-flex align-items-center mb-2"
href="http://127.0.0.1:8000/">↵
72.                         <span class="material-symbols-outlined me-2">home</span> Home↵
73.                     </a>↵
74.                     <a class="nav-link d-flex align-items-center mb-2"
href="http://127.0.0.1:8000/questions">↵
75.                         <span class="material-symbols-outlined me-2">question_answer</span>
Questions↵
76.                     </a>↵
77.                     <a class="nav-link d-flex align-items-center mb-2"
href="http://127.0.0.1:8000/login">↵
78.                         <span class="material-symbols-outlined me-2">bookmark</span> Bookmarks↵
79.                     </a>↵
80.                     <a class="nav-link d-flex align-items-center mb-2"
href="http://127.0.0.1:8000/tags">↵
81.                         <span class="material-symbols-outlined me-2">label</span> Tags↵
82.                     </a>↵
83.                     <a class="nav-link d-flex align-items-center mb-2"
href="http://127.0.0.1:8000/users">↵
84.                         <span class="material-symbols-outlined me-2">person</span> Users↵
85.                     </a>↵
86.                     <!-- <hr style="border-top: 1px solid black; width: calc(100% + 5rem);
margin-left: 10%;" -->↵
87.                     <a class="nav-link d-flex align-items-center mb-2"
href="http://127.0.0.1:8000/faq">↵
88.                         <span class="material-symbols-outlined me-2">help</span> FAQ↵
89.                     </a>↵
90.                     <a class="nav-link d-flex align-items-center mb-2"
href="http://127.0.0.1:8000/aboutUs">↵
91.                         <span class="material-symbols-outlined me-2">info</span> About Us↵
92.                     </a>↵
93.                     <a class="nav-link d-flex align-items-center mb-2"
href="http://127.0.0.1:8000/contactUs">↵
94.                         <span class="material-symbols-outlined me-2">mail</span> Contact Us↵
95.                     </a>↵
96.                 </nav>↵
97.                 ↵
98.             <style>↵
99.             @media (max-width: 992px) {↵
100.                 #sidebar {↵
101.                     top: 120px !important; /* makes it so all the buttons are slightly lower on
small screens, because the top bar expands and would cover the home button */↵
102.                     background-color: #f8f9fa !important; /* makes the sidebar have a
background when it's toggled on so that the buttons don't go directly over the
contents of the page in small screens */↵
103.                 }↵
104.             }↵
105.             </style>↵
106.         </div>↵
```

```
107. <script>↵
108. document.getElementById('sidebarToggle').addEventListener('click', function()
109. {↵
110.     var sidebar = document.getElementById('sidebar');↵
111.     // toggle sidebar↵
112.     sidebar.classList.toggle('d-none');↵
113. });↵
114. </script>↵
115. ↵
116.     <!-- Main Content Column -->↵
117.     <div class="col-md-10">↵
118.         <div class="container">↵
119.             <h1 class="my-4">All Tags</h1>↵
120. ↵
121.             ↵
122.             <div class="row">↵
123.                 <div class="col-md-3 mb-4">↵
124.                     <div class="card">↵
125.                         <div class="card-body text-center">↵
126.                             <h5 class="card-title">SQL</h5>↵
127.                             <a href="http://127.0.0.1:8000/tags/1" class="btn btn-
primary">↵
128.                                 <i class="fas fa-eye mr-1"></i> View Tag↵
129.                             </a>↵
130.                             <p class="mt-2">1 Questions</p>↵
131.                         </div>↵
132.                     </div>↵
133.                 </div>↵
134.                 <div class="col-md-3 mb-4">↵
135.                     <div class="card">↵
136.                         <div class="card-body text-center">↵
137.                             <h5 class="card-title">PostgreSQL</h5>↵
138.                             <a href="http://127.0.0.1:8000/tags/2" class="btn btn-
primary">↵
139.                                 <i class="fas fa-eye mr-1"></i> View Tag↵
140.                             </a>↵
141.                             <p class="mt-2">1 Questions</p>↵
142.                         </div>↵
143.                     </div>↵
144.                 </div>↵
145.                 <div class="col-md-3 mb-4">↵
146.                     <div class="card">↵
147.                         <div class="card-body text-center">↵
148.                             <h5 class="card-title">Banco de Dados</h5>↵
149.                             <a href="http://127.0.0.1:8000/tags/3" class="btn btn-
primary">↵
150.                                 <i class="fas fa-eye mr-1"></i> View Tag↵
151.                             </a>↵
152.                             <p class="mt-2">1 Questions</p>↵
153.                         </div>↵
154.                     </div>↵
155.                 </div>↵
156.                 <div class="col-md-3 mb-4">↵
157.                     <div class="card">↵
158.                         <div class="card-body text-center">↵
159.                             <h5 class="card-title">python</h5>↵
160.                             <a href="http://127.0.0.1:8000/tags/10" class="btn btn-
primary">↵
161.                                 <i class="fas fa-eye mr-1"></i> View Tag↵
162.                             </a>↵
163.                             <p class="mt-2">4 Questions</p>↵
164.                         </div>↵
165.                     </div>↵
166.                 </div>↵
167.                 <div class="col-md-3 mb-4">↵
168.                     <div class="card">↵
169.                         <div class="card-body text-center">↵
170.                             <h5 class="card-title">javascript</h5>↵
```

```
171.         <a href="http://127.0.0.1:8000/tags/11" class="btn btn-
primary"><
172.             <i class="fas fa-eye mr-1"></i> View Tag<
173.         </a><
174.         <p class="mt-2">7 Questions</p><
175.     </div><
176. </div><
177. </div><
178.     <div class="col-md-3 mb-4"><
179.     <div class="card"><
180.     <div class="card-body text-center"><
181.     <h5 class="card-title">java</h5><
182.     <a href="http://127.0.0.1:8000/tags/12" class="btn btn-
primary"><
183.         <i class="fas fa-eye mr-1"></i> View Tag<
184.     </a><
185.     <p class="mt-2">2 Questions</p><
186. </div><
187. </div><
188. </div><
189.     <div class="col-md-3 mb-4"><
190.     <div class="card"><
191.     <div class="card-body text-center"><
192.     <h5 class="card-title">c#</h5><
193.     <a href="http://127.0.0.1:8000/tags/13" class="btn btn-
primary"><
194.         <i class="fas fa-eye mr-1"></i> View Tag<
195.     </a><
196.     <p class="mt-2">3 Questions</p><
197. </div><
198. </div><
199. </div><
200.     <div class="col-md-3 mb-4"><
201.     <div class="card"><
202.     <div class="card-body text-center"><
203.     <h5 class="card-title">php</h5><
204.     <a href="http://127.0.0.1:8000/tags/14" class="btn btn-
primary"><
205.         <i class="fas fa-eye mr-1"></i> View Tag<
206.     </a><
207.     <p class="mt-2">10 Questions</p><
208. </div><
209. </div><
210. </div><
211.     <div class="col-md-3 mb-4"><
212.     <div class="card"><
213.     <div class="card-body text-center"><
214.     <h5 class="card-title">html</h5><
215.     <a href="http://127.0.0.1:8000/tags/15" class="btn btn-
primary"><
216.         <i class="fas fa-eye mr-1"></i> View Tag<
217.     </a><
218.     <p class="mt-2">1 Questions</p><
219. </div><
220. </div><
221. </div><
222.     <div class="col-md-3 mb-4"><
223.     <div class="card"><
224.     <div class="card-body text-center"><
225.     <h5 class="card-title">css</h5><
226.     <a href="http://127.0.0.1:8000/tags/16" class="btn btn-
primary"><
227.         <i class="fas fa-eye mr-1"></i> View Tag<
228.     </a><
229.     <p class="mt-2">2 Questions</p><
230. </div><
231. </div><
232. </div><
233. </div><
```

```

234.         <!-- Add New Tag (For Admins) -->↵
235.         </div>↵
236. ↵
237.         <!-- Pagination Links -->↵
238.         <div class="d-flex justify-content-center">↵
239.             <ul class="pagination pagination-sm">↵
240.                 ↵
241.                     <li class="page-item disabled" aria-
disabled="true">↵
242.                         <span class="page-link">Previous</span>↵
243.                     </li>↵
244.                 ↵
245.                 ↵
246.                     ↵
247.                 ↵
248.                 ↵
249.             <li class="page-item active" aria-current="page"><span class="page-link">1</
span></li>↵
250.             <li class="page-item"><a class="page-link" href="http://127.0.0.1:8000/tags?
page=2">2</a></li>↵
251.             <li class="page-item"><a class="page-link" href="http://127.0.0.1:8000/tags?
page=3">3</a></li>↵
252.             <li class="page-item"><a class="page-link" href="http://127.0.0.1:8000/tags?
page=4">4</a></li>↵
253.             <li class="page-item"><a class="page-link" href="http://127.0.0.1:8000/tags?
page=5">5</a></li>↵
254.             <li class="page-item"><a class="page-link" href="http://127.0.0.1:8000/tags?
page=6">6</a></li>↵
255.             <li class="page-item"><a class="page-link" href="http://127.0.0.1:8000/tags?
page=7">7</a></li>↵
256.             <li class="page-item"><a class="page-link" href="http://127.0.0.1:8000/tags?
page=8">8</a></li>↵
257.             <li class="page-item"><a class="page-link" href="http://127.0.0.1:8000/tags?
page=9">9</a></li>↵
258.             <li class="page-item"><a class="page-link" href="http://127.0.0.1:8000/tags?
page=10">10</a></li>↵
259.             <li class="page-item"><a class="page-link" href="http://127.0.0.1:8000/tags?
page=11">11</a></li>↵
260.                 ↵
261.                 ↵
262.                     <li class="page-item">↵
263.                         <a class="page-link" href="http://127.0.0.1:8000/tags?
page=2" rel="next">Next</a>↵
264.                     </li>↵
265.                 </ul>↵
266.             </div>↵
267.         </div>↵
268.     </div>↵
269. </div>↵
270. </div>↵
271. ↵
272. ↵
273. </body></html>

```

## Outline

<h1> **All Tags**

<h2> **[missing]**

<h3> **[missing]**

<h4> **[missing]**

<h5> **SQL**

<h5> **PostgreSQL**

<h5> **Banco de Dados**

<h5> **python**

<h5> **javascript**

<h5> **java**

<h5> **c#**

<h5> **php**

<h5> **html**

<h5> **css**

Used the HTML parser.

Total execution time 9 milliseconds.

---

[About this checker](#) • [Report an issue](#) • Version: 24.12.23