

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for FeupShare_bookmarks_authenticated.htm

Checker Input

Show ☒ source ☒ outline ☒ image report [Options...](#)

Check by [file upload](#) [Browse...](#) No file selected.

Uploaded files with .xhtml or .xht extensions are parsed using the XML parser.

[Check](#)

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

[Message Filtering](#)

- Error** A document must not include both a `meta` element with an `http-equiv` attribute whose value is `content-type`, and a `meta` element with a `charset` attribute.

[From line 4, column 5; to line 4, column 26](#)

```
F-8">< <meta charset="utf-8"><
```

- Error** An `input` element with a `type` attribute whose value is `hidden` must not have an `autocomplete` attribute whose value is `on` or `off`.

[From line 68, column 25; to line 68, column 127](#)

```
<input type="hidden" name="_token"
value="QBEkooFTehkCPdWHYqGdrugZv3raWV0tNnp90vQJ" autocomplete="off">
```

- Error** Element `style` not allowed as child of element `div` in this context.
(Suppressing further errors from this subtree.)

[From line 110, column 1; to line 110, column 7](#)

```
></nav><style>@medi
```

Contexts in which element `style` may be used:

Where [metadata content](#) is expected.

In a [noscript](#) element that is a child of a [head](#) element.

Content model for element `div`:

If the element is a child of a [dl](#) element: one or more [dt](#) elements followed by one or more [dd](#) elements, optionally intermixed with [script-supporting elements](#).

If the element is not a child of a [d1](#) element: [flow content](#).

Document checking completed.

Image report

No images in the document.

Source

```

1. <!DOCTYPE html><↵
2. <html lang="en"><head>↵
3. <meta http-equiv="content-type" content="text/html; charset=UTF-8">↵
4.     <meta charset="utf-8">↵
5.     <meta http-equiv="X-UA-Compatible" content="IE=edge">↵
6.     <meta name="viewport" content="width=device-width, initial-scale=1">↵
7. ↵
8.     <!-- CSRF Token -->↵
9.     <meta name="csrf-token"
content="QBekooFTehkCPdWHYqGdrugZv3raWV0tNnp90vQJ">↵
10. ↵
11.     <title>FeupShare</title>↵
12. ↵
13.     <!-- Styles -->↵
14.     <link rel="stylesheet" href="FeupShare_bookmarks_authenticated_files/
bootstrap.min.css" integrity="sha384-MCw98/
SFnGE8fJT3GXwEOngsV7Zt27NXFoaoApmYm81iuXoPkFOJwJ8ERdknLPMO"
crossorigin="anonymous">↵
15.     <link rel="stylesheet" href="FeupShare_bookmarks_authenticated_files/
css2.css">↵
16.     <link rel="stylesheet" href="FeupShare_bookmarks_authenticated_files/
all.min.css">↵
17.     <style>↵
18.         .input-group .form-control, .input-group .btn {↵
19.             height: auto;↵
20.         }↵
21.         .input-group {↵
22.             display: flex;↵
23.             align-items: stretch;↵
24.         }↵
25.         .navbar-toggler { /* Hamburger Icon to toggle the sidebar */↵
26.             z-index: 9999;↵
27.         }↵
28.     </style>↵
29. </head>↵
30. ↵
31. <body>↵
32.     <!-- Fixed Header -->↵
33.     <header class="navbar navbar-expand-lg navbar-light bg-light fixed-top">↵
34.         <div class="container-fluid">↵
35.             <!-- Hamburger Icon (visible on small screens) to toggle the
sidebar -->↵
36.             <button class="navbar-toggler d-lg-none" type="button"
id="sidebarToggle" style="border:none;">↵
37.                 <span class="material-symbols-outlined">menu</span>↵
38.             </button>↵
39. ↵
40.             <!-- Logo -->↵
41.             <a class="navbar-brand" href="http://127.0.0.1:8000/" style="font-
size: 2rem; color:#007bff">FEUPshare</a>↵
42. ↵
43.             <!-- Search Form -->↵
44.             <form class="form-inline mx-auto w-50 max-w-600"

```

```
45.     action="http://127.0.0.1:8000/api/questions" method="GET">↵
46.         <div class="input-group w-100">↵
47.             <input class="form-control" type="search"
48. placeholder="Search questions..." aria-label="Search" name="query">↵
49.             <div class="input-group-append">↵
50.                 <button class="btn btn-outline-success d-flex align-
51. items-center justify-content-center" type="submit">↵
52.                     <span class="material-symbols-outlined">search</
53. span>↵
54.                 </button>↵
55.             </div>↵
56.         </div>↵
57.     </form>↵
58.     <!-- User Links -->↵
59.     <div class="d-flex align-items-center">↵
60.         <!-- Profile Icon -->↵
61.         <a href="http://127.0.0.1:8000/users/1" class="btn btn-link
62. p-0 mx-2" title="Profile">↵
63.             <span class="material-symbols-outlined" style="font-
64. size: 2rem;">person</span>↵
65.         </a>↵
66.         <!-- Notifications Icon -->↵
67.         <a href="#" class="btn btn-link p-0 mx-2"
68. title="Notifications">↵
69.             <span class="material-symbols-outlined" style="font-
70. size: 2rem;">notifications</span>↵
71.         </a>↵
72.     </div>↵
73.     <!-- Logout Button -->↵
74.     <form action="http://127.0.0.1:8000/logout" method="POST"
75. class="d-inline-block ml-2">↵
76.         <input type="hidden" name=" token"
77. value="QBekoofTehkCPdWHYqGdrugZv3rawV0tNnp90vQJ" autocomplete="off">↵
78.         <button type="submit" class="btn btn-primary d-flex align-items-center">↵
79.             <span class="material-symbols-outlined"
80. style="font-size: 1.5rem; margin-right: 5px;">logout</span> Logout↵
81.         </button>↵
82.     </form>↵
83. </div>↵
84. </header>↵
85. <!-- Main Content with Sidebar -->↵
86. <div class="container-fluid" style="padding-top: 70px; height: 100vh;">↵
87.     <div class="row h-100">↵
88.         <!-- Sidebar Column -->↵
89.         <div class="col-md-2 bg-light sidebar pb-3 vh-100">↵
90.             <!-- Sidebar -->↵
91.             <nav class="nav flex-column d-none d-lg-flex" id="sidebar" style="position:
92. fixed; top: 70px; z-index: 9999; background-color: #f8f9fa;">↵
93.                 <a class="nav-link d-flex align-items-center mb-2"
94. href="http://127.0.0.1:8000/">↵
95.                     <span class="material-symbols-outlined me-2">home</span> Home↵
96.                 </a>↵
97.                 <a class="nav-link d-flex align-items-center mb-2"
98. href="http://127.0.0.1:8000/questions">↵
99.                     <span class="material-symbols-outlined me-2">question_answer</span>
100. Questions↵
101.                 </a>↵
102.                 <a class="nav-link d-flex align-items-center mb-2"
103. href="http://127.0.0.1:8000/users/1/bookmarks">↵
104.                     <span class="material-symbols-outlined me-2">bookmark</span> Bookmarks↵
105.                 </a>↵
106.                 <a class="nav-link d-flex align-items-center mb-2"
107. href="http://127.0.0.1:8000/tags">↵
108.                     <span class="material-symbols-outlined me-2">label</span> Tags↵
109.                 </a>↵
110.                 <a class="nav-link d-flex align-items-center mb-2">
```

```
href="http://127.0.0.1:8000/users">↵
96.     <span class="material-symbols-outlined me-2">person</span> Users↵
97.   </a>↵
98.   <!-- <hr style="border-top: 1px solid black; width: calc(100% + 5rem);
margin-left: 10px;"> -->↵
99.   <a class="nav-link d-flex align-items-center mb-2"
href="http://127.0.0.1:8000/faq?1">↵
100.     <span class="material-symbols-outlined me-2">help</span> FAQ↵
101.   </a>↵
102.   <a class="nav-link d-flex align-items-center mb-2"
href="http://127.0.0.1:8000/aboutUs?1">↵
103.     <span class="material-symbols-outlined me-2">info</span> About Us↵
104.   </a>↵
105.   <a class="nav-link d-flex align-items-center mb-2"
href="http://127.0.0.1:8000/contactUs?1">↵
106.     <span class="material-symbols-outlined me-2">mail</span> Contact Us↵
107.   </a>↵
108. </nav>↵
109. ↵
110. <style>↵
111. @media (max-width: 992px) {↵
112.   #sidebar {↵
113.     top: 120px !important; /* makes it so all the buttons are slightly lower on
small screens, because the top bar expands and would cover the home button */↵
114.     background-color: #f8f9fa !important; /* makes the sidebar have a
background when it's toggled on so that the buttons don't go directly over the
contents of the page in small screens */↵
115.   }↵
116. }↵
117. </style>↵
118. ↵
119. <script>↵
120. document.getElementById('sidebarToggle').addEventListener('click', function()
{↵
121.   var sidebar = document.getElementById('sidebar');↵
122.   // toggle sidebar↵
123.   sidebar.classList.toggle('d-none');↵
124. });↵
125. </script>↵
126.   </div>↵
127. ↵
128.   <!-- Main Content Column -->↵
129.   <div class="col-md-10">↵
130.     <div class="container">↵
131.       <h1>pedro_10_vieira's Bookmarks</h1>↵
132.       <ul class="list-group mb-4">↵
133.         <li class="list-group-item">↵
134.           <a href="http://127.0.0.1:8000/questions/1">↵
135.             Como funciona o ENUM em SQL?↵
136.           </a>↵
137.           <small class="text-muted">by pedro_10_vieira</small>↵
138.         </li>↵
139.       </ul>↵
140.     <!-- Pagination Links -->↵
141.     <div class="d-flex justify-content-center mt-4">↵
142.       <ul class="pagination pagination-sm">↵
143.         ↵
144.           <li class="page-item disabled" aria-
disabled="true">↵
145.             <span class="page-link">Previous</span>↵
146.           </li>↵
147.           ↵
148.           ↵
149.             ↵
150.           ↵
151.           ↵
152.           <li class="page-item active" aria-current="page"><span class="page-link">1</
span></li>↵
```

```
153. ↵
154. ↵
155. <li class="page-item disabled" aria-
disabled="true">↵
156. <span class="page-link">Next</span>↵
157. </li>↵
158. </ul>↵
159. </div>↵
160. </div>↵
161. </div>↵
162. </div>↵
163. </div>↵
164. ↵
165. ↵
166. </body></html>
```

Outline

<h1> **pedro_10_vieira's Bookmarks**

Used the HTML parser.

Total execution time 7 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 24.12.23