# Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

## Showing results for FeupShare login unauthenticated.htm

Checker Input
Show ✓ source ✓ outline ✓ image report Options
Check by file upload   Browse No file selected.
Uploaded files with .xhtml or .xht extensions are parsed using the XML parser.
Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

```
1. Error A document must not include both a meta element with an http-equiv attribute whose value is content-type, and a meta element with a charset attribute.

From line 4, column 5; to line 4, column 26

F-8">€ ⟨meta charset="utf-8">€ ⟨
```

2. Error Element style not allowed as child of element div in this context. (Suppressing further errors from this subtree.)

From line 98, column 1; to line 98, column 7

>**~**</nav>**~**<style>**~**@medi

Contexts in which element <a href="style">style</a> may be used:

Where <u>metadata content</u> is expected.

In a <u>noscript</u> element that is a child of a <u>head</u> element.

Content model for element div:

If the element is a child of a  $\underline{d1}$  element: one or more  $\underline{dt}$  elements followed by one or more  $\underline{dd}$  elements, optionally intermixed with <u>script-supporting elements</u>.

If the element is not a child of a dl element: flow content.

3. Error An input element with a type attribute whose value is hidden must not have an autocomplete attribute whose value is on or off.

From line 127, column 25; to line 127, column 127

<input type="hidden" name="\_token"

```
value="EdisHNFhYvGscO1EpdSIXWw8z9N9hZr0FuI1cG4Z" autocomplete="off">↔↔
```

#### Document checking completed.

### Image report

No images in the document.

#### Source

```
1. <!DOCTYPE html>↔
 2. <html lang="en"><head>↔
 3. <meta http-equiv="content-type" content="text/html; charset=UTF-8">↔
        <meta charset="utf-8">↔
        <meta http-equiv="X-UA-Compatible" content="IE=edge">←
 5.
        <meta name="viewport" content="width=device-width, initial-scale=1">←
6.
   ب
7.
8.
        <!-- CSRF Token -->↔
9.
        <meta name="csrf-token"</pre>
    content="EdisHNFhYvGsc01EpdSIXWw8z9N9hZr0FuI1cG4Z">↔
10. ب
11.
        <title>FeupShare</title>↔
12. ح
        <!-- Styles -->↔
13.
14.
        <link rel="stylesheet" href="FeupShare_login_unauthenticated_files/</pre>
    bootstrap.min.css" integrity="sha384-MCw98/
    SFnGE8fJT3GXwEOngsV7Zt27NXFoaoApmYm81iuXoPkF0JwJ8ERdknLPMO"
    crossorigin="anonymous">↔
        <link rel="stylesheet" href="FeupShare_login_unauthenticated_files/</pre>
15.
    css2.css">↔
16.
        <link rel="stylesheet" href="FeupShare_login_unauthenticated_files/</pre>
    all.min.css">↩
17.
        <style>↔
18.
            .input-group .form-control, .input-group .btn {←
19.
                height: auto;↔
20.
21.
            .input-group {↔
22.
                display: flex;↔
23.
                align-items: stretch;↔
24.
            }€
25.
            .navbar-toggler { /* Hamburger Icon to toggle the sidebar */↔
26.
                 z-index: 9999;↔
27.
28.
        </style>↔
29. </head>↔
30. \rightarrow
31. ⟨body⟩↩
32.
        <!-- Fixed Header -->↔
33.
        <header class="navbar navbar-expand-lg navbar-light bg-light fixed-top">←
34.
            <div class="container-fluid">↔
35.
                <!-- Hamburger Icon (visible on small screens) to toggle the
    sidebar -->↔
36.
                 <button class="navbar-toggler d-lg-none" type="button"</pre>
    id="sidebarToggle" style="border:none;">↔
37.
                     <span class="material-symbols-outlined">menu</span>←
38.
                </button>↔
39. ~
40.
                <!-- Logo -->↩
41.
                <a class="navbar-brand" href="http://127.0.0.1:8000/" style="font-</pre>
    size: 2rem; color:#007bff">FEUPshare</a>↔
42. ب
43.
                <!-- Search Form -->↔
44.
                <form class="form-inline mx-auto w-50 max-w-600"</pre>
```

```
action="http://127.0.0.1:8000/api/questions" method="GET">↔
    45.
46.
47.
                        ⟨div class="input-group-append">↔
                            <button class="btn btn-outline-success d-flex align-</pre>
48.
    items-center justify-content-center type="submit">←
49.
                                <span class="material-symbols-outlined">search
    span>ب
50.
                            </button>↔
51.
                        </div>↔
                    </div>↔
52.
53.
                </form>↔
54.
   ب
55.
                <!-- User Links -->↔
56.
                <div class="d-flex align-items-center">←
57.
                                         <!-- Login and Register Links -->↔
58.
                        <a class="btn btn-primary ml-2"</pre>
    href="http://127.0.0.1:8000/login">Login</a>↔
59.
                        <a class="btn btn-secondary ml-2"</pre>
    href="http://127.0.0.1:8000/register">Register</a>↔
60.
                                </div>↔
61.
            √div>
62.
        </header>↔
63. ←
64.
        <!-- Main Content with Sidebar -->↔
65.
        <div class="container-fluid" style="padding-top: 70px; height: 100vh;">←
66.
            <div class="row h-100">↔
67.
                <!-- Sidebar Column -->↔
68.
                <div class="col-md-2 bg-light sidebar pb-3 vh-100">↔
                    <!-- Sidebar -->↔
69.
70. <nav class="nav flex-column d-none d-lg-flex" id="sidebar" style="position:</pre>
    fixed; top: 70px; z-index: 9999; background-color: #f8f9fa;">↔
        <a class="nav-link d-flex align-items-center mb-2"</pre>
    href="http://127.0.0.1:8000/">↔
72.
            <span class="material-symbols-outlined me-2">home</span> Home←
73.
74.
        <a class="nav-link d-flex align-items-center mb-2"</pre>
    href="http://127.0.0.1:8000/questions">←
            <span class="material-symbols-outlined me-2">question_answer</span>
75.
    Questions↔
76.
        </a>↔
77.
        <a class="nav-link d-flex align-items-center mb-2"</pre>
    href="http://127.0.0.1:8000/login">↔
78.
            <span class="material-symbols-outlined me-2">bookmark</span> Bookmarks↔
79.
        </a>↔
80.
        <a class="nav-link d-flex align-items-center mb-2"</pre>
    href="http://127.0.0.1:8000/tags">↔
81.
            <span class="material-symbols-outlined me-2">label</span> Tags↔
82.
        </a>↔
83.
        <a class="nav-link d-flex align-items-center mb-2"</p>
    href="http://127.0.0.1:8000/users">↔
84.
            <span class="material-symbols-outlined me-2">person</span> Users↔
85.
        </a>←
86.
        <!-- <hr style="border-top: 1px solid black; width: calc(100% + 5rem);
    margin-left: 10;"> -->↔
        <a class="nav-link d-flex align-items-center mb-2"</pre>
87.
    href="http://127.0.0.1:8000/faq">↔
88.
            <span class="material-symbols-outlined me-2">help</span> FAQ↔
89.
        </a>↔
90.
        <a class="nav-link d-flex align-items-center mb-2"</pre>
    href="http://127.0.0.1:8000/aboutUs">↔
91.
            <span class="material-symbols-outlined me-2">info</span> About Us↔
92.
        </a>↔
93.
        <a class="nav-link d-flex align-items-center mb-2"</pre>
    href="http://127.0.0.1:8000/contactUs">↔
94.
            <span class="material-symbols-outlined me-2">mail</span> Contact Us↔
95.
        </a>←
96. </nay>↔
```

```
97. ب
98. <style>↔
99. @media (max-width: 992px) { ←
100.
      #sidebar {↩
         top: 120px !important; /* makes it so all the buttons are slightly lower on
101.
     small screens, because the top bar expands and would cover the home button */e
102.
         background-color: #f8f9fa !important; /* makes the sidebar have a
     background when it's toggled on so that the buttons don't go directly over the
     contents of the page in small screens */↔
       }←
103.
ئے{ .104
105. </style>↔
106. ↔
107. ⟨script⟩↔
108. document.getElementById('sidebarToggle').addEventListener('click', function()
109.
       var sidebar = document.getElementById('sidebar'); ↔
110.
       // toggle sidebar↔
111.
       sidebar.classList.toggle('d-none'); ↔
112. });←
113. </script>↩
114.
                 </div>↔
115. ↔
116.
                 <!-- Main Content Column -->↔
117.
                 <div class="col-md-10">←
118.
                      <div class="container mt-5">↔
119.
         <div class="row justify-content-center">←
             <div class="col-md-8 col-lg-6">←
120.
121.
                 <div class="card shadow">↔
122.
                      <div class="card-header bg-primary text-white text-center">↔
123.
                          <h4>Login</h4>↔
124.
                     د/div>
125.
                     <div class="card-body">←
                                               <form method="POST"</pre>
126.
     action="http://127.0.0.1:8000/login">↔
127.
                              <input type="hidden" name=" token"</pre>
     value="EdisHNFhYvGscO1EpdSIXWw8z9N9hZr0FuI1cG4Z" autocomplete="off">↔
128.
129.
                              <!-- Email Field -->↔
                              <div class="form-group">←
130.
                                  <label for="email">E-mail</label>←
131.
                                  <input id="email" type="email" name="email"</pre>
132.
     class="form-control " required="" autofocus="">+
133.
                                                           </div>↔
134. ↔
135.
                              <!-- Password Field -->←
                              <div class="form-group">←
136.
137.
                                  <label for="password">Password</label>←
                                  <input id="password" type="password"</pre>
138.
     name="password" class="form-control " required="">
139.
                                                           </div>↔
140. ↔
141.
                              <!-- Remember Me -->↔
142.
                              <div class="form-group form-check">←
143.
                                  <input type="checkbox" name="remember"</pre>
     id="remember" class="form-check-input">↔
144.
                                  <label class="form-check-label" for="remember">←
145.
                                      Remember Me↔
                                  </label>↔
146.
                              </div>↔
147.
148. ↔
149.
                              <!-- Forgot Password -->↔
150.
                              <div class="col-12 text-center mt-3">←
151.
                                  <a class="btn" href="http://127.0.0.1:8000/forgot-</pre>
     password">Forgot your password?</a>↔
152.
                              </div>↔
153. ↔
154.
                              <!-- Submit Button -->↔
                              <div class="form-group">←>
155.
```

```
156.
                                    <button type="submit" class="btn btn-primary btn-</pre>
      block">€
157.
                                         Login↔
158.
                                    </button>↔
159.
                                </div>↔
160. ↔
161.
                                <!-- Register Link -->↔
162.
                                <div class="text-center mt-3">←
                                    <a class="btn" href="http://127.0.0.1:8000/</pre>
163.
      register">Register</a>↔
164.
                                </div>↔
165. ↔
166.
                                <!-- Success Message -->↔
167.
                                                      </form>↔
168.
                       </div>↔
169.
                   </div>↔
170.
              </div>↔
          </div>↔
171.
172. </div>↩
                   </div>↔
173.
174.
              </div>↔
175.
          </div>↔
176. ↩
177. ↔
178. </body></html>
Outline
 <h1> [missing]
     <h2> [missing]
         <h3> [missing]
            <h4> Login
Used the HTML parser.
Total execution time 8 milliseconds.
```

About this checker • Report an issue • Version: 24.12.23

5 of 5