Week 10 Assignment

Mithil Patel

2022-05-16

Binary Logistic Regression

```
Call:
glm(formula = Risk1Yr ~ DGN + PRE4 + PRE5 + PRE6 + PRE7 + PRE8 +
   PRE9 + PRE10 + PRE11 + PRE14 + PRE17 + PRE19 + PRE25 + PRE30 +
   PRE32, family = binomial(), data = df)
Deviance Residuals:
                  Median
   Min
             10
                               3Q
                                       Max
-1.5863 -0.5466 -0.4222 -0.2772
                                    2.4431
Coefficients:
             Estimate Std. Error z value Pr(>|z|)
(Intercept) -17.23246 2399.54488 -0.007 0.99427
DGNDGN2
             14.76385 2399.54477
                                   0.006 0.99509
              14.20405 2399.54475
DGNDGN3
                                   0.006
                                          0.99528
DGNDGN4
             14.59889 2399.54478
                                   0.006 0.99515
DGNDGN5
             16.37763 2399.54481
                                   0.007
                                          0.99455
DGNDGN6
              0.34014 2671.68445
                                   0.000 0.99990
DGNDGN8
             18.09038 2399.54520
                                   0.008 0.99398
PRE4
             -0.20245
                         0.17871 -1.133 0.25730
PRE5
             -0.02977
                         0.01784 -1.669
                                          0.09512 .
             -0.42701
                         0.51881
                                  -0.823 0.41047
PRE6PRZ1
PRE6PRZ2
             -0.33256
                         0.78708 -0.423
                                          0.67264
                         0.55439
                                   1.273 0.20314
PRE7T
              0.70554
                                   0.450 0.65284
              0.17496
                         0.38895
PRE8T
              1.34960
                         0.48723
                                   2.770 0.00561 **
PRE9T
PRE10T
              0.55381
                         0.48037
                                   1.153 0.24895
PRE11T
              0.49030
                         0.39313
                                   1.247 0.21233
PRE140C12
              0.42876
                         0.32934
                                   1.302 0.19296
                         0.61741
                                   1.899
                                          0.05750 .
PRE140C13
               1.17277
PRE140C14
              1.67574
                         0.60931
                                   2.750
                                          0.00596 **
PRE17T
              0.90773
                          0.44343
                                   2.047
                                          0.04065 *
            -14.60971 1655.73244
                                  -0.009
                                          0.99296
PRE19T
PRE25T
             -0.12620
                          1.01218
                                  -0.125
                                          0.90077
                                          0.02951 *
PRE30T
               1.09028
                          0.50090
                                   2.177
PRE32T
            -13.95862 1643.39665 -0.008
                                          0.99322
Signif. codes: 0 '***' 0.001 '**' 0.05 '.' 0.1 ' ' 1
```

(Dispersion parameter for binomial family taken to be 1)

Null deviance: 395.61 on 469 degrees of freedom Residual deviance: 341.46 on 446 degrees of freedom

AIC: 389.46

Number of Fisher Scoring iterations: 15

Based on the $\Pr(>|\mathbf{z}|)$ value in model summary, the variable that has the greatest effect on survival rate is PRE9T.

Model accuracy percentage:

[1] 0.8305556

Logistic Regression Classifier

Confusion matrix:

0 1 0 0.2863818 0.1909212 1 0.2256342 0.2970628

Model accuracy percentage:

[1] 58.34446