

CARDIAC PATIENT MONITORING SYSTEM

Postman Testing Scenario — Explained Screenshots


■■■■ ■■■■■■ ■■■■■■■■■■ ■■■■■■■■: ■■ ■■■■ ■■■■ ■■■■ ■■■■■■ ■■■■■■ ■■■■■■■■ ■■■■■ ■■■■■ ■■■■■■■■.

Session: 2:48 PM → 3:51 PM | **Tool:** Postman | **Authentication:** Admin / Patient JWT

■■■■: ■■■ ■■■■■ ■■■ ■■■■■ ■■■■■■■■■ ■■■API ■■ ■■■■■ ■■■■■■■■■ ■■■■ ■■ ■■■■■■ ■■■■ ■■■■■■■■ ■■ ■■■■screenshots ■■■■■■■■ ■■■■■■.

1. Login — 2:48 PM

Endpoint	POST /auth/login	Result	200 OK
----------	------------------	--------	--------



```

#####: ##### ##### ##### Admin ##### JWT. #####token ##### ##### API
#####.

```


```

■■■■■■■■■■: ■■■■200 OK ■■■■ ■■■■ ■■■■■■■■■■ ■■■■■■ token ■■■■ ■■■■■■■■■■ ■■ Bearer Authentication.

```

2. Login — 2:48 PM

Endpoint	POST /auth/login	Result	Response shown in screenshot
----------	------------------	--------	------------------------------



```

#####: ##### ##### ##### ## Admin ##### ## JWT. ## ##token ## ##### ##### ## ## ##API
##### ## ##.

```


```

■■■■■■■■■■: ■■■■200 OK ■■■■ ■■■■ ■■■■■■■■■■ ■■■■■■ token ■■■■ ■■■■■■■■■■ ■■ Bearer Authentication.

```


7. Get All Vital Signs — 2:51 PM

Endpoint	GET /vitalsigns	Result	200 OK
----------	-----------------	--------	--------



■■■■■■■■■■: ■■■ ■■■■ ■■■■ ■■■■ baseline ■■■ Vital Signs. ■■■■ ■■■ ■■■■ ■■ ■■ endpoint ■■■■ ■■■ ■■■ API ■■■■■■ ■■■■ ■■■■■■ ■■■■■■ ■■■ ■■■■■■ ■■ ■■■■■■ ■■■■■■ ■■■■■■ ■■■■■■.


```

■■■■■■■■: 200 OK ■■■■ ■■ endpoint ■■■■■■ ■■■■■■ ■■ ■■■ ■■■■■■.

```


8. Get All Appointments — 2:54 PM

Endpoint	GET /appointments	Result	200 OK
----------	-------------------	--------	--------




```

■■■■■■■■: 200 OK ■■■■ ■■ endpoint ■■■■■■ ■■■■■■ ■■ ■■■ ■■■■■■.

```

9. Create Patient Medication — 2:55 PM

Endpoint	POST /patientmedications	Result	201 Created
----------	--------------------------	--------	-------------




■■■■■■■■■■: ■■■■■■ Patient Medication ■■■■■■ ■■■■■■ ■■■■■■ Patient ■■■ Medication ■■■■■■ dosage ■frequency ■route.

■■■■■■■■: 201 Created ■■■■ ■■ ■■■■■■ ■■■■■■/■■■■ ■■■■■■ ■■ ■■■■■■ ■■■■■■ ■■■■■■ API ■■■■ ■■■■■■ ■■■■■■.

11. Create Vital Sign — 2:58 PM

Endpoint	POST /vitalsigns	Result	201 Created
----------	------------------	--------	-------------



■■■■■■■■■■: ■■ ■■■ ■■■■■■ ■■■■■■ Vital Sign ■■■■■■ ■■■■■■ heart rate ■■■■■■ blood pressure ■■■■■■ respiratory rate ■■■■■■ temperature ■■■■■■ oxygen saturation ■■■■■■ weight ■■■■■■ ■■■■■■.

■■■■■■■■■■: 201 Created ■■■■ ■■■■ ■■■■■■ ■■■■■■ ■■■■ Vital Sign. ■■■■ ■■ ■■■■■■ ■■■■■■ ■■■■■■ ■■■■■■ Admin token.

14. Get Appointment By ID — 3:00 PM

The screenshot displays the Postman application interface. At the top, there's a navigation bar with tabs for 'Home', 'Workspaces', and 'API Network'. Below this, the main workspace shows a collection named 'Cardiac Patient Monitoring System API' with a sub-collection 'Appointments'. The selected endpoint is 'Get Appointment By ID'. The request method is 'GET' and the URL is '://{baseUrl}/appointments/2'. The 'Authorization' tab is active, showing 'Bearer Token' authentication with a token placeholder '({token})'. The 'Body' tab shows a JSON response with appointment details. The status is '200 OK'.

Request Details:

- Method: GET
- URL: `://{baseUrl}/appointments/2`
- Authorization: Bearer Token (Token: `{{token}}`)

Response Details:

- Status: 200 OK
- Time: 69 ms
- Size: 405 B
- Body (JSON):


```
{
  "appointmentId": 2,
  "patientId": 4,
  "doctorId": 4,
  "appointmentDate": "2026-08-15T10:00:00Z",
  "appointmentType": "Checkup",
  "status": "Scheduled",
  "reason": "Regular cardiac checkup",
  "notes": "Initial appointment"
}
```

```

■■■■■■■■: 200 OK ■■■■ ■■■■■ GET-by-ID ■■■■■■■ ■■ Postman.

```


19. RegisterPatient — 3:08 PM

Endpoint	POST /auth/register/patient	Result	200 OK
----------	-----------------------------	--------	--------

The screenshot shows the Postman interface for a POST request to the endpoint `POST /auth/register/patient`. The request body is a JSON object:

```
{  "email": "test.patient200@cardiac.com",  "password": "Patient@123"}
```

The response is a 200 OK status with a response time of 191 ms and a body size of 640 B. The response body is a JSON object containing a long JWT token:

```
{  "token": "eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJzdWIiOiIyYzcyODIyY104ODYxLTBkNjgtOWZlZmI0MmIwZTMxYzdiYzU1LCJlbWFPbCI6InRlc3QucGF0aWVudDImMEBjYXJkaWZjLnNvbSIsImh8dHA6Ly9zY2h1bWZzLm1pY3Jvc29mdC5jb29vd3MvMjAwOC0wNi9pZGVudG1BeS9jbGFPbXN5cm9sZSI6I1BhdG11bnQ1LCJleHA1OjE3ODY3OTkzMjU1bm9uZSImIjcyI6IkNhcmRpdWVhbnQ5YXJpZW50TW9uaXVcm1uZ1N5c3R1bSI6InF1ZCI6IkNhcmRpdWVhbnQ5YXJpZW50TW9uaXVcm1uZ1N5c3R1bVZzZXJzIn0.LFvUWbpmX_TwBj-1PriurPqcNtZa_jsPMC7f6jFYX8"}
```

#####: ##### Admin ##### Patient ##### endpoint #####. ##### Patient ##### ownership.

#####: ##### 200 OK ##### Patient #####.

The screenshot displays the Postman application interface. At the top, the breadcrumb navigation shows 'Home' > 'Workspaces' > 'API Network'. The main workspace is titled 'Cardiac Patient Monitoring System API / Patients / Get All Patients'. The request method is 'GET' and the URL is '[[baseUrl]]/patients'. The authorization is set to 'Bearer Token' with the token '[[token]]'. The response is a 200 OK status with a response time of 11 ms and a size of 1.82 KB. The response body is a JSON array of two patient records:

```

1  {
2    {
3      "patientId": 2,
4      "medicalRecordNumber": "MRN-0002",
5      "firstName": "Khaled",
6      "lastName": "Ahmad",
7      "dateOfBirth": "1988-10-20",
8      "gender": "Male",
9      "phone": "0599444444",
10     "email": "khaled.ahmad@example.com",
11     "address": "Hebron, Palestine",
12     "emergencyContactName": "Ali Ahmad",
13     "emergencyContactPhone": "0599555555",
14     "medicalNotes": "No known allergies"
15   },
16   {
17     "patientId": 4,
18     "medicalRecordNumber": "MR-0001",
19     "firstName": "Ahmad Updated",
20     ...

```

```

■■■■■■■■: 200 OK ■■■■ ■■ endpoint ■■■■■■ ■■■■■■ ■■ ■■■ ■■■■■■.

```


The screenshot displays the Postman application interface. At the top, the workspace is named 'API Network'. The active request is a GET method for the endpoint 'Cardiac Patient Monitoring System API / Patients / Get Patient By ID'. The URL is set to '{baseUrl}/patients/2'. The 'Params' tab is selected, showing a table with columns 'Key', 'Value', and 'Description'. Below this, the 'Body' tab is active, displaying a JSON response with a 404 status:

```
{
  "type": "https://tools.ietf.org/html/rfc9110#section-15.5.5",
  "title": "Not Found",
  "status": 404,
  "traceId": "00-79ad214d858d00555414951cdbf9fc7-dd4a0239a775a437-00"
}
```

. The status bar at the bottom indicates '404 Not Found', '9 ms', and '381 B'. The system tray at the very bottom shows the date and time as '8/15/2026 3:23 PM'.

[illegible]

The screenshot displays the Postman application interface. At the top, the breadcrumb navigation shows 'Home' > 'Workspaces' > 'API Network'. The main workspace is titled 'Cardiac Patient Monitoring System API / Doctors / Get All Doctors'. The request method is 'GET' and the URL is '[[baseUri]]/doctors'. The authorization is set to 'Bearer Token' with the token '[[token]]'. The response is a 200 OK status with a response time of 74 ms and a body size of 872 B. The response body is a JSON array of three doctor objects, each containing fields like 'doctorId', 'firstName', 'lastName', 'email', 'phone', 'specialization', and 'licenseNumber'. The bottom status bar shows 'Online', 'Find and replace', 'Console', 'Postbot', 'Runner', 'Start Proxy', 'Cookies', 'Vault', 'Trash', and the system clock indicating 3:35 PM on 8/15/2026.

```

■■■■■■■■: 200 OK ■■■■ ■■ endpoint ■■■■■■ ■■■■■■ ■■ ■■■ ■■■■■■.

```

The screenshot displays the Postman application interface. At the top, the breadcrumb navigation shows 'Home' > 'Workspaces' > 'API Network'. The main header area includes a search bar and a 'Send' button. The URL bar contains the endpoint `GET {{baseUrl}}/doctors/3`. Below the URL bar, the 'Authorization' tab is active, showing 'Auth Type' set to 'Inherit auth from parent' and 'Token' set to `{{token}}`. The 'Body' tab is also visible, showing the response in JSON format. The response status is '200 OK' with a latency of '32 ms' and a size of '369 B'. The JSON response body is as follows:


```
1 {
2   "doctorId": 3,
3   "firstName": "Omar",
4   "lastName": "Hassan",
5   "email": "omar.hassan@example.com",
6   "phone": "0659922222",
7   "specialization": "Cardiology",
8   "licenseNumber": "LIC-0001"
9 }
```

The bottom of the interface shows a sidebar with 'Collections', 'Environments', 'History', and 'Flows'. The bottom status bar indicates the system is 'Online', the search bar is active, and the system clock shows 3:35 PM on 8/15/2026.

```
■■■■■■■■: 200 OK ■■■■ ■■■■■ GET-by-ID ■■■■■■ ■■ Postman.
```


37. Update Appointment — 3:42 PM

Endpoint	PUT /appointments/{id}	Result	200 OK
----------	------------------------	--------	--------




Appointment. PUT endpoint

200 OK Postman.

38. Create Appointment — 3:42 PM

Endpoint	POST /appointments	Result	201 Created
----------	--------------------	--------	-------------



```


#####: ##### Appointment. ##### API ##### ID #####
#####/#####/#####.

#####: 201 Created #####.

```

39. Delete Appointment — 3:43 PM

Endpoint	DELETE /appointments/{id}	Result	204 No Content
----------	---------------------------	--------	----------------



#####: ##### Appointment #####.


#####: 204 No Content #####.

The screenshot displays the Postman application interface. At the top, there's a navigation bar with options like 'Home', 'Workspaces', and 'API Network'. Below this, a breadcrumb trail shows the path: 'Cardiac Patient Monitoring System API / Medications / Delete Medication'. The main area is divided into sections for 'Query Params', 'Body', 'Cookies', 'Headers', and 'Test Results'. The 'Query Params' section is currently active, showing a table with columns 'Key', 'Value', and 'Description'. The 'Body' section shows a '204 No Content' response status. The bottom of the interface features a taskbar with various system icons and a search bar.

■■■■■■■■■■: 204 No Content ■■■■ ■■■■ ■■■■■■ ■■■■■■.

48. Delete Patient Medication — 3:49 PM

Endpoint	DELETE /patientmedications/{id}	Result	204 No Content
----------	---------------------------------	--------	----------------



■■■■■■■■■■: ■■■ ■■■■ ■■■ Patient Medication ■■ ■■■■■■ ■■■■■■■■ ■■■ ■■■■■■■■ ■■ ■■■■■■■■.


■■■■■■■■■■: 204 No Content ■■■■ ■■■■ ■■■■■ ■■■■■.

The screenshot displays the Postman application interface. At the top, the navigation bar includes 'Home', 'Workspaces', and 'API Network'. The main workspace shows a REST client request for 'POST Create Patient Medica...' with the URL 'Cardiac Patient Monitoring System API / Patient Medications / Create Patient Medication'. The request body is a JSON object with fields like 'patientId', 'medicationId', 'dosage', 'frequency', 'route', 'startDate', and 'endDate'. The response is also a JSON object, indicating a successful creation with status 'Active' and a note 'Created for API testing'. The status bar at the bottom shows '201 Created' with a response time of 123 ms and a body size of 473 B.

```
■■■■■■■■: 201 Created ■■■■ ■■ ■■■■■ ■■■■/■■■■ ■■■■■■ ■■ ■■■■■■ ■■■■■ ■■■ ■■■API ■■■■ ■■■■■ ■■■■■■■■.
```


52. Create Vital Sign — 3:51 PM

Endpoint	POST /vitalsigns	Result	201 Created
----------	------------------	--------	-------------



■■■■■■■■■■: ■■ ■■■■ ■■■■■■ ■■■■■■ ■■■■■■ Vital Sign ■■■■■■ ■■■■■■ heart rate ■■■■■■ blood pressure ■■■■■■ respiratory rate ■■■■■■ temperature ■■■■■■ oxygen saturation ■■■■■■ weight ■■■■■■ ■■■■■■.

■■■■■■■■■■: 201 Created ■■■■ ■■■■ ■■■■■■ ■■■■■■ ■■■■ Vital Sign. ■■■■ ■■ ■■■■■■ ■■■■■■ ■■■■■■ ■■■■■■ ■■■■■■ Admin token.

■■■■■■■■■■: ■■■■ ■■■■■■ ■■■■■■ ■■■■■■ Vital Signs ■■■■■■■■■■ Admin token ■■■■■■■■■■ ■■■■■■ ■■■■■■ ■■■■■■ ■■■■■■ ■■■■■■.

