

OUTPUT:


mithileshsp@Mithileshs-MacBook-Air EXP5 % ansible-playbook Deploy.yml --syntax-check
[WARNING]: No inventory was parsed, only implicit localhost is available
[WARNING]: provided hosts list is empty, only localhost is available. Note that the implicit localhost does not match 'all'
playbook: Deploy.yml
mithileshsp@Mithileshs-MacBook-Air EXP5 % ansible-playbook Deploy.yml
[WARNING]: No inventory was parsed, only implicit localhost is available
[WARNING]: provided hosts list is empty, only localhost is available. Note that the implicit localhost does not match 'all'
PLAY [localhost]
TASK [Gathering Facts]
ok: [localhost]
TASK [Clone the repository]
changed: [localhost]
TASK [Install project dependencies]
ok: [localhost]
TASK [Install PM2 globally]
changed: [localhost]
TASK [Start the application with PM2]
changed: [localhost]
TASK [Save PM2 process list]
changed: [localhost]
PLAY RECAP
localhost : ok=6 changed=4 unreachable=0 failed=0 skipped=0 rescued=0 ignored=0
mithileshsp@Mithileshs-MacBook-Air EXP5 % pm2 list
id name mode ↺ status cpu memory
0 task-manager fork 22 online 0% 92.3mb
host metrics | cpu: 9.9% | ram usage: 20.2% | en0: ⇓ 0.004mb/s ⇑ 0.008mb/s | utun0: ⇓ 0.004mb/s ⇑ 0.006mb/s
mithileshsp@Mithileshs-MacBook-Air EXP5 %


GraphiQL
Prettify
Merge
Copy
History
query {
tasks {
id
title
description
completed
}
}
{
"data": {
"tasks": [
{
"id": "1",
"title": "Learn GraphQL",
"description": "Study GraphQL basics",
"completed": false
},
{
"id": "2",
"title": "Build API",
"description": "Create GraphQL CRUD API",
"completed": true
}
]
}
}