

10 Linux Commands (04-11-2026)



```
mithra_sj@Mithra-HP15:~$ apt list --installed
adduser/resolute,now 3.153ubuntu1 all [installed,automatic]
adwaita-icon-theme/resolute,now 50.0-1 all [installed,automatic]
apparmor/resolute-updates,now 5.0.2-0ubuntu1~26.04.1 amd64 [installed,automatic]
apport-core-dump-handler/resolute-updates,now 2.34.1-0ubuntu0.1 all [installed,automatic]
apport-symptoms/resolute,now 0.25build1 all [installed,automatic]
apport/resolute-updates,now 2.34.1-0ubuntu0.1 all [installed,automatic]
appstream/resolute,now 1.1.2-1 amd64 [installed,automatic]
apt/resolute,now 3.2.0 amd64 [installed,automatic]
at-spi2-common/resolute-updates,now 2.60.4-0ubuntu0.1 all [installed,automatic]
at-spi2-core/resolute-updates,now 2.60.4-0ubuntu0.1 amd64 [installed,automatic]
base-files/now 14ubuntu6.2 amd64 [installed,upgradable to: 14ubuntu6.3]
base-passwd/resolute,now 3.6.8 amd64 [installed,automatic]
bash-completion/resolute,now 1:2.16.0-8build1 all [installed,automatic]
bash/resolute,now 5.3-2ubuntu1 amd64 [installed]
bc/resolute,now 1.07.1-4build1 amd64 [installed,automatic]
bind9-dnsutils/now 1:9.20.24-1ubuntu0.4 amd64 [installed,upgradable to: 1:9.20.24-1ubuntu0.5]
bind9-host/now 1:9.20.24-1ubuntu0.4 amd64 [installed,upgradable to: 1:9.20.24-1ubuntu0.5]
bind9-libs/now 1:9.20.24-1ubuntu0.4 amd64 [installed,upgradable to: 1:9.20.24-1ubuntu0.5]
binutils-common/resolute,now 2.46-3ubuntu2 amd64 [installed,automatic]
binutils-x86-64-linux-gnu/resolute,now 2.46-3ubuntu2 amd64 [installed,automatic]
binutils/resolute,now 2.46-3ubuntu2 amd64 [installed,automatic]
bsdextrautils/resolute,now 2.41.3-3ubuntu2 amd64 [installed,upgradable to: 2.41.3-3ubuntu2.2]
bsdutils/resolute,now 1:2.41.3-3ubuntu2 amd64 [installed,upgradable to: 1:2.41.3-3ubuntu2.2]
bubblewrap/now 0.11.1-1ubuntu0.1 amd64 [installed,upgradable to: 0.11.1-1ubuntu0.3]
byobu/resolute-updates,now 6.11-0ubuntu3.1 all [installed,automatic]
bzip2/resolute-updates,resolute-security,now 1.0.8-6ubuntu0.1 amd64 [installed]
ca-certificates/now 20260601~26.04.1 all [installed,upgradable to: 20260816ubuntu0.26.04.1]
chrony/resolute,now 4.8-2ubuntu1 amd64 [installed,automatic]
cloud-guest-utils/resolute,now 0.33-1build1 all [installed,automatic]
cloud-init-base/now 26.1-0ubuntu3~26.04.1 all [installed,upgradable to: 26.2-0ubuntu1~26.04.1]
cloud-init/now 26.1-0ubuntu3~26.04.1 all [installed,upgradable to: 26.2-0ubuntu1~26.04.1]
command-not-found/resolute,now 23.04.0build1 all [installed,automatic]
console-setup-linux/resolute-updates,now 1.237ubuntu3.1 all [installed,automatic]
console-setup/resolute-updates,now 1.237ubuntu3.1 all [installed,automatic]
coreutils-from-uutils/resolute,now 0.0.0~ubuntu25 all [installed]
coreutils/resolute,now 9.5-1ubuntu2+0.0.0~ubuntu25 all [installed]
cron-daemon-common/resolute,now 3.0pl1-200ubuntu1 all [installed,automatic]
cron/resolute,now 3.0pl1-200ubuntu1 amd64 [installed,automatic]
curl/resolute-updates,resolute-security,now 8.18.0-1ubuntu2.8 amd64 [installed]
dash/resolute,now 0.5.12-12ubuntu3 amd64 [installed]
```





```
mithra_sj@Mithra-HP15:~$ apt-cache policy curl
curl:
  Installed: 8.18.0-1ubuntu2.8
  Candidate: 8.18.0-1ubuntu2.8
  Version table:
 *** 8.18.0-1ubuntu2.8 500
        500 http://archive.ubuntu.com/ubuntu resolute-updates/main amd64 Packages
        500 http://security.ubuntu.com/ubuntu resolute-security/main amd64 Packages
        100 /var/lib/dpkg/status
     8.18.0-1ubuntu2 500
        500 http://archive.ubuntu.com/ubuntu resolute/main amd64 Packages
mithra_sj@Mithra-HP15:~$ dpkg -l | head
+++-Desired=Unknown/Install/Remove/Purge/Hold
|+- Status=Not/Inst/Conf-files/Unpacked/halF-conf/Half-inst/trig-aWait/Trig-pend
||+ Err?=(none)/Reinst-required (Status,Err: uppercase=bad)
||| Name                          Version                                  Architecture Description
+++-==============================-========================================-============-================================================================
=================
ii  adduser                       3.153ubuntu1                             all          add and remove users and groups
ii  adwaita-icon-theme            50.0-1                                   all          default icon theme of GNOME
ii  apparmor                      5.0.2-0ubuntu1~26.04.1                   amd64        user-space parser utility for AppArmor
ii  apport                        2.34.1-0ubuntu0.1                        all          automatically generate crash reports for debugging
ii  apport-core-dump-handler      2.34.1-0ubuntu0.1                        all          Kernel core dump handler for Apport
mithra_sj@Mithra-HP15:~$ snap list
No snaps are installed yet. Try 'snap install hello-world'.
mithra_sj@Mithra-HP15:~$ add-apt-repository --help
usage: add-apt-repository [-h] [-d] [-r] [-s] [-c COMPONENT] [-p POCKET] [-y] [-n] [-l] [--dry-run]
                          [--refresh-keys | -L | -P PPA | -C CLOUD | -U URI | -S SOURCESLIST [SOURCESLIST ...] | line ...]


Only ONE of -P, -C, -U, -S, or old-style 'line' can be specified

positional arguments:
  line                  sources.list line to add (deprecated)

options:
  -h, --help            show this help message and exit
  -d, --debug           Print debug
  -r, --remove          Disable repository
  -s, --enable-source   Allow downloading of the source packages from the repository
  -c, --component COMPONENT
                        Components to use with the repository
```


mithra_sj@Mithra-HP15: ~
Components to use with the repository
-p, --pocket POCKET Add entry for this pocket
-y, --yes Assume yes to all queries
-n, --no-update Do not update package cache after adding
-l, --login Login to Launchpad.
--dry-run Don't actually make any changes.
--refresh-keys Refresh signing keys for currently configured PPAs
-L, --list List currently configured repositories
-P, --ppa PPA PPA to add
-C, --cloud CLOUD Cloud Archive to add
-U, --uri URI Archive URI to add
-S, --sourceslist SOURCESLIST [SOURCESLIST ...]
Full sources.list entry line to add
mithra_sj@Mithra-HP15:~$ apt-get --version
apt 3.2.0 (amd64)
Supported modules:
*Ver: Standard .deb
Pkg: Debian APT solver interface (Priority -1000)
Pkg: Debian APT planner interface (Priority -1000)
*Pkg: Debian dpkg interface (Priority 30)
S.L: 'deb' Debian binary tree
S.L: 'deb-src' Debian source tree
Idx: EDSP scenario file
Idx: EIPP scenario file
Idx: Debian Source Index
Idx: Debian Package Index
Idx: Debian Translation Index
Idx: Debian dpkg status file
Idx: Debian deb file
Idx: Debian dsc file
Idx: Debian control file
mithra_sj@Mithra-HP15:~$ dpkg-query -W bash
bash 5.3-2ubuntu1
mithra_sj@Mithra-HP15:~$ update-alternatives --display editor
editor - auto mode
link best version is /bin/nano
link currently points to /bin/nano
link editor is /usr/bin/editor
slave editor.1.gz is /usr/share/man/man1/editor.1.gz
slave editor.da.1.gz is /usr/share/man/da/man1/editor.1.gz
slave editor.de.1.gz is /usr/share/man/de/man1/editor.1.gz


mithra_sj@Mithra-HP15: ~
slave editor.fr.1.gz is /usr/share/man/fr/man1/editor.1.gz
slave editor.it.1.gz is /usr/share/man/it/man1/editor.1.gz
slave editor.ja.1.gz is /usr/share/man/ja/man1/editor.1.gz
slave editor.pl.1.gz is /usr/share/man/pl/man1/editor.1.gz
slave editor.ru.1.gz is /usr/share/man/ru/man1/editor.1.gz
slave editor.tr.1.gz is /usr/share/man/tr/man1/editor.1.gz
/bin/ed - priority -100
slave editor.1.gz: /usr/share/man/man1/ed.1.gz
/bin/nano - priority 40
slave editor.1.gz: /usr/share/man/man1/nano.1.gz
/usr/bin/vim.basic - priority 30
slave editor.1.gz: /usr/share/man/man1/vim.1.gz
slave editor.da.1.gz: /usr/share/man/da/man1/vim.1.gz
slave editor.de.1.gz: /usr/share/man/de/man1/vim.1.gz
slave editor.fr.1.gz: /usr/share/man/fr/man1/vim.1.gz
slave editor.it.1.gz: /usr/share/man/it/man1/vim.1.gz
slave editor.ja.1.gz: /usr/share/man/ja/man1/vim.1.gz
slave editor.pl.1.gz: /usr/share/man/pl/man1/vim.1.gz
slave editor.ru.1.gz: /usr/share/man/ru/man1/vim.1.gz
slave editor.tr.1.gz: /usr/share/man/tr/man1/vim.1.gz
/usr/bin/vim.tiny - priority 15
slave editor.1.gz: /usr/share/man/man1/vim.1.gz
slave editor.da.1.gz: /usr/share/man/da/man1/vim.1.gz
slave editor.de.1.gz: /usr/share/man/de/man1/vim.1.gz
slave editor.fr.1.gz: /usr/share/man/fr/man1/vim.1.gz
slave editor.it.1.gz: /usr/share/man/it/man1/vim.1.gz
slave editor.ja.1.gz: /usr/share/man/ja/man1/vim.1.gz
slave editor.pl.1.gz: /usr/share/man/pl/man1/vim.1.gz
slave editor.ru.1.gz: /usr/share/man/ru/man1/vim.1.gz
slave editor.tr.1.gz: /usr/share/man/tr/man1/vim.1.gz
mithra_sj@Mithra-HP15:~$ ldconfig -p | head
309 libs found in cache '/etc/ld.so.cache'
libzstd.so.1 (libc6,x86-64) => /usr/lib/x86_64-linux-gnu/libzstd.so.1
libz.so.1 (libc6,x86-64) => /usr/lib/x86_64-linux-gnu/libz.so.1
libyaml-0.so.2 (libc6,x86-64) => /usr/lib/x86_64-linux-gnu/libyaml-0.so.2
libxxhash.so.0 (libc6,x86-64) => /usr/lib/x86_64-linux-gnu/libxxhash.so.0
libxtables.so.12 (libc6,x86-64) => /usr/lib/x86_64-linux-gnu/libxtables.so.12
libxshmfence.so.1 (libc6,x86-64) => /usr/lib/x86_64-linux-gnu/libxshmfence.so.1
libxml2.so.16 (libc6,x86-64) => /usr/lib/x86_64-linux-gnu/libxml2.so.16
libxmlb.so.2 (libc6,x86-64) => /usr/lib/x86_64-linux-gnu/libxmlb.so.2
libxkbcommon.so.0 (libc6,x86-64) => /usr/lib/x86_64-linux-gnu/libxkbcommon.so.0


mithra_sj@Mithra-HP15: ~
libxxhash.so.0 (libc6,x86-64) => /usr/lib/x86_64-linux-gnu/libxxhash.so.0
libxtables.so.12 (libc6,x86-64) => /usr/lib/x86_64-linux-gnu/libxtables.so.12
libxshmfence.so.1 (libc6,x86-64) => /usr/lib/x86_64-linux-gnu/libxshmfence.so.1
libxml2.so.16 (libc6,x86-64) => /usr/lib/x86_64-linux-gnu/libxml2.so.16
libxmlb.so.2 (libc6,x86-64) => /usr/lib/x86_64-linux-gnu/libxmlb.so.2
libxkbcommon.so.0 (libc6,x86-64) => /usr/lib/x86_64-linux-gnu/libxkbcommon.so.0
mithra_sj@Mithra-HP15:~$ needrestart -h
Unknown option: h
Usage:
needrestart [-vn] [-c <cfg>] [-r <mode>] [-f <fe>] [-u <ui>] [-(b|p|o)] [-x] [-klw]
-v be more verbose
-q be quiet
-m <mode> set detail level
e (e)asy mode
a (a)dvanced mode
u (u)buntu mode for the APT hook, see /usr/share/doc/needrestart/README.Ubuntu
-n set default answer to 'no'
-c <cfg> config filename
-r <mode> set restart mode
l (l)ist only
i (i)nteractive restart
a (a)utomatically restart
-b enable batch mode
-p enable nagios plugin mode
-o enable OpenMetrics output mode, implies batch mode, cannot be used simultaneously with -p
-f <fe> override debconf frontend (DEBIAN_FRONTEND, debconf(7))
-t <seconds> tolerate interpreter process start times within this value
-u <ui> use preferred UI package (-u ? shows available packages)
-x do not ask for restarts if no process is selected by default
By using the following options only the specified checks are performed:
-k check for obsolete kernel
-l check for obsolete libraries
-w check for obsolete CPU microcode
--help show this help
--version show version information
mithra_sj@Mithra-HP15:~$