




T2 Snowflake Queries









T2_SnowQueries.sql
Ask Gemini
app.snowflake.com/ap-southeast-7.aws/rm21947/#/workspaces/ws/USER%24/PUBLIC/DEFAULT%24/T2_SnowQueries.sql
Your legacy worksheets have been moved to your personal workspace ("My Workspace"). Show me now
Workspaces
Databases
Home
T2_SnowQuer
Focus
My Workspace
Add new
T2_SnowQueries.sql
My Workspace > T2_SnowQueries.sql
ACCOUNTADMIN • COMPUTE_WH (X-Small)
SALES_ANALYTICS_DB SALES_SCHEMA
Share
CREATE OR REPLACE TABLE RAW_ORDERS AS
SELECT
O_ORDERKEY,
O_CUSTKEY,
O_ORDERSTATUS,
O_TOTALPRICE,
O_ORDERDATE,
O_ORDERPRIORITY
FROM SNOWFLAKE_SAMPLE_DATA.TPCH_SF1.ORDERS
WHERE O_ORDERDATE >= '1995-01-01'
AND O_ORDERDATE < '1996-01-01';
Add to Chat
Explain
Quick edit
Format
Results (just now)
Table
Chart
Pivot
1 row
853ms
status
1
Table RAW_ORDERS successfully created.
Feedback



T2_SnowQueries.sql
Ask Gemini
app.snowflake.com/ap-southeast-7.aws/rm21947/#/workspaces/ws/USER%24/PUBLIC/DEFAULT%24/T2_SnowQueries.sql
Your legacy worksheets have been moved to your personal workspace ("My Workspace"). Show me now
Workspaces
Databases
Home
T2_SnowQuer
Focus
My Workspace
Add new
T2_SnowQueries.sql
My Workspace > T2_SnowQueries.sql
ACCOUNTADMIN • COMPUTE_WH (X-Small)
SALES_ANALYTICS_DB SALES_SCHEMA
Share
WHERE O_ORDERDATE >= '1995-01-01'
AND O_ORDERDATE < '1996-01-01';
CREATE OR REPLACE TABLE RAW_CUSTOMERS AS
SELECT
C_CUSTKEY,
C_NAME,
C_MKTSEGMENT,
C_NATIONKEY,
C_ACCTBAL
FROM SNOWFLAKE_SAMPLE_DATA.TPCH_SF1.CUSTOMER;
Results (just now)
Table
Chart
Pivot
1 row
579ms
status
1
Table RAW_CUSTOMERS successfully created.
Feedback



T2_SnowQueries.sql
Ask Gemini
app.snowflake.com/ap-southeast-7.aws/rm21947/#/workspaces/ws/USER%24/PUBLIC/DEFAULT%24/T2_SnowQueries.sql
Your legacy worksheets have been moved to your personal workspace ("My Workspace"). Show me now
Workspaces
Databases
Home
T2_SnowQuer
Focus
My Workspace
Add new
T2_SnowQueries.sql
My Workspace > T2_SnowQueries.sql
ACCOUNTADMIN • COMPUTE_WH (X-Small)
SALES_ANALYTICS_DB
SALES_SCHEMA
Share
C_ACCTBAL
FROM SNOWFLAKE_SAMPLE_DATA.TPCH_SF1.CUSTOMER;
SELECT COUNT(*) FROM RAW_ORDERS;
SELECT COUN
Go to Docs
SELECT * FROM RAW_ORDERS LIMIT 10;
Add to Chat
Explain
Quick edit
Format
SELECT * FROM RAW_CUSTOMERS LIMIT 10;
Results (just now)
Table
Chart
Pivot
1 row
66ms
COUNT(*)
1
228637
Feedback



T2_SnowQueries.sql
Ask Gemini
app.snowflake.com/ap-southeast-7.aws/rm21947/#/workspaces/ws/USER%24/PUBLIC/DEFAULT%24/T2_SnowQueries.sql
Your legacy worksheets have been moved to your personal workspace ("My Workspace"). Show me now
Workspaces
Databases
Home
T2_SnowQuer
Focus
My Workspace
Add new
T2_SnowQueries.sql
My Workspace > T2_SnowQueries.sql
ACCOUNTADMIN • COMPUTE_WH (X-Small)
SALES_ANALYTICS_DB
SALES_SCHEMA
Share
C_ACCTBAL
FROM SNOWFLAKE_SAMPLE_DATA.TPCH_SF1.CUSTOMER;
SELECT COUNT(*) FROM RAW_ORDERS;
SELECT COUNT(*) FROM RAW_CUSTOMERS;
SELECT * FROM RAW_ORDERS LIMIT 10;
Add to Chat
Explain
Quick edit
Format
SELECT * FROM RAW_CUSTOMERS LIMIT 10;
Results (just now)
Table
Chart
Pivot
1 row
104ms
COUNT(*)
1
150000
Feedback



T2_SnowQueries.sql
Ask Gemini
app.snowflake.com/ap-southeast-7.aws/rm21947/#/workspaces/ws/USER%24/PUBLIC/DEFAULT%24/T2_SnowQueries.sql
Your legacy worksheets have been moved to your personal workspace ("My Workspace"). Show me now
Workspaces
Databases
My Workspace
Add new
T2_SnowQueries.sql
Home
T2_SnowQuer
Focus
My Workspace > T2_SnowQueries.sql
ACCOUNTADMIN • COMPUTE_WH (X-Small)
SALES_ANALYTICS_DB
SALES_SCHEMA
Share
C_ACCTBAL
FROM SNOWFLAKE_SAMPLE_DATA.TPCH_SF1.CUSTOMER;
SELECT COUNT(*) FROM RAW_ORDERS;
SELECT COUN
SELECT * FROM RAW_ORDERS LIMIT 10;
SELECT * FROM RAW_CUSTOMERS LIMIT 10;
Add to Chat
Explain
Quick edit
Format
Go to Docs
Results (just now)
Table
Chart
Pivot
Next steps
10 rows
56ms
O_ORDERKEY
O_CUSTKEY
O_ORDERSTATUS
O_TOTALPRICE
O_ORDERDATE
O_ORDERPRIORITY
3000002
3000195
1481
106394
O 70.0%
F 20.0%
+1 more
9712.1
297999.63
1/28/1995
11/29/1995
3-MEDIUM 50.0%
5-LOW 20.0%
+3 more
1 3000002 1481 O 297999.63 1995-07-28 1-URGENT
2 3000038 106394 O 108690.62 1995-08-02 3-MEDIUM
3 3000065 4583 O 119144.10 1995-06-21 3-MEDIUM
4 3000066 63059 O 50318.82 1995-06-20 5-LOW
5 3000067 71731 O 252017.25 1995-11-29 3-MEDIUM
Feedback



T2_SnowQueries.sql
Ask Gemini
app.snowflake.com/ap-southeast-7.aws/rm21947/#/workspaces/ws/USER%24/PUBLIC/DEFAULT%24/T2_SnowQueries.sql
Your legacy worksheets have been moved to your personal workspace ("My Workspace"). Show me now
Workspaces
Databases
My Workspace
Add new
T2_SnowQueries.sql
Home
T2_SnowQuer
Focus
My Workspace > T2_SnowQueries.sql
ACCOUNTADMIN • COMPUTE_WH (X-Small)
SALES_ANALYTICS_DB
SALES_SCHEMA
Share
C_ACCTBAL
FROM SNOWFLAKE_SAMPLE_DATA.TPCH_SF1.CUSTOMER;
SELECT COUNT(*) FROM RAW_ORDERS;
SELECT COUNT(*) FROM RAW_CUSTOMERS;
SELECT * FROM RAW_ORDERS LIMIT 10;
SELECT * FROM RAW_CUSTOMERS LIMIT 10;
Add to Chat
Explain
Quick edit
Format
Results (just now)
Table
Chart
Pivot
Next steps
10 rows
52ms
C_CUSTKEY
C_NAME
C_MKTSEGMENT
C_NATIONKEY
C_ACCTBAL
60001
60010
Customer#000060001 10.0%
Customer#000060002 10.0%
+8 more
AUTOMOBILE 20.0%
BUILDING 20.0%
+3 more
2
22
742.46
9957.56
1 60001 Customer#000060001 HOUSEHOLD 14 9957.56
2 60002 Customer#000060002 BUILDING 15 742.46
3 60003 Customer#000060003 BUILDING 16 2526.92
4 60004 Customer#000060004 AUTOMOBILE 10 7975.22
5 60005 Customer#000060005 MACHINERY 12 2504.74
Feedback



T2_SnowQueries.sql
Ask Gemini
app.snowflake.com/ap-southeast-7.aws/rm21947/#/workspaces/ws/USER%24/PUBLIC/DEFAULT%24/T2_SnowQueries.sql
Your legacy worksheets have been moved to your personal workspace ("My Workspace"). Show me now
Workspaces
Databases
My Workspace
Add new
T2_SnowQueries.sql
Home
T2_SnowQuer
Focus
My Workspace > T2_SnowQueries.sql
ACCOUNTADMIN • COMPUTE_WH (X-Small)
SALES_ANALYTICS_DB
SALES_SCHEMA
Share
SELECT * FROM RAW_CUSTOMERS LIMIT 10;
Add to Chat
Explain
Quick edit
Format
Returns the input string expr with all characters converted to uppercase
Go to Docs
CREATE OR
SELECT
O_ORD
O_CUS
UPPER(TRIM(O_ORDERSTATUS)) AS ORDER_STATUS,
ROUND(O_TOTALPRICE, 2) AS TOTAL_AMOUNT,
O_ORDERDATE AS ORDER_DATE,
UPPER(TRIM(O_ORDERPRIORITY)) AS ORDER_PRIORITY
FROM RAW_ORDERS
WHERE O_TOTALPRICE > 0;
Results (just now)
Table
Chart
Pivot
1 row
459ms
status
1
Table CLEAN_ORDERS successfully created.
Feedback



T2_SnowQueries.sql
Ask Gemini
app.snowflake.com/ap-southeast-7.aws/rm21947/#/workspaces/ws/USER%24/PUBLIC/DEFAULT%24/T2_SnowQueries.sql
Your legacy worksheets have been moved to your personal workspace ("My Workspace"). Show me now
Workspaces
Databases
My Workspace
Add new
T2_SnowQueries.sql
Home
T2_SnowQuer
Focus
My Workspace > T2_SnowQueries.sql
ACCOUNTADMIN • COMPUTE_WH (X-Small)
SALES_ANALYTICS_DB
SALES_SCHEMA
Share
CREATE OR REPLACE TABLE CUSTOMER_SALES AS
SELECT
O.ORDER_ID,
O.CUSTOMER_ID,
C.C_NAME AS CUSTOMER_NAME,
C.C_MKTSEGMENT AS MARKET_SEGMENT,
O.ORDER_STATUS,
O.TOTAL_AMOUNT,
O.ORDER_DATE
FROM CLEAN_ORDERS O
INNER JOIN RAW_CUSTOMERS C
ON O.CUSTOMER_ID = C.C_CUSTKEY;
Add to Chat
Explain
Quick edit
Format
Results (just now)
Table
Chart
Pivot
1 row
545ms
status
1
Table CUSTOMER_SALES successfully created.
Feedback



T2_SnowQueries.sql
Ask Gemini
app.snowflake.com/ap-southeast-7.aws/rm21947/#/workspaces/ws/USER%24/PUBLIC/DEFAULT%24/T2_SnowQueries.sql
Your legacy worksheets have been moved to your personal workspace ("My Workspace"). Show me now
Workspaces
Databases
My Workspace
Add new
T2_SnowQueries.sql
Home
T2_SnowQuer
Focus
My Workspace > T2_SnowQueries.sql
ACCOUNTADMIN • COMPUTE_WH (X-Small)
SALES_ANALYTICS_DB
SALES_SCHEMA
Share
FROM CLEAN_ORDERS O
INNER JOIN RAW_CUSTOMERS C
ON O.CUSTOMER_ID = C.C_CUSTKEY;
Add to Chat
Explain
Quick edit
Format
CREATE OR REPLACE TABLE SALES_WITH_CATEGORY AS
SELECT
*,
CASE
WHEN TOTAL_AMOUNT >= 100000 THEN 'HIGH VALUE'
WHEN TOTAL_AMOUNT >= 50000 THEN 'MEDIUM VALUE'
ELSE 'LOW VALUE'
END AS SALES_CATEGORY
FROM CUSTOMER_SALES;
Go to Docs
Results (just now)
Table
Chart
Pivot
1 row
516ms
status
1
Table SALES_WITH_CATEGORY successfully created.
Feedback



T2_SnowQueries.sql
Ask Gemini
app.snowflake.com/ap-southeast-7.aws/rm21947/#/workspaces/ws/USER%24/PUBLIC/DEFAULT%24/T2_SnowQueries.sql
Your legacy worksheets have been moved to your personal workspace ("My Workspace"). Show me now
Workspaces
Databases
My Workspace
Add new
T2_SnowQueries.sql
Home
T2_SnowQuer
Focus
My Workspace > T2_SnowQueries.sql
ACCOUNTADMIN • COMPUTE_WH (X-Small)
SALES_ANALYTICS_DB
SALES_SCHEMA
Share
END AS SALES_CATEGORY
FROM CUSTOMER_SALES;
CREATE OR REPLACE TABLE SALES_SUMMARY AS
SELECT
MARKET_
COUNT(*
ROUND(SUM(TOTAL_AMOUNT), 2) AS TOTAL_SALES,
ROUND(AVG(TOTAL_AMOUNT), 2) AS AVERAGE_ORDER_VALUE
FROM SALES_WITH_CATEGORY
GROUP BY MARKET_SEGMENT;
Returns the sum of non-NULL records for expr
Go to Docs
Results (just now)
Table
Chart
Pivot
1 row
408ms
status
1
Table SALES_SUMMARY successfully created.
Feedback


T2_SnowQueries.sql
Ask Gemini
app.snowflake.com/ap-southeast-7.aws/rm21947/#/workspaces/ws/USER%24/PUBLIC/DEFAULT%24/T2_SnowQueries.sql
Your legacy worksheets have been moved to your personal workspace ("My Workspace"). Show me now
Workspaces
Databases
Home
T2_SnowQuer
Focus
My Workspace
Add new
T2_SnowQueries.sql
My Workspace > T2_SnowQueries.sql
ACCOUNTADMIN • COMPUTE_WH (X-Small)
SALES_ANALYTICS_DB
SALES_SCHEMA
Share
ROUND(SUM(TOTAL_AMOUNT), 2) AS TOTAL_SALES,
ROUND(AVG(TOTAL_AMOUNT), 2) AS AVERAGE_ORDER_VALUE
FROM SALES_WITH_CATEGORY
GROUP BY MARKET_SEGMENT;
SELECT *
FROM SALES_SUMMARY
ORDER BY TOTAL_SALES DESC;
Add to Chat
Explain
Quick edit
Format
Results (just now)
Table
Chart
Pivot
5 rows
118ms
MARKET_SEGMENT
TOTAL_ORDERS
TOTAL_SALES
AVERAGE_ORDER_VALUE
1 BUILDING 46284 6988637247.83 150994.67
2 HOUSEHOLD 45896 6939328243.81 151196.80
3 FURNITURE 45475 6886257700.10 151429.53
4 MACHINERY 45605 6874328883.02 150736.30
5 AUTOMOBILE 45377 6857581108.84 151124
Feedback


T2_SnowQueries.sql
Ask Gemini
app.snowflake.com/ap-southeast-7.aws/rm21947/#/workspaces/ws/USER%24/PUBLIC/DEFAULT%24/T2_SnowQueries.sql
Your legacy worksheets have been moved to your personal workspace ("My Workspace"). Show me now
Workspaces
Databases
Home
T2_SnowQuer
Focus
My Workspace
Add new
T2_SnowQueries.sql
My Workspace > T2_SnowQueries.sql
ACCOUNTADMIN • COMPUTE_WH (X-Small)
SALES_ANALYTICS_DB
SALES_SCHEMA
Share
ROUND(SUM(TOTAL_AMOUNT), 2) AS TOTAL_SALES,
ROUND(AVG(TOTAL_AMOUNT), 2) AS AVERAGE_ORDER_VALUE
FROM SALES_WITH_CATEGORY
GROUP BY MARKET_SEGMENT;
SELECT *
FROM SALES_SUMMARY
ORDER BY TOTAL_SALES DESC;
ALTER SESSION SET USE_CACHED_RESULT = FALSE;
Results (just now)
Table
Chart
Pivot
1 row
53ms
status
1 Statement executed successfully.
Feedback


T2_SnowQueries.sql
Ask Gemini
app.snowflake.com/ap-southeast-7.aws/rm21947/#/workspaces/ws/USER%24/PUBLIC/DEFAULT%24/T2_SnowQueries.sql
Your legacy worksheets have been moved to your personal workspace ("My Workspace"). Show me now
Workspaces
Databases
Home
T2_SnowQuer
Focus
My Workspace
Add new
T2_SnowQueries.sql
My Workspace > T2_SnowQueries.sql
ACCOUNTADMIN • COMPUTE_WH (X-Small)
SALES_ANALYTICS_DB
SALES_SCHEMA
Share
SELECT *
FROM SALES_SUMMARY
ORDER BY TOTAL_SALES DESC;
ALTER SESSION SET USE_CACHED_RESULT = FALSE;
SELECT *
FROM SALES_WITH_CATEGORY
WHERE YEAR(ORDER_DATE) = 1995;
Results (just now)
Table
Chart
Pivot
Next steps
228,637 rows
287ms
ORDER_ID
CUSTOMER_ID
CUSTOMER_NAME
MARKET_SEGMENT
ORDER_STATUS
TOTAL_AMOUNT
ORDER_DATE
1 4800038 74542 Customer#000074542 HOUSEHOLD P 198147.75 1995-05-15 HIGH VA
2 4800068 89569 Customer#000089569 BUILDING O 170939.58 1995-12-01 HIGH VA
3 4800131 40232 Customer#000040232 MACHINERY O 195165.80 1995-06-09 HIGH VA
4 4800135 41203 Customer#000041203 MACHINERY F 59419.29 1995-02-02 MEDIUM
5 4800164 59032 Customer#000059032 AUTOMOBILE P 89096.08 1995-05-07 MEDI
6 4800167 42487 Customer#000042487 MACHINERY O 76403.51 1995-12-23 MEDIUM
7 4800195 73042 Customer#000073042 MACHINERY P 146155.59 1995-03-22 HIGH VA
Feedback


T2_SnowQueries.sql
Ask Gemini
app.snowflake.com/ap-southeast-7.aws/rm21947/#/workspaces/ws/USER%24/PUBLIC/DEFAULT%24/T2_SnowQueries.sql
Your legacy worksheets have been moved to your personal workspace ("My Workspace"). Show me now
Workspaces
Databases
Home
T2_SnowQuer
Focus
My Workspace
Add new
T2_SnowQueries.sql
My Workspace > T2_SnowQueries.sql
ACCOUNTADMIN • COMPUTE_WH (X-Small)
SALES_ANALYTICS_DB
SALES_SCHEMA
Share
FROM SALES_WITH_CATEGORY
WHERE YEAR(ORDER_DATE) = 1995;
SELECT
ORDER_ID,
CUSTOMER_ID,
TOTAL_AMOUNT,
ORDER_DATE,
SALES_CATEGORY
FROM SALES_WITH_CATEGORY
WHERE ORDER_DATE >= '1995-01-01'
AND ORDER_DATE < '1996-01-01';
Results (just now)
Table
Chart
Pivot
Next steps
228,637 rows
281ms
ORDER_ID
CUSTOMER_ID
TOTAL_AMOUNT
ORDER_DATE
SALES_CATEGORY
1 4800038 74542 198147.75 1995-05-15 HIGH VALUE
2 4800068 89569 170939.58 1995-12-01 HIGH VALUE
3 4800131 40232 195165.80 1995-06-09 HIGH VALUE
4 4800135 41203 59419.29 1995-02-02 MEDIUM VALUE
5 4800164 59032 89096.08 1995-05-07 MEDIUM VALUE
6 4800167 42487 76403.51 1995-12-23 MEDIUM VALUE
7 4800195 73042 146155.59 1995-03-22 HIGH VALUE
Feedback


T2_SnowQueries.sql
Ask Gemini
app.snowflake.com/ap-southeast-7.aws/rm21947/#/workspaces/ws/USER%24/PUBLIC/DEFAULT%24/T2_SnowQueries.sql
Your legacy worksheets have been moved to your personal workspace ("My Workspace"). Show me now
Workspaces
Databases
Home
T2_SnowQuer
Focus
My Workspace
Add new
T2_SnowQueries.sql
My Workspace > T2_SnowQueries.sql
ACCOUNTADMIN • COMPUTE_WH (X-Small)
SALES_ANALYTICS_DB
SALES_SCHEMA
Share
WHERE ORDER_DATE >= '1995-01-01'
AND ORDER_DATE < '1996-01-01';
SELECT
MARKET_SEGMENT,
COUNT(*) AS ORDER_COUNT,
SUM(TOTAL_AMOUNT) AS TOTAL_SALES
FROM SALES_WITH_CATEGORY
WHERE ORDER_DATE >= '1995-01-01'
AND ORDER_DATE < '1996-01-01'
GROUP BY MARKET_SEGMENT;
Add to Chat
Explain
Quick edit
Format
Results (just now)
Table
Chart
Pivot
5 rows
67ms
MARKET_SEGMENT
ORDER_COUNT
TOTAL_SALES
1 HOUSEHOLD 45896 6939328243.81
2 BUILDING 46284 6988637247.83
3 MACHINERY 45605 6874328883.02
4 AUTOMOBILE 45377 6857581108.84
5 FURNITURE 45475 6886257700
Feedback