

pe	Time of Day	Blood Glucose Level	If-Then Rule	Feedback Message
1 & 2	Fasting	Low (< 70 mg/dL)	If fasting blood glucose level < 70 mg/dL	"Your fasting blood glucose level is low. Consume a fast-acting carbohydrate and recheck in 15 minutes."
1 & 2	Fasting	Normal (70-100 mg/dL)	If fasting blood glucose level is 70-100 mg/dL	"Your fasting blood glucose level is normal. Keep up with your current routine."
1 & 2	Fasting	High (> 100 mg/dL)	If fasting blood glucose level > 100 mg/dL	"Your fasting blood glucose level is high. Review your diet and medication, and consult your doctor."
1 & 2	Before Meal	Low (< 70 mg/dL)	If before meal blood glucose level < 70 mg/dL	"Your blood glucose level before the meal is low. Have a quick snack and recheck before eating your meal."
1 & 2	Before Meal	Normal (70-130 mg/dL)	If before meal blood glucose level is 70-130 mg/dL	"Your blood glucose level before the meal is normal. Proceed with your meal."
1 & 2	Before Meal	High (> 130 mg/dL)	If before meal blood glucose level > 130 mg/dL	"Your blood glucose level before the meal is high. Consider adjusting your pre-meal insulin dose."
1 & 2	After Meal	Low (< 70 mg/dL)	If after meal blood glucose level < 70 mg/dL	"Your blood glucose level after the meal is low. Consume a fast-acting carbohydrate and recheck in 15 minutes."
1 & 2	After Meal	Normal (70-180 mg/dL)	If after meal blood glucose level is 70-180 mg/dL	"Your blood glucose level after the meal is normal. Continue to monitor regularly."
1 & 2	After Meal	High (> 180 mg/dL)	If after meal blood glucose level > 180 mg/dL	"Your blood glucose level after the meal is high. Consider adjusting your insulin or medication dosage."
1 & 2	Before Bed	Low (< 70 mg/dL)	If before bed blood glucose level < 70 mg/dL	"Your blood glucose level before bed is low. Have a snack to avoid nocturnal hypoglycemia."
1 & 2	Before Bed	Normal (90-150 mg/dL)	If before bed blood glucose level is 90-150 mg/dL	"Your blood glucose level before bed is normal. Sleep well and monitor your levels in the morning."
1 & 2	Before Bed	High (> 150 mg/dL)	If before bed blood glucose level > 150 mg/dL	"Your blood glucose level before bed is high. Check for ketones if Type 1, and consider adjusting your dose."