

Install process of the node.js


1. Go to https://nodejs.org




2. Click windows Installer





3. Follow the steps







Other steps


Node.js Setup
Destination Folder
Choose a custom location or click Next to install.
Install Node.js to:
C:\Program Files\nodejs\
Change...
Back
Next
Cancel



Node.js Setup
Custom Setup
Select the way you want features to be installed.
Click the icons in the tree below to change the way features will be installed.
Node.js runtime
corepack manager
npm package manager
Online documentation shortcuts
Add to PATH
Install the core Node.js runtime (node.exe).
This feature requires 81MB on your hard drive.
Browse...
Reset
Disk Usage
Back
Next
Cancel


Other steps


Node.js Setup
Tools for Native Modules
Optionally install the tools necessary to compile native modules.
Some npm modules need to be compiled from C/C++ when installing. If you want to be able to install such modules, some tools (Python and Visual Studio Build Tools) need to be installed.
Automatically install the necessary tools. Note that this will also install Chocolatey. The script will pop-up in a new window after the installation completes.
Alternatively, follow the instructions at https://github.com/nodejs/node-gyp#on-windows to install the dependencies yourself.
Back
Next
Cancel


Node.js Setup
Ready to install Node.js
Click Install to begin the installation. Click Back to review or change any of your installation settings. Click Cancel to exit the wizard.
Back
Install
Cancel

Other steps


Node.js Setup
Installing Node.js
Please wait while the Setup Wizard installs Node.js.
Status: Copying new files
Back
Next
Cancel


Node.js Setup
Completed the Node.js Setup Wizard
Click the Finish button to exit the Setup Wizard.
Node.js has been successfully installed.
Back
Finish
Cancel

After Installation


- Open Command prompt and type : ***node –v***
- Also check npm

  (type: ***npm –v***)
- Install sass:

  npm install –g sass
- Here sass can be used anywhere on our system.
- After it finishes, check if sass is installed:

  sass –version
- You should see a version number:

  (e.g., 3.9.3)



Compile a sass file

- Now you can use sass in your project.
- Example:

  If you have a file called ***style.scss***, compile it to CSS like this: ***sass style.scss style.css***

- It will create a new web.css file that browsers can read.
- Auto-compile on save

  While developing, you can make Sass watch for changes automatically:

  sass --watch style.scss: style.css

- Now every time you save ***style.scss***, the CSS updates automatically.

