```
1          OPTIONS NONOTES NOSTIMER NOSOURCE NOSYNTAXCHECK;
68
69         %TESTING(SPORTS);
MLOGIC(TESTING):  Beginning execution.
MLOGIC(TESTING):  Parameter TYPE has value SPORTS
MLOGIC(TESTING):  %IF condition %UPCASE(&TYPE.) = SUV is FALSE
MLOGIC(TESTING):  %IF condition %UPCASE(&TYPE.) = SPORTS is TRUE

NOTE: There were 428 observations read from the data set SASHELP.CARS.
NOTE: PROCEDURE FREQ used (Total process time):
      real time            0.01 seconds
      user cpu time        0.01 seconds
      system cpu time      0.00 seconds
      memory               1511.81k
      OS Memory            20896.00k
      Timestamp            01/31/2024 08:29:58 AM
      Step Count                     29  Switch Count  3
      Page Faults                    0
      Page Reclaims                  736
      Page Swaps                     0
      Voluntary Context Switches     19
      Involuntary Context Switches   0
      Block Input Operations         0
      Block Output Operations        272


MLOGIC(TESTING):  Ending execution.
70
71         OPTIONS NONOTES NOSTIMER NOSOURCE NOSYNTAXCHECK;
81
```