Data_Driven_Suite_Demo

Execution Environment

Host name 24080102 - DESKTOP-L509IM7.silvertouch.local

Local OS Windows 10 64bit

Katalon version 9.7.2.223

Browser Chrome 129.0.0.0

Device name

Summary

ID Test Suites/Data_Driven_Suit/Data_Driven_Suite_Demo

Description

Total 2

Passed 1 Failed 1
Error 0 Incomplete 0

Skipped 0

Start 14-10-2024 16:11:31 End 14-10-2024 16:11:44

Elapsed 13.068s

#	ID	Description	Status
1	Test Cases/Data_Driven/Data-Driven_Demo		PASSED
2	Test Cases/Data_Driven/Data-Driven_Demo		FAILED

Information

ID Test Cases/Data_Driven/Data-Driven_Demo

Description

Tag

Start 14-10-2024 16:11:31 End 14-10-2024 16:11:40

Elapsed 8.767s
Status PASSED

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	3.560s	PASSED
2	maximizeWindow() Current window maximized	0.105s	PASSED
3	navigateToUrl("https://www.saucedemo.com/v1/") Navigate to 'https://www.saucedemo.com/v1/' successfully	0.548s	PASSED
4	setText(findTestObject("Object Repository/Data_Driven_Objects/input_standard_userlocked_out_userproblem_u_db77ac"), Username)	0.795s	PASSED
	Text 'standard_user' is set on object 'Object Repository/Data_Driven_Objects/input_standard_userlocked_out_userproblem_u_db77ac'		
5	setEncryptedText(findTestObject("Object Repository/Data_Driven_Objects/input_standard_userlocked_out_userproblem_u_3423e9"), Password)	0.392s	PASSED
	Text ***** has been set on object 'Object Peneritary / Data Driven Objects (input standard wearlesked out wearnsplan y 3433a0)		

Repository/Data_Driven_Objects/input_standard_userlocked_out_userproblem_u_3423e9'

#	Description	Elapsed	Status
6	click(findTestObject("Object Repository/Data_Driven_Objects/input_standard_userlocked_out_userproblem_u_0dff71")) Object: 'Object Repository/Data_Driven_Objects/input_standard_userlocked_out_userproblem_u_0dff71' is clicked on	1.011s	PASSED
7	click(findTestObject("Object Repository/Data_Driven_Objects/button_Open Menu")) Object: 'Object Repository/Data_Driven_Objects/button_Open Menu' is clicked on	0.381s	PASSED
8	click(findTestObject("Object Repository/Data_Driven_Objects/a_Logout")) Object: 'Object Repository/Data_Driven_Objects/a_Logout' is clicked on	0.429s	PASSED
9	closeBrowser() Browser is closed	1.217s	PASSED

Information

ID Test Cases/Data_Driven/Data-Driven_Demo

Description

Tag

Start 14-10-2024 16:11:40 End 14-10-2024 16:11:44

Elapsed 4.003s Status FAILED

Details

#	Description	Elapsed	Status
1	openBrowser("")	2.391s	PASSED
	Browser is opened with url: "		
2	maximizeWindow()	0.054s	PASSED
	Current window maximized		
3	navigateToUrl("https://www.saucedemo.com/v1/")	0.503s	PASSED
	Navigate to 'https://www.saucedemo.com/v1/' successfully		
4	setText(findTestObject("Object Repository/Data_Driven_Objects/input_standard_userlocked_out_userproblem_u_db77ac"), Username)	0.857s	PASSED
	Text 'Admin' is set on object 'Object Repository/Data_Driven_Objects/input_standard_userlocked_out_userproblem_u_db77ac'		

#	Description	Elapsed	Status
5	setEncryptedText(findTestObject("Object Repository/Data_Driven_Objects/input_standard_userlocked_out_userproblem_u_3423e9"), Password)	0.167s	FAILED
	Unable to set encrypted text for object 'Object Repository/Data_Driven_Objects/input_standard_userlocked_out_userproblem_u_3423e9' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to set encrypted text for object 'Object		
	Repository/Data_Driven_Objects/input_standard_userlocked_out_userproblem_u_3423e9' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:117)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:43) at com.kms.katalon.core.webui.keyword.builtin.SetEncryptedTextKeyword.		
	setEncryptedText(SetEncryptedTextKeyword.groovy:65) at com.kms.katalon.core.webui.keyword.builtin.SetEncryptedTextKeyword. execute(SetEncryptedTextKeyword.groovy:34)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setEncryptedText		
	(WebUiBuiltInKeywords.groovy:1050) at Data-Driven_Demo.run(Data-Driven_Demo:29) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
	java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)		
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
	(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)		
	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
	(TestSuiteExecutor.java:150) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1728902483816.run(TempTestSuite1728902483816.groovy:35)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
	(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)		
	Caused by: javax.crypto.IllegalBlockSizeException: Input length must be multiple of 8 when decrypting with padded cipher at java.base/com.sun.crypto.provider.CipherCore.prepareInputBuffer(CipherCore.		
	java:891) at java.base/com.sun.crypto.provider.CipherCore.doFinal(CipherCore.java:730) at java.base/com.sun.crypto.provider.PKCS12PBECipherCore.implDoFinal		

(PKCS12PBECipherCore.java:424)

at java.base/com.sun.crypto.provider.

Elapsed

Status

Description PKCS12PBECipherCore\$PBEWithSHA1AndDESede.engineDoFinal (PKCS12PBECipherCore.java:456) at com.kms.katalon.util.CryptoUtil.decode(CryptoUtil.java:88) at com.kms.katalon.core.webui.keyword.builtin. $SetEncryptedTextKeyword\$_setEncryptedText_closure1.doCall(SetEncryptedTextKeyword.$ groovy:48) at com.kms.katalon.core.webui.keyword.builtin. $SetEncryptedTextKeyword\$_setEncryptedText_closure1.call(SetEncryptedTextKeyword.$ $at\ com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword$ (WebUIKeywordMain.groovy:35) $at\ com. kms. katalon. core. we bui. keyword. builtin. Set Encrypted Text Keyword.$ setEncryptedText(SetEncryptedTextKeyword.groovy:65) $at\ com. kms. katalon. core. webui. keyword. builtin. Set Encrypted Text Keyword.$ execute(SetEncryptedTextKeyword.groovy:34) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setEncryptedText (WebUiBuiltInKeywords.groovy:1050) at Script1728901197297.run(Script1728901197297.groovy:29) ... 15 more

