## Big-O Cheat Sheet                                                Download PDF

**81.8k**
Shares          Tweet              Share              Share              Share

# Know Thy Complexities!

Hi there!  This webpage covers the space and time Big-O complexities of common algorithms used in Computer Science.  When preparing for technical interviews in the past, I found myself spending hours crawling the internet putting together the best, average, and worst case complexities for search and sorting algorithms so that I wouldn't be stumped when asked about them.  Over the last few years, I've interviewed at several Silicon Valley startups, and also some bigger companies, like Google, Facebook, Yahoo, LinkedIn, and Uber, and each time that I prepared for an interview, I thought to myself "Why hasn't someone created a nice Big-O cheat sheet?".  So, to save all of you fine folks a ton of time, I went ahead and created one.  Enjoy! - Eric

## Check out El Grapho, a graph data visualization library that supports millions of nodes and edges

## Big-O Complexity Chart

# Common Data Structure Operations

| Data Structure | Time Complexity | | | | | | | | Space Complexity |
|---|---|---|---|---|---|---|---|---|---|
| | Average | | | | Worst | | | | Worst |
| | Access | Search | Insertion | Deletion | Access | Search | Insertion | Deletion | |
| Array | Θ(1) | Θ(n) | Θ(n) | Θ(n) | O(1) | O(n) | O(n) | O(n) | O(n) |
| Stack | Θ(n) | Θ(n) | Θ(1) | Θ(1) | O(n) | O(n) | O(1) | O(1) | O(n) |
| Queue | Θ(n) | Θ(n) | Θ(1) | Θ(1) | O(n) | O(n) | O(1) | O(1) | O(n) |
| Singly-Linked List | Θ(n) | Θ(n) | Θ(1) | Θ(1) | O(n) | O(n) | O(1) | O(1) | O(n) |
| Doubly-Linked List | Θ(n) | Θ(n) | Θ(1) | Θ(1) | O(n) | O(n) | O(1) | O(1) | O(n) |
| Skip List | Θ(log(n)) | Θ(log(n)) | Θ(log(n)) | Θ(log(n)) | O(n) | O(n) | O(n) | O(n) | O(n log(n)) |
| Hash Table | N/A | Θ(1) | Θ(1) | Θ(1) | N/A | O(n) | O(n) | O(n) | O(n) |
| Binary Search Tree | Θ(log(n)) | Θ(log(n)) | Θ(log(n)) | Θ(log(n)) | O(n) | O(n) | O(n) | O(n) | O(n) |
| Cartesian Tree | N/A | Θ(log(n)) | Θ(log(n)) | Θ(log(n)) | N/A | O(n) | O(n) | O(n) | O(n) |
| B-Tree | Θ(log(n)) | Θ(log(n)) | Θ(log(n)) | Θ(log(n)) | O(log(n)) | O(log(n)) | O(log(n)) | O(log(n)) | O(n) |
| Red-Black Tree | Θ(log(n)) | Θ(log(n)) | Θ(log(n)) | Θ(log(n)) | O(log(n)) | O(log(n)) | O(log(n)) | O(log(n)) | O(n) |
| Splay Tree | N/A | Θ(log(n)) | Θ(log(n)) | Θ(log(n)) | N/A | O(log(n)) | O(log(n)) | O(log(n)) | O(n) |
| AVL Tree | Θ(log(n)) | Θ(log(n)) | Θ(log(n)) | Θ(log(n)) | O(log(n)) | O(log(n)) | O(log(n)) | O(log(n)) | O(n) |
| KD Tree | Θ(log(n)) | Θ(log(n)) | Θ(log(n)) | Θ(log(n)) | O(n) | O(n) | O(n) | O(n) | O(n) |

# Array Sorting Algorithms

| Algorithm | Time Complexity | | | Space Complexity |
|---|---|---|---|---|
| | Best | Average | Worst | Worst |
| Quicksort | Ω(n log(n)) | Θ(n log(n)) | O(n^2) | O(log(n)) |
| Mergesort | Ω(n log(n)) | Θ(n log(n)) | O(n log(n)) | O(n) |
| Timsort | Ω(n) | Θ(n log(n)) | O(n log(n)) | O(n) |
| Heapsort | Ω(n log(n)) | Θ(n log(n)) | O(n log(n)) | O(1) |
| Bubble Sort | Ω(n) | Θ(n^2) | O(n^2) | O(1) |
| Insertion Sort | Ω(n) | Θ(n^2) | O(n^2) | O(1) |
| Selection Sort | Ω(n^2) | Θ(n^2) | O(n^2) | O(1) |
| Tree Sort | Ω(n log(n)) | Θ(n log(n)) | O(n^2) | O(n) |
| Shell Sort | Ω(n log(n)) | Θ(n(log(n))^2) | O(n(log(n))^2) | O(1) |
| Bucket Sort | Ω(n+k) | Θ(n+k) | O(n^2) | O(n) |
| Radix Sort | Ω(nk) | Θ(nk) | O(nk) | O(n+k) |
| Counting Sort | Ω(n+k) | Θ(n+k) | O(n+k) | O(k) |
| Cubesort | Ω(n) | Θ(n log(n)) | O(n log(n)) | O(n) |

# Learn More

Cracking the Coding Interview: 150 Programming Questions and Solutions

Introduction to Algorithms, 3rd Edition

Data Structures and Algorithms in Java (2nd Edition)

High Performance JavaScript (Build Faster Web Application Interfaces)

# Get the Official Big-O Cheat Sheet Poster

# Contributors

Eric Rowell · Quentin Pleple · Michael Abed · Nick Dizazzo · Adam Forsyth · Felix Zhu · Jay Engineer

Josh Davis · Nodir Turakulov · Jennifer Hamon · David Dorfman · Bart Massey · Ray Pereda · Si Pham

Mike Davis · mcverry · Max Hoffmann · Bahador Saket · Damon Davison · Alvin Wan · Alan Briolat

Drew Hannay · Andrew Rasmussen · Dennis Tsang · Vinnie Magro · Adam Arold · Alejandro Ramirez

Aneel Nazareth · Rahul Chowdhury · Jonathan McElroy · steven41292 · Brandon Amos · Joel Friedly

Casper Van Gheluwe · Eric Lefevre-Ardant · Oleg · Renfred Harper · Piper Chester · Miguel Amigot · Apurva K

Matthew Daronco · Yun-Cheng Lin · Clay Tyler · Orhan Can Ozalp · Ayman Singh · David Morton

Aurelien Ooms · Sebastian Paaske Torholm · Koushik Krishnan · Drew Bailey · Robert Burke

# Make this Page Better

Edit these tables!

INTRODUCING

amazon pharmacy

**507 Comments**     **Big-O Cheat Sheet**     🔒          1  **Login**   ⌄

♡ **Recommend**  **341**          🐦 Tweet          f Share          Sort by Best ⌄

> Join the discussion…

**LOG IN WITH**

**OR SIGN UP WITH DISQUS** ⑦

> Name

**Michael Mitchell** • 8 years ago

This is great. Maybe you could include some resources (links to khan academy, mooc etc) that would explain each of these concepts for people trying to learn them.

384 ⋀ | ⋁ 1 • Reply • Share ›

    **Amanda Harlin** ➜ Michael Mitchell • 8 years ago

    Yes! Please & thank you

    84 ⋀ | ⋁ • Reply • Share ›

        **Asim Ahmad** ➜ Amanda Harlin • 3 years ago

        Can you Explain the Above Algorithm.??

        ⋀ | ⋁ 11 • Reply • Share ›

**Anonymous** ➔ Asim Ahmad
• 3 years ago

Mr.
you can learn these algorithms easily in
google by searching
Don't always ask or wait for someone to
post things for you go out and search on
internet
You will find everything you want to learn

If you are a beginner in Data structures
and algorithms then visit mycodeschool
youtube channel and learn there
if you want more then email me at
rise.d1105@gmail.com I will help you as
much as I can

37 ∧ | ∨ 11 • Reply • Share ›

**Careerdrill** ➔ Anonymous • a year ago
https://www.careerdrill.com/

∧ | ∨ 1 • Reply • Share ›

**Trey Huffine** ➔ Asim Ahmad
• 8 months ago

https://skilled.dev provides a detailed
explanation

1 ∧ | ∨ • Reply • Share ›

**Cam Cecil** ➔ Michael Mitchell • 8 years ago

This explanation in 'plain English' helps:
http://stackoverflow.com/qu...

36 ∧ | ∨ 1 • Reply • Share ›

**Richard Wheatley** ➔ Cam Cecil • 6 years ago
this is plain english.

15 ∧ | ∨ 3 • Reply • Share ›

**Arjan Nieuwenhuizen** ➔ Michael Mitchell
• 8 years ago • edited

Here are the links that I know of.

#1) http://aduni.org/courses/al...
#2) http://ocw.mit.edu/courses/...
#3) https://www.udacity.com/cou...

probably as good or maybe better # 2, but I have not
had a chance to look at it.
http://ocw.mit.edu/courses/...

Sincerely,
Arjan

p.s.
https://www.coursera.org/co...
This course has just begun on coursera (dated 1 July
2013), and looks very good.

22 ∧ | ∨ • Reply • Share ›

**fireheron** ➔ Arjan Nieuwenhuizen • 8 years ago
Thank you Arjan. Espaecially the coursera.org
one ;-)

5 ∧ | ∨ • Reply • Share ›

**@hangtwentyy** → fireheron
• 6 years ago

also this! http://opendatastructures.org

8 ∧ | ∨ • Reply • Share ›

**yth** → @hangtwentyy • 6 years ago

thank you for sharing this.

1 ∧ | ∨ • Reply • Share ›

**Eduardo Sánchez** → Michael Mitchell • 5 years ago

There is an amazing tutorial for Big O form Derek
Banas in Youtube, that guy is amazing explaining!!!

**see more**

12 ∧ | ∨ • Reply • Share ›

**Sudhanshu Mishra** → Eduardo Sánchez
• 5 years ago

Cool! This is a more than adequate introduction!
Thanks a ton for sharing!

1 ∧ | ∨ • Reply • Share ›

**Mohammed Hameed** → Eduardo Sánchez
• 2 years ago

Thanks...

∧ | ∨ • Reply • Share ›

**CodeMunkey** → Michael Mitchell • 5 years ago

Not sure if this helps, but here's a more visual learner
for some of these algorithms - if you're interested.
http://visualgo.net

4 ∧ | ∨ • Reply • Share ›

**Divyendra Patil** → Michael Mitchell • 3 years ago

www.codenza.us

2 ∧ | ∨ • Reply • Share ›

**Trey Huffine** → Michael Mitchell • 8 months ago

https://skilled.dev/ for a detailed explanation on Big O

1 ∧ | ∨ • Reply • Share ›

**nate lipp** → Michael Mitchell • 4 years ago

This is a well put together introduction

This is a well put together introduction
https://www.interviewcake.c...

1 ^ | ∨ • Reply • Share ›

**Ahmed KHABER** ➜ Michael Mitchell • a month ago
https://classroom.udacity.c...

^ | ∨ • Reply • Share ›

**Abby Jones** ➜ Michael Mitchell • 2 years ago
Fabulous idea!

^ | ∨ • Reply • Share ›

**Jeshika Morneau** ➜ Michael Mitchell • 2 years ago
Or you could have supplied them in your comment
instead.

^ | ∨ • Reply • Share ›

**Nhập Hàng Ngoại** ➜ Michael Mitchell • 4 years ago
http://fashionfor.life/t-sh...

**see more**

^ | ∨ 13 • Reply • Share ›

**Blake Jennings** • 8 years ago
i'm literally crying

101 ^ | ∨ • Reply • Share ›

**friend** ➜ Blake Jennings • 4 years ago
you give me a big o

5 ^ | ∨ • Reply • Share ›

**Gokce Toykuyu** • 9 years ago
Could we add some tree algorithms and complexities? Thanks.
I really like the Red-Black trees ;)

91 ^ | ∨ • Reply • Share ›

**ericdrowell** Mod ➜ Gokce Toykuyu • 9 years ago
Excellent idea. I'll add a section that compares
insertion, deletion, and search complexities for specific
data structures

31 ^ | ∨ • Reply • Share ›

**yash bedi** ➜ ericdrowell • 4 years ago

its been 4 years you haven't added that section

:)

∧ | ∨ • Reply • Share ›

**Elliot Géhin** ➜ yash bedi • 4 years ago

It's up there Yash, bottom of the first table

1 ∧ | ∨ • Reply • Share ›

**Ahsan Sukamuljo** ➜ yash bedi
• a year ago

fuck off asshole

∧ | ∨ 3 • Reply • Share ›

**Jonathan Neufeld** ➜ Gokce Toykuyu • 4 years ago

Where I come from we use trees on a regular rotation

3 ∧ | ∨ • Reply • Share ›

**Valentin Stanciu** • 8 years ago

1. Deletion/insertion in a single linked list is implementation dependent. For the question of "Here's a pointer to an element, how much does it take to delete it?", single-linked lists take O(N) since you have to search for the element that points to the element being deleted. Double-linked lists solve this problem.
2. Hashes come in a million varieties. However with a good distribution function they are O(logN) worst case. Using a double hashing algorithm, you end up with a worst case of O(loglogN).
3. For trees, the table should probably also contain heaps and the complexities for the operation "Get Minimum".

63 ∧ | ∨ • Reply • Share ›

**Alexis Mas** ➜ Valentin Stanciu • 7 years ago

If you a list: A B C D, When you want to delete B, you can delete a node without iterating over the list.

1. B.data = C.data
2. B.next = C.next
3. delete C

If you can't copy data between nodes because its too expensive then yes, it's O(N)

6 ∧ | ∨ 1 • Reply • Share ›

**Miguel** ➜ Alexis Mas • 6 years ago

You still have to find the position in the list, which can only be done linearly.

7 ∧ | ∨ • Reply • Share ›

**Guest** ➜ Miguel • 6 years ago • edited

You still have to find the position in the list, which can only be done linearly.

3 ∧ | ∨ • Reply • Share ›

**Alexis Mas** ➜ Miguel • 6 years ago

Yes of course, If you need to search the node it's O(n), otherwise you can delete it as I stated before.

1 ∧ | ∨ • Reply • Share ›

**Guest** ➔ Alexis Mas • 6 years ago

No need to find the position if you can delete it as Alexis mentioned

2 ∧ | ∨ 1 • Reply • Share ›

**OmegaNemesis28** ➔ Alexis Mas
• 6 years ago • edited

To get to B - you HAVE to iterate over the list though. You can't just manipulate B without a pointer. So unless you do book-keeping and have pointers to specific nodes you intend to delete/manipulate, LinkLists are O(n) insert and delete.

3 ∧ | ∨ • Reply • Share ›

**Alexis Mas** ➔ OmegaNemesis28
• 6 years ago

Strictly speaking no, you don't. let's say you have this function.

public void delete(Node node)

That function doesn't care how did you got that node.

Did you got my point?

When you have a pointer to a node, and that node needs to be deleted you don't need to iterave over the list.

1 ∧ | ∨ 2 • Reply • Share ›

**Sam Lehman** ➔ Alexis Mas
• 6 years ago

But in order to get to that pointer, you probably need to iterate through the list

2 ∧ | ∨ • Reply • Share ›

**OmegaNemesis28** ➔ Alexis Mas
• 6 years ago • edited

But that is MY point :p

You have to have the node FIRST. You have to iterate through the list before you can do that, unless you do book-keeping and happen to have said node. Reread what I said. "have pointers to specific nodes" Most of the time, you do not with LinkedLists. If you have a Linked List and