

# AZURE ENTERPRISE INFRASTRUCTURE LAB

## Task 04 — Windows Virtual Machine

Final Azure Portal Evidence

### 1. Objective

Deploy and validate a Windows Server virtual machine as the web/compute workload for the Azure Enterprise Infrastructure Lab. The task demonstrates Azure compute, networking, security controls, remote administration, monitoring evidence, troubleshooting, and cost-aware resource selection.

### 2. Final VM Configuration

| Property                                     | Confirmed value                |
|----------------------------------------------|--------------------------------|
| Subscription                                 | My Test Azure subscription 1   |
| Resource Group                               | rg-azure-enterprise_MM         |
| Virtual Machine                              | vm-web-MM                      |
| Region                                       | Central India                  |
| Availability Zone                            | Zone 2                         |
| Status                                       | Running                        |
| Operating System                             | Windows Server 2025 Datacenter |
| Architecture                                 | x64                            |
| VM Size                                      | Standard B2ts_v2               |
| vCPUs                                        | 2                              |
| RAM                                          | 1 GiB                          |
| VNet                                         | vnet-azure-enterprise-MM       |
| Subnet                                       | WebSubnet_MM                   |
| Subnet range                                 | 10.0.1.0/24                    |
| Private IP                                   | 10.0.1.4                       |
| Public IP                                    | 20.244.97.131                  |
| Primary NIC                                  | vm-web-mm993                   |
| VM-level NSG shown in final Network settings | vm-web-MM-nsg                  |
| Subnet-level NSG                             | nsg-web-MM                     |
| Tag                                          | Application Owner = MM         |

Public GitHub safety: the original evidence screenshots contain live public IP/account information. Sanitize or blur sensitive/current infrastructure identifiers before publishing screenshots in a public repository.

### 3. Azure Skills Demonstrated

- Azure Virtual Machine deployment
- Windows Server administration
- VM sizing and cost awareness
- Availability Zone selection
- Azure VNet and subnet integration
- Private/public IP identification
- Network Security Group usage

- RDP remote administration
- VM disk configuration
- Boot diagnostics
- Activity Log investigation
- Deployment verification
- Troubleshooting and configuration correction
- Resource lifecycle and cleanup awareness

## 4. VM Size Selection and Cost Control

The creation flow showed several availability and sizing constraints. An NC-series GPU VM was rejected as unnecessary for this learning lab because its displayed price was much higher. A D-series option was constrained by availability zone. A B-series option was then selected.

Final deployed size: Standard B2ts\_v2.

The Azure Portal showed an estimated 0.0204 USD/hour during the VM creation flow. The VM should be stopped/deallocated when not in use, and unnecessary public-IP/compute resources should be removed after the lab.

## 5. Disk Configuration

- OS disk size: Image default
- OS disk type: Premium SSD / Premium\_LRS
- Managed disks: Yes
- Delete OS disk with VM: Yes
- Ephemeral OS disk: None
- Data disks: None
- Key management: Platform-managed key
- Ultra Disk compatibility: Off
- Encryption at host: Not enabled

## 6. Networking Configuration

Final network path:

- Internet → Public IP 20.244.97.131
- Public IP → NIC vm-web-mm993
- NIC → VM-level NSG vm-web-MM-nsg
- NIC → WebSubnet\_MM (10.0.1.0/24)
- WebSubnet\_MM → subnet-level NSG nsg-web-MM
- WebSubnet\_MM → VNet vnet-azure-enterprise-MM

The final Network settings screenshot confirms the NIC, VNet/subnet, public IP, private IP, accelerated networking, and both NSG layers.

Security observation: the final environment shows both a subnet-level NSG and a NIC-level NSG. The project should document why both are required or review whether one layer is redundant.

## 7. NSG Rules Observed

| Priority | Rule / Name shown | Port | Protocol | Action |
|----------|-------------------|------|----------|--------|
| 100      | Allow-HTTP        | 80   | TCP      | Allow  |
| 110      | Allow-HTTP1       | 443  | TCP      | Allow  |
| 120      | NEWACC            | 3389 | TCP      | Allow  |

Azure default inbound rules are also present, including the final deny-all behavior.

For clean portfolio documentation, rename the HTTPS rule to Allow-HTTPS and give the RDP rule a descriptive name. RDP should be restricted to a trusted source IP rather than broadly exposed.

## 8. RDP Validation

A successful Native RDP session was established to vm-web-MM. This demonstrates public-IP connectivity, TCP 3389 access, and successful Windows remote administration.

RDP should not remain broadly exposed to the internet in a production-style environment. Restrict the source IP or use a controlled management service.

## 9. Activity Log and Troubleshooting Evidence

- Create or Update Virtual Machine — Succeeded
- Health Event Resolved
- Health Event Updated

The Activity Log evidence demonstrates Azure resource-operation review and basic health-event investigation.

## 10. Management Configuration

- System-assigned managed identity: Off
- Microsoft Entra ID login: Off
- Backup: Off
- Site Recovery: Off
- Periodic assessment: Off
- Hotpatch: Off
- Patch orchestration: Automatic by OS
- Auto-shutdown: Off at creation

For this learning environment, configure auto-shutdown after validating the lab workflow to reduce unnecessary VM runtime.

## 11. Monitoring Configuration

- Boot diagnostics: On

- Recommended alert rules: Off
- OS guest diagnostics: Off
- Application health monitoring: Off

Dedicated Azure Monitor and Log Analytics configuration will be completed in the monitoring task.

## 12. Implementation Summary

1. Started Windows VM creation in Central India.
2. Evaluated VM sizes and rejected oversized/GPU options for cost control.
3. Selected Standard B2ts\_v2.
4. Selected Windows Server 2025 Datacenter.
5. Used vnet-azure-enterprise-MM.
6. Used WebSubnet\_MM (10.0.1.0/24).
7. Configured a public IP for lab RDP access.
8. Preserved subnet-level nsg-web-MM.
9. Completed VM deployment successfully.
10. Verified Running state.
11. Verified public/private IP configuration.
12. Verified NSGs in Network settings.
13. Established successful RDP connectivity.
14. Reviewed Activity Log for deployment and health events.

## 13. GitHub Evidence Structure

- 04-virtual-machine/Task-04-Azure-Windows-VM-Final-Documentation.md
- 04-virtual-machine/screenshots/ (17 evidence screenshots)
- Root README linking to Task 04 and summarizing Azure skills

## 14. Git Commit

```
cd /d C:\azure-enterprise-infrastructure-lab
git add .
git commit -m "Complete Azure Windows VM deployment and validation"
git push
```

## 15. Completion Checklist

- ☒ Windows Server VM created
- ☒ Central India selected
- ☒ Zone 2 deployment completed
- ☒ Low-cost B-series size selected
- ☒ Project VNet selected

- ☒ Web subnet selected
- ☒ Public IP created
- ☒ VM deployment succeeded
- ☒ VM running state verified
- ☒ Network settings verified
- ☒ NSG evidence captured
- ☒ RDP connectivity verified
- ☒ Activity Log reviewed
- ☒ Complete screenshot evidence collected
- ☒ Documentation prepared
- ☐ Rename 443 rule to Allow-HTTPS
- ☐ Rename/restrict RDP rule
- ☐ Review whether both subnet and NIC NSGs are required
- ☐ Configure auto-shutdown
- ☐ Create Git commit
- ☐ Push to GitHub
- ☐ Sanitize public screenshots before public upload

## 16. Evidence Screenshots

Figure 1 — Windows VM creation basics checkpoint.

The screenshot shows the 'Create a virtual machine' wizard in the Microsoft Azure portal, specifically the 'Basics' tab. The interface is in a web browser with multiple tabs open. The URL is [portal.azure.com/#view/Microsoft\\_Azure\\_VirtualMachines/CreateVirtualMachine.ReactView/createUIDef~/~/7B%22isFullCreate%3Atrue%7D/\\_pro...](https://portal.azure.com/#view/Microsoft_Azure_VirtualMachines/CreateVirtualMachine.ReactView/createUIDef~/~/7B%22isFullCreate%3Atrue%7D/_pro...). The wizard has tabs for Basics, Disks, Networking, Management, Monitoring, Advanced, Tags, and Review + create. The 'Basics' tab is active, showing the following configuration options:

- Image:** Windows Server 2025 Datacenter: Azure Edition - x64 Gen2 (with a link to 'See all images' and 'Configure VM generation').
- VM architecture:** x64 (selected), with Arm64 as an alternative.
- Size:** Standard\_NC4as\_T4\_v3 - 4 vcpus, 28 GiB memory (\$556.99/month) (with a link to 'See all sizes' and 'Customize cores').
- Run with Azure Spot discount:** Unchecked checkbox.
- Administrator account:**
  - Username:** azureuser
  - Password:** (empty field)
  - Confirm password:** (empty field)
- Inbound port rules:** (empty section)

At the bottom of the wizard, there are buttons for 'Previous', 'Next', and 'Review + create'. Below the wizard, a Windows taskbar is visible with the search bar, taskbar icons, system tray, and a clock showing 15:09 on 01-09-2026.

Windows VM creation basics checkpoint.

**Figure 2 — VM size selection showing availability-zone constraints.**

The screenshot displays the Microsoft Azure portal's 'Select a VM size' page. The browser's address bar shows the URL: `portal.azure.com/#view/Microsoft_Azure_Compute/SpecPickerV3.ReactView/regionId/centralindia/subscriptionId/14ecae1d-b340-466e-82a5-...`. The page title is 'Select a VM size'. Below the title, there is a table of VM sizes with columns: SKU, Type, vCPUs, RAM (GiB), Data disks, Max IOPS, Local storage (GiB), Premium disk, and Cost per month. The table lists several VM sizes, including M-Series v3, M-Series v2, M-Series, N-Series, Isolated sizes, and Other sizes. A 'Size not available' row is highlighted, indicating that the selected VM size is not available in the current region. Below the table, there is a 'Select' button and a note about pricing: 'Prices presented are estimates in your local currency or USD that include only Azure infrastructure costs and any discounts for the subscription and location. The prices don't include any applicable software costs. Final charges will appear in your local currency in cost analysis and billing views.' The Windows taskbar at the bottom shows the time as 14:55 on 01-09-2026.

| SKU                                              | Type | vCPUs | RAM (GiB) | Data disks                                                                                                                                                             | Max IOPS | Local storage (GiB) | Premium disk | Cost per month |
|--------------------------------------------------|------|-------|-----------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|---------------------|--------------|----------------|
| M-Series v3                                      |      |       |           | The 3rd generation M series sizes for extremely large databases or applications                                                                                        |          |                     |              |                |
| M-Series v2                                      |      |       |           | The 2nd generation M series sizes for extremely large databases or applications                                                                                        |          |                     |              |                |
| M-Series                                         |      |       |           | Ideal for extremely large databases or applications                                                                                                                    |          |                     |              |                |
| N-Series                                         |      |       |           | Designed for compute-intensive, graphics-intensive, and visualization workloads                                                                                        |          |                     |              |                |
| Isolated sizes                                   |      |       |           | These sizes are best suited for workloads that require a high degree of isolation from other customers' workloads. Isolated VM sizes have a hardware-limited lifespan. |          |                     |              |                |
| Other sizes                                      |      |       |           |                                                                                                                                                                        |          |                     |              |                |
| Size not available                               |      |       |           | See the info bubble next to a size for details on availability                                                                                                         |          |                     |              |                |
| Unsupported availability zone                    |      |       |           | Sizes are not supported in zone 1. Change your availability zone to select these sizes                                                                                 |          |                     |              |                |
| Only supported for Confidential virtual machines |      |       |           | CVM is only supported for these sizes                                                                                                                                  |          |                     |              |                |

VM size selection showing availability-zone constraints.

Figure 3 — B-series VM size options available in the subscription.

Select a VM size - MicroMizanurMollah/azureAzure Career ProjectNew TabNew TabAsk Geminiportal.azure.com/#view/Microsoft\_Azure\_Compute/SpecPickerV3.ReactView/regionId/centralindia/subscriptionId/14ecae1d-b340-466e-82a5-...NOVENTIQ HOLDINGTutedude Lecture P...My First Board - MiroChatGPTEmsSupportHubHome - Microsoft A...Search | LinkedInGitHubMicrosoft AzureUpgradeSearch resources, services, and docs (G+ /)Copilotmizanur.mollah@embe...BREEZ SOFTWARE PRIVATE LTD.

Home > Compute infrastructure | Virtual machines > Create a virtual machine

Select a VM size

| SKU          | Type             | vCPUs | RAM (GiB) | Data disks | Max IOPS | Local storage (GiB) | Premium disk | Cost per month |
|--------------|------------------|-------|-----------|------------|----------|---------------------|--------------|----------------|
| M128s_v2     | Memory optimized | 128   | 2048      | 64         | 80000    | -                   | Supported    | \$14,028.41    |
| M192ids_v2   | Memory optimized | 192   | 4096      | 64         | 80000    | 4096 (SCSI)         | Supported    | \$30,595.76    |
| M192ids_v2   | Memory optimized | 192   | 2048      | 64         | 80000    | 4096 (SCSI)         | Supported    | \$18,521.56    |
| M192ims_v2   | Memory optimized | 192   | 4096      | 64         | 80000    | -                   | Supported    | \$30,278.94    |
| M192is_v2    | Memory optimized | 192   | 2048      | 64         | 80000    | -                   | Supported    | \$18,204.74    |
| M32dms_v2    | Memory optimized | 32    | 875       | 32         | 20000    | 1024 (SCSI)         | Supported    | \$5,703.49     |
| M32ms_v2     | Memory optimized | 32    | 875       | 32         | 20000    | -                   | Supported    | \$5,623.92     |
| M64dms_v2    | Memory optimized | 64    | 1792      | 64         | 40000    | 2048 (SCSI)         | Supported    | \$9,936.76     |
| M64ds_v2     | Memory optimized | 64    | 1024      | 64         | 40000    | 2048 (SCSI)         | Supported    | \$7,171.52     |
| M64ms_v2     | Memory optimized | 64    | 1792      | 64         | 40000    | -                   | Supported    | \$9,778.35     |
| M64s_v2      | Memory optimized | 64    | 1024      | 64         | 40000    | -                   | Supported    | \$7,013.11     |
| NC16as_T4_v3 | GPU x 1          | 16    | 110       | 32         | 48000    | 352 (SCSI)          | Supported    | \$1,503.80     |

Select

Prices presented are estimates in your local currency or USD that include only Azure infrastructure costs and any discounts for the subscription and location. The prices don't include any applicable software costs. Final charges will appear in your local currency in cost analysis and billing views.

[View Azure pricing calculator.](#)[Give feedback](#)

Type here to search

Brea...

14:5601-09-2026

B-series VM size options available in the subscription.



**Figure 4 — Inbound-port selection during VM creation.**

Home

## Create a virtual machine

Basics | Disks | Networking | Management | Monitoring | Advanced | Tags | Review + create

Confirm password \*

**Inbound port rules**

Select which virtual machine network ports are accessible from the public internet. You can specify more limited or granular network access on the Networking tab.

Public inbound ports \* ☐ None ☒ Allow selected ports

Select inbound ports \*

- ☐ HTTP (80)
- ☐ HTTPS (443)
- ☐ SSH (22)
- ☒ RDP (3389)

**Licensing**

Save up to 49% with a license you already own using Azure Hybrid Benefit. [Learn more](#)

Use an existing Windows Server license ☐

Previous Next **Review + create**

Give feedback

Type here to search

15:15 01-09-2025 28°C ENG

Inbound-port selection during VM creation.

Figure 5 — VM disk configuration.

Home

## Create a virtual machine

Basics Disks Networking Management Monitoring Advanced Tags Review + create

### VM disk encryption

Azure disk storage encryption automatically encrypts your data stored on Azure managed disks (OS and data disks) at rest by default when persisting it to the cloud.

Encryption at host ☐

☒ Encryption at host is not registered for the selected subscription.  
[Learn more](#)

### OS disk

OS disk size

OS disk type \*

Delete with VM ☒

Enable Ultra Disk compatibility ☐

Key management

### Data disks


You can add and configure additional data disks for your virtual machine or attach existing disks. This VM also comes with a temporary disk.

Previous Next Review + create

Give feedback

VM disk configuration.

**Figure 6 — Initial networking checkpoint showing a generated VNet/subnet before correction.**



Initial networking checkpoint showing a generated VNet/subnet before correction.

**Figure 7 — Networking checkpoint after selecting the project VNet and Web subnet.**

The screenshot shows the 'Create a virtual machine' wizard in the Microsoft Azure portal, specifically the 'Networking' tab. The page is titled 'Create a virtual machine' and has a sub-header 'Networking'. Below the header, there is a description: 'Define network connectivity for your virtual machine by configuring network interface card (NIC) settings. You can control ports, inbound and outbound connectivity with security group rules, or place behind an existing load balancing solution. [Learn more](#)'. The 'Virtual network' section shows 'vnet-azure-enterprise-MM' selected. The 'Subnet' section shows 'WebSubnet\_MM - 10.0.1.0/24' selected. The 'Network interface' section shows '(new) vm-web-MM-ip' selected. Below this, there is a link 'Create new' and a note 'Public IP addresses have a nominal charge. [Learn more](#)'. The 'NIC network security group' section shows 'None' selected. At the bottom, there are buttons for 'Previous', 'Next', and 'Review + create'. The Windows taskbar is visible at the bottom of the screen, showing the search bar and various application icons.

Home

Create a virtual machine

Basics Disks **Networking** Management Monitoring Advanced Tags Review + create

Define network connectivity for your virtual machine by configuring network interface card (NIC) settings. You can control ports, inbound and outbound connectivity with security group rules, or place behind an existing load balancing solution. [Learn more](#)

Virtual network

Azure Virtual Network (VNet) enables many types of Azure resources to securely communicate with each other, the internet, and on-premises networks. [Learn more about Vnets](#)

Virtual network \*

vnet-azure-enterprise-MM

Subnet \*

WebSubnet\_MM - 10.0.1.0/24

Network interface

A network interface enables an Azure virtual machine to communicate with internet, Azure, and on-premises resources. A VM can have one or more network interfaces.

Public IP

(new) vm-web-MM-ip

[Create new](#)

Public IP addresses have a nominal charge. [Learn more](#)

NIC network security group

None

Previous Next **Review + create**

Give feedback

Networking checkpoint after selecting the project VNet and Web subnet.

**Figure 8 — Networking checkpoint showing the existing subnet NSG association.**

The screenshot shows the 'Create a virtual machine' wizard in the Microsoft Azure portal, specifically the 'Networking' tab. The 'NIC network security group' is set to 'Advanced'. A message states: 'The selected subnet 'WebSubnet\_MM - 10.0.1.0/24' is already associated to a network security group 'nsg-web-MM'. We recommend managing connectivity to this virtual machine via the existing network security group instead of creating a new one here.' The 'Public IP' is set to '(new) vm-web-MM-ip' and the 'Configure network security group' is set to '(new) vm-web-MM-nsg'. The 'Review + create' button is visible at the bottom.

Home

Create a virtual machine

Basics Disks **Networking** Management Monitoring Advanced Tags Review + create

Network interface

A network interface enables an Azure virtual machine to communicate with internet, Azure, and on-premises resources. A VM can have one or more network interfaces.

Public IP (i)

(new) vm-web-MM-ip

Create new

Public IP addresses have a nominal charge. [Learn more](#) (i)

NIC network security group (i)

☐ None

☐ Basic

☒ Advanced

The selected subnet 'WebSubnet\_MM - 10.0.1.0/24' is already associated to a network security group 'nsg-web-MM'. We recommend managing connectivity to this virtual machine via the existing network security group instead of creating a new one here.

Configure network security group \*

(new) vm-web-MM-nsg

Create new

Previous Next **Review + create**


Give feedback

Type here to search

15:23 01-09-2025


Networking checkpoint showing the existing subnet NSG association.

**Figure 9 — VM management configuration.**




**VM management configuration.**

**Figure 10 — VM monitoring configuration.**



VM monitoring configuration.

**Figure 11 — VM advanced configuration.**



**VM advanced configuration.**



**Figure 12 — Deployment checkpoint showing VM, NIC, NSG and Public IP resources.**

The screenshot displays the Azure portal interface for a deployment named 'CreateVirtualMachine-vm-web-MM'. The deployment is currently in progress. The main section shows deployment details, including the deployment name, subscription, resource group, and start time. Below this, a table lists the resources being deployed, their types, and their current status.

| Resource      | Type                                | Status  | Operation details                 |
|---------------|-------------------------------------|---------|-----------------------------------|
| vm-web-MM     | Microsoft.Compute/virtualMachines   | Created | <a href="#">Operation details</a> |
| vm-web-mm993  | Microsoft.Network/networkInterfaces | OK      | <a href="#">Operation details</a> |
| vm-web-MM-nsg | Network security group              | OK      | <a href="#">Operation details</a> |
| vm-web-MM-ip  | Public IP address                   | OK      | <a href="#">Operation details</a> |

Next steps

Notifications:

- Deployment in progress... Running
- Deployment to resource group 'rg-azure-enterprise-MM' is in progress. a few seconds ago
- ₹19,109.25 credit remaining
- Subscription 'My Test Azure subscription 1' has a remaining credit of ₹19,109.25.
- Upgrade to a Pay-As-You-Go subscription. 31 minutes ago

Deployment checkpoint showing VM, NIC, NSG and Public IP resources.

**Figure 13 — Final VM Overview after successful deployment.**

The screenshot displays the Microsoft Azure portal interface. The browser's address bar shows the URL: `portal.azure.com/#@embee.co.in/resource/subscriptions/14ecae1d-b340-466e-82a5-3ae59a77c51b/resourceGroups/rg-azure-enterprise_MM/...`. The page title is "vm-web-MM" and it is categorized as a "Virtual machine".

**Overview Section:**

- Name:** rg-azure-enterprise\_MM
- Status:** Running
- Location:** Central India (Zone 2)
- Subscription:** [My Test Azure subscription 1](#)
- Subscription ID:** 14ecae1d-b340-466e-82a5-3ae59a77c51b
- Availability zone:** 2
- OS:** Windows (Windows Server 2025 Datacenter)
- Size:** Standard B2ts v2 (2 vcpus, 1 GiB memory)
- Primary NIC public IP:** [20.244.97.131](#)
- Virtual network/subnet:** [vmweb-azure-enterprise-MM/WebSubnet\\_MM](#)
- DNS name:** Not configured
- Health state:** -
- Time created:** 9/1/2026, 10:12 AM UTC
- Tags:** (edit)
- Application Owner:** MM

**Properties Section:**

| Property         | Value                                    |
|------------------|------------------------------------------|
| Computer name    | vm-web-MM                                |
| Operating system | Windows (Windows Server 2025 Datacenter) |
| VM generation    | V2                                       |
| VM architecture  | x64                                      |
| Agent status     | Ready                                    |
| Agent version    | 2.7.41621.1216                           |

**Networking Section:**

| Property                  | Value                                           |
|---------------------------|-------------------------------------------------|
| Public IP address         | 20.244.97.131 (Network interface: vm-web-mm993) |
| Public IP address (IPv6)  | -                                               |
| Private IP address        | 10.0.1.4                                        |
| Private IP address (IPv6) | -                                               |

**Notifications Panel:**

- Deployment succeeded:** Deployment "CreateVirtualMachine-vm-web-MM" to resource group "rg-azure-enterprise\_MM" was successful. (Buttons: Go to resource, Go to resource group)
- ₹19,109.25 credit remaining:** Subscription "My Test Azure subscription 1" has a remaining credit of ₹19,109.25. (Button: Upgrade to a Pay-As-You-Go subscription)

The Windows taskbar at the bottom shows the time as 11:54 on 01-09-2026, with a temperature of 28°C.

**Final VM Overview after successful deployment.**

**Figure 14 — Final VM Network settings, including IPs, subnet and security groups.**

The screenshot displays the 'vm-web-MM | Network settings' page in the Microsoft Azure portal. The left-hand navigation pane includes sections for Overview, Activity log, Access control (IAM), Tags, Diagnose and solve problems, Monitor, Resource visualizer, Connect, Bastion, Windows Admin Center, Networking, Network settings, Load balancing, Application security groups, Network manager, Settings, Availability + scale, Security, Backup + disaster recovery, and Operations. The main content area is titled 'Network settings' and includes a search bar and several tabs: 'Attach network interface', 'Detach network interface', 'View topology', 'Troubleshoot', 'Refresh', and 'Give feedback'. The 'Essentials' section shows the following configuration:

- Network interface: vm-web-mm993
- Virtual network / subnet: vnet-secure-enterprise-MM / WebSubnet\_MM
- Public IP address: 20.244.97.131
- Private IP address: 10.0.1.4
- Admin security rules: 0 (Configure)
- Load balancers: 0 (Configure)
- Application security groups: 0 (Configure)
- Network security group: vm-web-MM-nsg
- Accelerated networking: Enabled
- Effective security rules: 0

The 'Rules' section shows a table of inbound port rules for the network security group 'nsg-web-MM' (attached to subnet 'WebSubnet\_MM').

| Priority | Name        | Source | Destination | Protocol | Port | Action |
|----------|-------------|--------|-------------|----------|------|--------|
| 100      | Allow-HTTP  | Any    | Any         | TCP      | 80   | Allow  |
| 110      | Allow-HTTP1 | Any    | Any         | TCP      | 443  | Allow  |
| 120      | NEWACC      | Any    | Any         | TCP      | 3389 | Allow  |


**Final VM Network settings, including IPs, subnet and security groups.**

**Figure 15 — Final VM Overview showing the VM running.**

The screenshot displays the Microsoft Azure portal interface for a virtual machine named 'vm-web-MM'. The top navigation bar includes the Azure logo, search bar, and user profile. The left-hand navigation pane lists various management options: Overview, Activity log, Access control (IAM), Tags, Diagnose and solve problems, Monitor, Resource visualizer, Connect, Bastion, Windows Admin Center, Networking, Network settings, Load balancing, Application security groups, Network manager, Settings, Availability + scale, Security, Backup + disaster recovery, Operations, and Monitoring. The main content area is titled 'vm-web-MM' and shows the 'Overview' tab. It includes a 'Connect' button and a 'Help me copy this VM in any region' link. The 'Essentials' section provides key information: Resource group (rg-azure-enterprise-MM), Status (Running), Location (Central India (Zone 2)), Subscription (My First Azure subscription), Subscription ID (14ecae1d-b340-466e-82a5-3ae59a77c51b), and Availability zone (2). The 'Properties' section details the virtual machine configuration: Computer name (vm-web-MM), Operating system (Windows (Windows Server 2025 Datacenter)), VM generation (V2), VM architecture (x64), Agent status (Ready), Agent version (2.7.41491.1216), Host group, Host, Proximity placement group, Colocation status (N/A), and Capacity reservation group. The 'Networking' section shows the Public IP address (20.244.97.131), Private IP address (10.0.1.4), Virtual network/subnet (vnet-azure-enterprise-MM/WebSubnet\_MM), and DNS name (Not configured). The 'Size' section indicates the VM is Standard B2ts v2 with 2 vCPUs and 1 GiB RAM. The bottom status bar shows the time as 16:08 on 01-09-2026.


**Final VM Overview showing the VM running.**

**Figure 16 — Successful Native RDP connection to the Windows VM.**



Successful Native RDP connection to the Windows VM.

**Figure 17 — VM Activity Log showing successful create/update and health events.**



VM Activity Log showing successful create/update and health events.

## 17. Next Azure Task

Task 05 — Windows VM hardening, IIS, RDP source restriction and cost control. Planned evidence includes secure RDP access, IIS installation, HTTP/HTTPS tests, auto-shutdown, cost analysis, and Azure Monitor / Log Analytics.