

CubeTriage

Automated diagnosis for legacy OLAP cubes

— *in active development* —

One exported file in — a proposed star schema, a quantified complexity report and a human-review workbook out.
Every trap found, flagged and priced.

*Validated on Adventure Works 2019 Enterprise Edition —
120 review decisions found in ~1.5 seconds*

Malin Jacobsson


The problem

Migrating a legacy SSAS cube to a modern relational model costs a senior consultant weeks: untangling MDX, mapping role-playing dimensions, finding the KPIs and security roles nobody documented.

Before anyone can even price the migration, somebody spends days just answering: what is actually IN this cube?

CubeTriage answers that question in seconds — from a single exported metadata file. No cube data is read.

How it works



The first five stages are deterministic — same input, same output.
Proposals are opt-in behind a backend interface (mock / local LLM).

Outputs: *_canonical.json · *_out.json · *_schema.sql · *_load.sql ·
*_validation.sql · *_review.md · *_hitl.xlsx · *_diagram.png ·
*_decisions.json · *_run_report.json

Result on a real cube

Adventure Works 2019 Enterprise Edition (Multidimensional) —
Microsoft's own reference cube, built to demonstrate every
enterprise SSAS feature.

16 dimensions · 11 facts · 79 relationships · 38 measures

mapped automatically

22 calculated measures in MDX

flagged for manual translation — not ignored

29 role-playing · 4 parent-child · 4 reference · 6 m2m bridges

structural traps found

31 unmigratable constructs (KPIs, actions, perspectives)


reported, never lost

101 inferred assumptions

each documented in its own channel

120 human-review items

the workbook IS the work order



Full pipeline run: ~1.5 seconds. Also verified on the
Tabular AdventureWorks .bim (compat 1400) — tables classified
purely from the relationship graph, no naming conventions needed.
Newest: generated load SQL + a 101-check validation harness.

The review loop

Every warn flag and dropped item becomes a numbered decision

decisions.json — stable ids,
survives re-runs

Click a flag — see where the problem lives

canonical source slice +
star-schema target table

Approve · reject · override — then regenerate

decided entries persist; unapplied
overrides are reported, never silent

Zero-dependency, offline, runs where the data lives

the Excel workbook stays as
the exportable record

The screenshot displays the 'adventureworks' interface with 2 of 115 decisions. A table lists various decisions with columns for 'open', 'approved', 'rejected', 'overridden', and 'all'. The 'open' column shows 113 items, 'approved' shows 1, 'rejected' shows 0, 'overridden' shows 1, and 'all' shows 115. The table lists decisions such as '087AE3F orphan_attribute', '084AE2A orphan_attribute', '0347411 orphan_attribute', '0385C77 orphan_attribute', '043WF03 orphan_attribute', '08NK266 parent_child_flattened', '043F368 orphan_attribute', '02M7791 scd2_incomplete', '04C3B6F scd2_dimension', '0027668 parent_child_flattened', and '02FA8E4 orphan_attribute'. Each decision has an 'open' button next to it.

The detailed view on the right shows the decision '087AE3F - orphan_attribute' for the target 'Dim Customer.Date First Purchase'. The source is 'MODEL/DIMENSIONS/DIM CUSTOMER/ATTRIBUTES/DATE FIRST PURCHASE'. The decision is currently 'OPEN'. The view includes a JSON snippet for the decision, a 'Comment...' field, and buttons for 'Approve', 'Reject', 'Override', 'Save comment', and 'Reopen'.

```
{
  "name": "Date First Purchase",
  "source_column": "SimpleDateFirstPurchase",
  "source_table": "dbo_DimCustomer",
  "hidden": true,
  "orphan": true
}
```

DECISION - CURRENT: OPEN

Approve Reject Override

Comment...

Save comment Reopen

Regeneration with decisions applied: ~1 second.

Design principles

Nothing is hidden

Constructs the engine sees but cannot migrate are recorded in a dropped channel. A reviewer always sees the full picture.

Provenance is structural

Observed facts, inferred values, dropped constructs and AI proposals are four separate channels — what the engine KNOWS vs GUESSES.

AI proposes — never decides

An optional backend may suggest resolutions. Code verifiers check every proposal against the model; the human approves.

Runs where the data lives

Deterministic, offline-capable, no telemetry — designed to run as a container inside the customer's own perimeter.