Process & Decision Documentation

Project/Assignment Decisions

I decided to show the emotion of the character in the most literal way I knew how, to make it a smiley/sad face and change the background colour depending on its mood. This is also because I knew how to make an image in p5.js.

Role-Based Process Evidence

I used one of my coding exercises from my previous courses to help create the images and a large portion of my changes. While I didn't use anything verbatim, I used the code as a reference to build my sketch. I used both images, preload, and if statement formatting from my previous code. I still had a little trouble formatting it correctly, but with minimal trial and error I solved my issues. Here is my old code that I referenced:

Final Game
by mjispong

mySketch

```
function preload() {
   BirdImage = loadImage("pheasant.jpg");
   //cs course
   Wallpaper1 = loadImage("Wallpaper1CS.jpg");
   //https://www.google.com/url?sa=i&url=https%3A%2F%2Fwww.freepik.com%2Fphotos%2Fwallpaper-old&psig=AOvVaw18L5eLLjFrvP_XpNJJIXHq&ust=1701914919161006
   Picture1 = loadImage("Picture1CS.jpg");
   //https://encrypted-tbn0.gstatic.com/images?q=tbn:ANd9GcTew5PLfZYn-4O0cRSB_Xk-R92O9aBLlu0nmg&usqp=CAU
   Picture2 = loadImage("Picture2CS.jpg");
   //Larry Lawton https://pbs.twimg.com/media/FD6u7g5XoAMmzBn.jpg:large
   Wallpaper2 = loadImage("Wallpaper2CS.jpg");
   //
   Party1 = loadImage("Party1.jpg");
   //
   Desh = loadImage("Desh.jpg");
   //Me
   Dog = loadImage("Dog.jpg");
   //Me
   Larry2 = loadImage("Larry2.jpg");
   //Me
   Chair = loadImage("Chair1.png");
   //
   Teddy = loadImage("Teddy.png");
   //
   Vent = loadImage("Vent.png");
```

Final Game
by mjispong

mySketch

```
   var birdColor = color(255, 0, 0);

   background(0); //background, this wont really affect the room itself, just the outside canvas

   fill("rgb(151,192,151)"); //the wallpaper colour
   rect(0, 0, 900, 600);

   fill("rgb(222,212,212)");
   rect(630, 120, 200, 200);

   tint(birdColor); // Apply the tint to the bird image (red)
   image(BirdImage, 630, 120, 200, 200);
   noTint();

   fill(0);
   circle(730, 120, 10);

   //This is the first of many conditions that I used to make interactions, this one is for the bird image -from now on, to simplify I'll just say the
   if (mouseX < 830 && mouseX > 630 && mouseY > 120 && mouseY < 320 && mouseIsPressed) {
      strokeWeight(0);

      //this is to move the picture down and to the right
      fill("rgb(222,212,212)");
      rect(630, 120, 200, 200);
      fill(0);
      circle(730, 120, 10);

      textSize(18);
```

Final Game
by mjispong

mySketch

```
         if (mouseX > 50 && mouseX < 100 && mouseY > 200 && mouseY < 250 && key === '1') {
            // Check if mouse is over the button corresponding to '1'
            lockNumber1 = true;
            beep.play()
         }
      }

      if (
         mouseX > 130 &&
         mouseX < 180 &&
         mouseY > 200 &&
         mouseY < 250 &&
         (key === '0' || key === '1' || key === '2' || key === '3' || key === '4' || key === '5' || key === '6' || key === '7' || key === '8' || key =
      ) {
         // Check if mouse is within the second button area and a valid key is pressed
         fill(0);
         rect(130, 300, 50, 50);
         fill(70 + 18, 221, 78);
         textSize(20);
         text('Stored', 130 + 25, 325);
      }

      if (
```

And here is where I applied it to my sidequest:





GenAI Documentation

No AI was used in the process of this side quest creation.