

LETTER OF AGREEMENT

EFFECTIVE: November 1, 2024

SUBJECT: Coordination Procedures

1. PURPOSE: This Letter of Agreement establishes procedures for handling air traffic between Salt Lake City Air Route Traffic Control Center (ZLC ARTCC) and Boise Airport Traffic Control Tower/Terminal Radar Approach Control (herein referred to as "Big Sky TRACON").

2. SCOPE: To establish standard operating procedures for the coordination and control of aircraft between ZLC ARTCC and Big Sky TRACON on the VATSIM network. This letter of agreement is supplemental to vZLC Facility Policy and FAA Order JO 7110.65. The information contained herein is to be used for flight simulation purposes only on the VATSIM network. It is not intended, nor should it be used for, real-world navigation. The Virtual Salt Lake City ARTCC is not affiliated with the FAA, the actual Salt Lake City ARTCC, or any governing aviation body.

3. RESPONSIBILITIES:

- a. All controllers staffing (or controlling overlying airspace containing) ZLC ARTCC and/or Big Sky TRACON positions (not including Bozeman Radar) are required to be familiar with the provisions of this document.
- b. ZLC ARTCC delegates responsibility to Big Sky TRACON for providing terminal air traffic control services within the airspace depicted in Attachment 1.

4. DEFINITIONS:

- a. Arrival Fix: A fix on the ZLC ARTCC/Big Sky TRACON common airspace boundary for use by arrival aircraft, as depicted in Attachment 3, Figure 1, and described in Attachment 3, Table 1.
- b. Departure Fix: A fix on the ZLC ARTCC/Big Sky TRACON common airspace boundary for use by departing aircraft, as depicted in Attachment 3, Figure 1, and described in Attachment 3, Table 2.
- c. Corridor: Areas on the ZLC ARTCC/Big Sky TRACON common airspace boundary used by both arrivals and departures, as depicted in Attachment 3, Figure 1, and described in Attachment 3, Table 3.

5. GENERAL PROCEDURES:

- a. Big Sky TRACON must keep ZLC ARTCC advised of the runway flow in use.
- b. Each facility must be responsible for any required intra-facility coordination.

Salt Lake City Air Route Traffic Control Center and Boise Airport Traffic Control Tower/Terminal Radar Approach Control

- c. Overflight aircraft must be routed as filed.

6. ARRIVAL PROCEDURES:

- a. BOI arrival aircraft must be:

- (1) Assigned an RNAV STAR, or;
- (2) Routed via an arrival fix then direct BOI VORTAC/KBOI, or;
- (3) Routed through the ELLIS corridor direct BOI VORTAC/KBOI, or;
- (4) Routed through the EUUGG corridor direct BOI VORTAC/KBOI.

- b. Satellite airport arrival aircraft must be:

- (1) Routed via an arrival fix, direct BOI, direct destination, or;
- (2) Routed through the ELLIS corridor direct destination, or;
- (3) Routed through the EUUGG corridor, direct BOI, direct destination.

- c. ZLC ARTCC must issue altitudes to arrival aircraft in accordance with the following:

- (1) Aircraft assigned an RNAV STAR must be cleared to descend via the STAR and issued the landing direction.
- (2) Aircraft not assigned an RNAV STAR and routed via an arrival fix:
 - (a) Operating at or above FL180: The aircraft must be assigned 17,000 feet MSL.
 - (b) Operating below 17,000 feet MSL: The aircraft must be level five (5) NM prior to crossing the lateral boundary of Big Sky TRACON airspace.
- (3) Aircraft not assigned an RNAV STAR and routed through the ELLIS or EUUGG corridor: Assigned 17,000 feet MSL.

- d. A handoff and communications transfer of arriving aircraft constitutes a transfer of control to Big Sky TRACON for:

- (1) Descent.
- (2) Turns up to 40° either side of the previous course.
- (3) Speed reductions within the confines of the lateral boundaries of Big Sky TRACON airspace.

- e. ZLC ARTCC must handoff aircraft that will enter Big Sky TRACON airspace to the appropriate sector, in accordance with Attachment 2.

7. DEPARTURE PROCEDURES:

- a. Big Sky TRACON must provide five (5) NM of separation, constant or increasing, to ZLC ARTCC.
- b. Aircraft must be assigned 16,000 feet MSL or the requested altitude, if lower.
- c. Aircraft must be routed via a departure fix and at or above the minimum altitude for the fix, in accordance with Attachment 3.
- d. Aircraft that are unable to be routed via a departure fix must be:
 - (1) Assigned routing that exits Big Sky TRACON airspace through the ELLIS or EUUGG corridors, or;
 - (2) Issued the filed flight plan, if coordinated with ZLC ARTCC.
- e. A handoff and communications transfer of departing aircraft constitutes a transfer of control to ZLC ARTCC for turns up to 40° either side of the previous course.

8. ATTACHMENTS:

- a. Attachment 1. Big Sky TRACON Airspace
- b. Attachment 2. Big Sky TRACON Sectorization
- c. Attachment 3. Arrival/Departure Fixes and Corridors


9. APPROVED:

Harry Linsenmayer
Air Traffic Manager
Salt Lake City ARTCC

Evan McSweeny
Deputy Air Traffic Manager
Salt Lake City ARTCC

Attachment 1. Big Sky TRACON Airspace

Figure 1. Big Sky TRACON Lateral Airspace Depiction




NOTE-

Big Sky TRACON is also delegated terminal airspace overlying Bozeman (BZN). Depictions and coordination procedures between ZLC ARTCC and Big Sky TRACON for the Bozeman Radar sector can be found in a separate Letter of Agreement.


Attachment 2. Big Sky TRACON Sectorization

Figure 1. Big Sky TRACON Sectorization (East Flow)




Salt Lake City Air Route Traffic Control Center and Boise Airport Traffic Control Tower/Terminal Radar Approach Control

Figure 2. Big Sky TRACON Sectorization (West Flow)



Attachment 3. Arrival/Departure Fixes and Corridors

Figure 1. Arrival/Departure Fixes and Corridors Depiction



Salt Lake City Air Route Traffic Control Center and Boise Airport Traffic Control Tower/Terminal Radar Approach Control

Table 1. Arrival Fixes Description

Arrival Fix	Associated STAR	FRD
SADYL	SADYL#	BOI204041
MAALR	KYANN#	BOI291041
CHUKA	BEWTE#	BOI325041
KOURT	KOURT#	BOI086039
TAUTT	SPUDD#	BOI111039

Table 2. Departure Fixes Description and Minimum Required Altitude

Departure Fix	FRD	Minimum Altitude (MSL)
HYVAL	BOI215041	10,000'
SAILL	BOI268041	8,000'
OLAAH	BOI309040	10,000'
VALYY	BOI350040	11,000'
FETHR	BOI071039	13,000'
ROARR	BOI096039	10,000'
BARNR	BOI030039	13,000'

Table 3. Arrival/Departure Corridors Description

Corridor	Description
ELLIS	A line beginning 6NM northwest of HYVAL clockwise along the ZLC-BOI airspace boundary to 6NM south of SAILL
EUUGG	A line beginning 6NM east of VALYY clockwise along the ZLC-BOI airspace boundary to 6NM north of FETHR