

LETTER OF AGREEMENT

EFFECTIVE: May 14, 2026

SUBJECT: Coordination Procedures

1. PURPOSE: This Letter of Agreement establishes procedures for handling air traffic between Salt Lake City Air Route Traffic Control Center (ZLC ARTCC) and Salt Lake City Terminal Radar Approach Control (S56 TRACON).

2. SCOPE: To establish standard operating procedures for the coordination and control of aircraft between ZLC ARTCC and S56 TRACON on the VATSIM network. This letter of agreement is supplemental to vZLC Facility Policy and FAA Order JO 7110.65. The information contained herein is to be used for flight simulation purposes only on the VATSIM network. It is not intended, nor should it be used for, real-world navigation. The Virtual Salt Lake City ARTCC is not affiliated with the FAA, the actual Salt Lake City ARTCC, or any governing aviation body.

3. RESPONSIBILITIES:

- a. All controllers staffing (or controlling overlying airspace containing) ZLC ARTCC and/or S56 TRACON positions are required to be familiar with the provisions of this document.
- b. ZLC ARTCC delegates responsibility to S56 TRACON for providing terminal air traffic control services within the airspace depicted in Attachment 1.

4. DEFINITIONS:

- a. North Flow: Operations at SLC utilizing Runways 34L, 34R and 35.
- b. South Flow: Operations at SLC utilizing Runways 16L, 16R and 17.
- c. Miles in Trail (MIT): Spacing between aircraft of similar types (jet to jet, prop to prop, etc.) that, after crossing defined fixes, will remain constant. For unlike types, the spacing will be accomplished when the succeeding aircraft crosses the defined fix.

NOTE-

This definition assumes that the receiving facility issues no control instructions.

NOTE-

For departures (from S56 to ZLC), MIT will be maintained until the succeeding aircraft crosses the common boundary.

- d. Arrival Fix: The location(s) where speed and spacing will be accomplished from ZLC to S56. These fixes are listed in Table 1.

Salt Lake City Air Route Traffic Control Center and Salt Lake City Terminal Radar Approach Control

Table 1. Arrival Fixes

Direction of Arrival	Defined Fixes
North	BEARR or CARTR
South	JAMMN, SPANE, YMONT, or 20 DME south of FFU (within PAYSON Gate)
West	KNOLE or 40 DME west of TCH (within DELLE Gate)

- e. Near Gate: Arrival aircraft inbound to the following gates must be considered Near Gate arrivals.
 - (1) North Flow: PANEL and PAYSON gates.
 - (2) South Flow: BIRD and AVON gates.
- f. Far Gate: Arrival aircraft inbound to the following gates must be considered Far Gate arrivals.
 - (1) North Flow: BIRD and AVON gates.
 - (2) South Flow: PANEL and WILLOW gates.
- g. Northern Satellite (N Sats): Airports within S56 TRACON airspace that are located north of the 41st parallel north. These airports are BMC, HIF, and OGD.
- h. Southern Satellites (S Sats): Airports within S56 TRACON airspace that are located south of the 41st parallel north (excluding SLC). These airports are BTF, PVU, SPK, TVY, and U42.

5. GENERAL:

- a. When SLC ATCT advises S56 TRACON of a runway change, S56 TRACON must notify ZLC ARTCC of the runway change. Coordination must include, but is not limited to:
 - (1) The number of remaining departures in the old configuration and the callsign of the last departure assigned the old departure routing.
 - (2) The callsign of the last arrival that will be accepted on the old arrival routing.

6. ARRIVALS:

- a. S56 TRACON must:
 - (1) Have control for the following within 20 NM of the common boundary:

Salt Lake City Air Route Traffic Control Center and Salt Lake City Terminal Radar Approach Control

- (a) Descent.
 - (b) Turns within the confines of the gate.
 - (c) Speed increases.
 - (d) Speed decreases, provided the aircraft is 1,000 feet below the last altitude assigned by ZLC ARTCC.
- (2) Assign LGU arrivals the following:
- (a) Routing direct to HUSEM or JIPOS.
 - (b) A descent to 12,000 feet MSL.

NOTE-

For LGU arrivals, ZLC ARTCC has control for descent at JIPOS.

b. ZLC ARTCC must:

- (1) Ensure all RNAV-capable jet aircraft inbound to SLC are established on an RNAV STAR, except when the aircraft indicates they are unable to comply.
- (2) Ensure arriving aircraft enter S56 TRACON airspace established on the appropriate STAR or route and at the appropriate altitude, in accordance with Attachment 2.

NOTE-

ZLC ARTCC must not issue a "descend via" clearance to comply with this requirement. A crossing restriction or "hard descent" must be issued.

- (3) Ensure all jet aircraft cross the gate at the following speeds:
- (a) Near Gate and DELLE Gate: 250 kts.
 - (b) Far Gate: 280 kts.
 - (c) AVON/BIRD Gate and landing at N Sats: 250 kts or less.

Salt Lake City Air Route Traffic Control Center and Salt Lake City Terminal Radar Approach Control

(4) Comply with the following Traffic Management Initiatives:

- (a) Near Gate jet and turboprop aircraft must not be less than 5 MIT, regardless of altitude, as the trailing aircraft enters S56 TRACON airspace.
 - (b) When a jet aircraft is less than 5 MIT of a turboprop aircraft over the DELLE Gate, a subsequent DELLE Gate arrival must be sequenced a minimum of 10 MIT of the preceding jet aircraft.
- (5) Issue expected runways to jet aircraft landing at SLC in accordance with Attachment 4, unless otherwise coordinated with S56 TRACON.

7. DEPARTURES:

a. S56 TRACON must:

- (1) Provide ZLC ARTCC with 5 MIT between successive departures, constant or increasing, unless transitional separation (see 7.c.) is being used.
- (2) Ensure departing aircraft enter ZLC ARTCC airspace at, or climbing to, the appropriate altitude (or lower filed altitude) in accordance with Attachment 3.

b. ZLC ARTCC must have control for the following within 20 NM of the common boundary:

- (1) Climb to filed altitude.
- (2) Turns out of the gate, provided the turns do not exceed 30° either side of the previous course.

c. Transitional Separation:

- (1) When transitioning from terminal to enroute control, separation as described in FAA Order JO 7110.65 Paragraph 5-5-4.d.4. is authorized between departing aircraft on diverging routes/courses that will enter ZLC ARTCC airspace.
- (2) S56 TRACON must establish aircraft on the diverging routes/courses prior to the common boundary and prior to communications transfer.
- (3) Transitional separation must only be utilized between aircraft departing on the following routes:
 - (a) ZIONZ#.ROMMN/FFU133R and ZIONZ#.LODUY/FFU170R.
 - (b) CGULL#/TCH296R and DEZRT#/V32/250° heading.
 - (c) ARCHZ#/SEVYR#/TCH193R and TCH182R.
 - (d) All SANDY and BRIGHTON gate departures.

7. HOLDING:

- a. Primary holding will normally be accomplished at the holding fixes of BVL, LHO, JAMMN, and SPANE. When ZLC is instructed to hold, S56 will normally accept handoffs on all aircraft inside the fixes listed above and within S56 airspace.
- b. When S56 requests holding from ZLC sector 32 and/or 11, S56 must release the JAMMN and SPANE Shelves. ZLC will return the airspace to S56 when it is no longer needed for holding.
- c. STACO Holding Plan Procedures
 - (1) S56 TMU/CIC serves as the focal point between ZLC TMU, ZLC Sector 40, and all affected S56 sectors for execution of the STACO holding plane. S56 TMU will ensure coordination with all impacted S56 sectors to confirm protection of the designated airspace.
 - (2) All aircraft held in the STACO Holding Plan must be on ZLC Sector 40 Frequency and held at or above FL190
 - (3) Upon Notification by S56 TMU/CIC to ZLC TMU to initiate the STACO Holding Plan, all S56 airspace underlying ZLC Sector 40 is released to ZLC Sector 40 at and above FL190.

8. OVERFLIGHT AIRCRAFT (EVENT ONLY):

All overflight traffic at or above 15,000 feet MSL, along normal active jet arrival flows do not require verbal coordination with the exception of HCR arrivals. All other traffic must be verbally coordinated on an individual basis no later than 5 minutes prior to entering S56 airspace.

HEBER ARRIVALS: Aircraft transitioning S56 airspace must enter through the BIRD, DELLE, or PAYSON gates. ZLC must assign FL210 and direct TCH..CUVAK..HCR. S56 must hand-off aircraft to ZLC Sector 03 CUVAK..HCR and assign 14,000. ZLC Sector 03 has control for speed adjustments, turns up to 30 degrees, and descent.

8. ATTACHMENTS:


- a. Attachment 1. S56 TRACON Airspace
- b. Attachment 2. Arrival Routing/Altitudes
- c. Attachment 3. Departure Routing/Altitudes
- d. Attachment 4. SLC Standard Arrival Runways

9. APPROVED:

Cameron Negrete
Air Traffic Manager
Salt Lake City ARTCC

Salt Lake City Air Route Traffic Control Center and Salt Lake City Terminal Radar Approach Control

Figure 2. S56 TRACON Airspace (Land South)



Salt Lake City Air Route Traffic Control Center and Salt Lake City Terminal Radar Approach Control

Attachment 2. Arrival Routing/Altitudes

Table 1. Arrival Routing/Altitudes (Land North)

Gate	Airport	Turboprops		Jets	
		Route	Altitude	Route	Altitude
AVON	SLC	LHO#	160	CARTR# / LHO#	190
	N Sats	LHO..CARTR..OGD..DCT	130	LHO..CARTR..OGD..DCT	130
	S Sats	OGD.TAYTR# / OGD..DCT	200	OGD.TAYTR# / OGD..DCT	200
BIRD	SLC	BEARR#	150	SKEES# / BEARR#	170
	N Sats	OGD..DCT	130	OGD..DCT	130
	S Sats	OGD.TAYTR# / OGD..DCT	200	OGD.TAYTR# / OGD..DCT	200
DELLE	SLC	BVL#	160	YUTES# / BVL#	170
	All Sats	WAATS..DCT	130	WAATS..DCT	170
	PVU	TAYTR#	170	TAYTR#	170
PANEL	SLC	SPANE#	150	JAZZZ# / SPANE#	150
	N Sats	FFU..DCT	210	FFU..DCT	210
	S Sats	TAYTR# / FFU..DCT	130	TAYTR# / FFU..DCT	130
PAYSON	SLC	FFU..DCT	130	QWENN# / FFU..DCT	150
	N Sats	V21.FFU..DCT	130	V21.FFU..DCT	200
	S Sats			V21.FFU..DCT	130
	PVU	JAMMN.TAYTR#	110	JAMMN.TAYTR#	110
		FRNZY.TAYTR#	130	FRNZY.TAYTR#	130

NOTE-

Aircraft entering S56 TRACON airspace via the PANEL or PAYSON Gates may be cleared direct FFU between the FFU 170R and FFU 200R.

Salt Lake City Air Route Traffic Control Center and Salt Lake City Terminal Radar Approach Control

Table 2. Arrival Routing/Altitudes (Land South)

Gate	Airport	Turboprops		Jets	
		Route	Altitude	Route	Altitude
AVON	SLC	LHO#	140	CARTR# / LHO#	150
	N Sats	LHO..CARTR..OGD..DCT	130	LHO..CARTR..OGD..DCT	130
	S Sats	OGD.TAYTR# / OGD..DCT	200	OGD.TAYTR# / OGD..DCT	200
BIRD	SLC	BEARR#	140	SKEES# / BEARR#	160
	N Sats	OGD..DCT	130	OGD..DCT	130
	S Sats	OGD.TAYTR# / OGD..DCT	200	OGD.TAYTR# / OGD..DCT	200
DELLE	SLC	BVL#	160	YUTES# / BVL#	170
	All Sats	WAATS..DCT	130	WAATS..DCT	170
	PVU	TAYTR#	170	TAYTR#	170
PANEL	SLC	SPANE#	170	PITTT# / SPANE#	190
	N Sats	FFU..DCT	140	FFU..DCT	210
	S Sats	TAYTR# / FFU..DCT	130	TAYTR# / FFU..DCT	130
PAYSON	N Sats	V21.FFU..DCT	130	V21.FFU..DCT	200
	S Sats			V21.FFU..DCT	130
	PVU	JAMMN.TAYTR#	110	JAMMN.TAYTR#	110
		FRNZY.TAYTR#	130	FRNZY.TAYTR#	130
WILLOW	SLC	JAMMN#	150	PITTT# / JAMMN#	170
	N Sats	TCH..DCT	200	TCH..DCT	200
	S Sats	TAYTR# / FFU..DCT	130	TAYTR# / FFU..DCT	130

NOTE-

Aircraft entering S56 TRACON airspace via the PANEL or PAYSON Gates may be cleared direct FFU between the FFU 170R and FFU 200R.

Salt Lake City Air Route Traffic Control Center and Salt Lake City Terminal Radar Approach Control

Attachment 3. Departure Routing/Altitudes

Table 1. Departure Routing/Altitudes (All Configurations)

Gate	Turboprops		Jets	
	Route	Altitude	Route	Altitude
GUNNISON	TCH296R / J12 / J15 / V484	140	TCH296R / J12 / J15 / V484 / CGULL#	230
EDEN	TCH005R / V6		TCH005R / RUGGD#	
SUNSET	V32 / DEZRT..TIPTN		DEZRT# / DEZRT..TIPTN	150
PANEL	V134	130		

Table 2. Departure Routing/Altitudes (Land North)

Gate	Turboprops		Jets	
	Route	Altitude	Route	Altitude
SANDY	TCH094R / J154 / J56 / J173	230	TCH094R / J154 / J56 / J173 / RUGGD#	230
OQUIRH	TCH182R / DRAPR / SEVYR#		J Class: TCH193R / SEVYR# / ARCHZ#	

Table 3. Departure Routing/Altitudes (Land South)

Gate	Turboprops		Jets	
	Route	Altitude	Route	Altitude
HOBBLE	FFU#	140	FFU# / ZIONZ#	230
PAYSON				
SANDY	J154 / J56 / J173 / TCH094R	230	J154 / J56 / J173 / TCH094R / RUGGD#	230
BRIGHTON	V484 / TCH094R	170		

NOTE-

Departures on the ARCHZ# or RUGGD# DP may be cleared direct to the first RNAV waypoint in ZLC ARTCC airspace. Transitional separation may be applied.

Attachment 4. SLC Standard Arrival Runways

Table 1. SLC Standard Arrival Runways (Land North)

STAR	Runway
BEARR#	34L
BVL#	
LHO#	
CARTR#	
SKEES#	
YUTES#	
JAZZZ#	34R/35
QWENN#	
SPANE#	

Table 2. SLC Standard Arrival Runways (Land South)

STAR	Runway
BEARR#	16L/17
LHO#	
CARTR#	
SKEES#	
BVL#	16R
PITTT#	
JAMMN#	
SPANE#	
YUTES#	