

Legacy AFV Transceiver Inheritance Tree

NOTE-Utilize [THIS IMAGE](#) as a quick reference for ZLC Sector stratum

- ZLC admin have placed as many of the real world transceiver station locations and height into the AFV station as possible and have routed the use of these transceivers to certain callsigns for common combination operations leading all the way up to ZLC (CTR) Sector 44 eventually owning ALL stations.
- The AFV Tree structure is a fairly complicated concept to learn how to use. The following is a list of example situations to help ease the learning curve:
 - If logging on as BOI_DEL to work only BOI_DEL, you would type BOI_DEL into AFV.
 - If you are logging in to control BOI_GND, you would type BOI-GND into AFV.
 - If you log on to control Boise (Big Sky) Approach and you are the only controller online, you type BOI_S_APP into AFV. This will allow you to inherit all of the transceivers for not only South Approach sectors but also the North Approach sectors, Tower, Ground, and Clearance Delivery controller. This is setup this way because the BOI_S_APP works Top-Down for these positions.
 - If BOI_N_APP comes online to help you out, that controller will now be responsible for the Northern App sector along with Boise Tower, Ground, and Clearance Delivery. In this situation you (as S_APP), are now only responsible for the Southern Approach sector but you are still making use of the transceivers from N_APP, TWR, GND, and DEL but only if the pilot tunes to your frequency.
 - Salt Lake City Center Sector 03 (SLC_03_CTR) comes online. That controller will be able to use the transceiver stations for and will be, by default, disposable for the following positions: SLC_S_APP, SLC_B_APP, SLC_G_APP, OGD_TWR, OGD_GND, SLC_K_APP, SLC_F_APP, SLC_C_TWR, SLC_W_TWR, SLC_W_GND, SLC_DEL, SLC_E_TWR, SLC_E_GND, SLC_J_APP, PVU_TWR, and PVU_GND.
 - If Salt Lake Center Sector 04 (SLC_04_CTR) logs on, that controller will have access and be responsible for ONLY Sector 04, because there are no positions for 04 to inherit.
- LIGHT BLUE Positions are considered preferred/primary combination points. The Controller In Charge (CIC) should direct ATC to staff bold positions that would be the most beneficial before a non-bolded position. Example: SLC_S_APP should be staffed prior to opening SLC_K_APP or SLC_J_APP.

- The following callsigns are to be used in AFV regardless of callsign logged into the network. Example: If you are relieving SLC_44_CTR, you are going to log into the network as SLC_4R_CTR but in AFV, you still need to input SLC_44_CTR.
- **SLC_44_CTR (Sector 44 Area C/Main Position)**
 - SLC_33_CTR
 - SLC_32_CTR
 - SLC_11_CTR
 - **SLC_47_CTR (Sector 47 Area C/Combination 2)**
 - SLC_45_CTR
 - SLC_46_CTR
 - SLC_34_CTR
 - **SLC_06_CTR (Sector 06 Area A/Combination 1)**
 - SLC_07_CTR
 - SLC_06_CTR
 - BZN_APP
 - BZN_TWR
 - BZN_GND
 - BZN_DEL
 - SLC_08_CTR
 - IDA_TWR
 - IDA_GND
 - PIH_TWR
 - PIH_GND
 - SLC_14_CTR
 - **SLC_20_CTR (Sector 20 Area A/Combination 2)**
 - SLC_19_CTR
 - MSO_APP
 - MSO_TWR
 - MSO_GND
 - HLN_APP
 - HLN_TWR
 - HLN_GND
 - GTF_APP
 - GTF_TWR
 - GTF_GND
 - GPI_TWR
 - GPI_GND
 - SLC_12_CTR
 - **SLC_03_CTR (Sector 3 Area B/Combination 1)**
 - SLC_K_APP
 - SLC_J_APP

- SLC_S_APP
 - SLC_A_APP
 - PVU_TWR
 - PVU_GND
 - SLC_V_APP
 - SLC_B_APP
 - SLC_G_APP
 - SLC_H_APP
 - OGD_TWR
 - OGD_GND
 - HIF_TWR
 - HIF_GND
 - HIF_DEL
 - SLC_F_APP
 - SLC_C_TWR
 - SLC_W_TWR
 - SLC_W_GND
 - SLC_DEL
 - SLC_E_TWR
 - SLC_E_GND
 - SLC_A_TWR
 - SLC_04_CTR
 - SLC_05_CTR
 - **SLC_16_CTR (Sector 16 Area B/Combination 2)**
 - SLC_15_CTR
 - **BIL_N_APP**
 - BIL_S_APP
 - BIL_TWR
 - BIL_GND
 - SLC_16_CTR
 - JAC_TWR
 - JAC_GND
 - SLC_17_CTR
 - SLC_39_CTR
 - SLC_66_CTR
 - **SLC_40_CTR (Sector 40 Area D)**
 - SLC_41_CTR
 - SLC_30_CTR
 - **BOI_G_APP**
 - BOI_A_APP
 - BOI_TWR
 - BOI_GND
 - BOI_DEL

- MUO_N_APP
 - MUO_TWR
 - MUO_GND
 - MUO_DEL
 - MUO_S_APP
 - SLC_31_CTR
 - TWF_APP
 - TWF_TWR
 - TWF_GND
 - TWF_DEL
 - SUN_TWR
 - SUN_GND
- SLC_42_CTR
 - SLC_43_CTR

Frequency Info

NOTES:

- There are times when the relief callsign matches another sector's relief callsign. These times will be extremely rare. In these cases, consult with the Controller In Charge (CIC) to determine the best course of action.

ARTCC (Center)

VATSIM/AFV Callsign	Relief Callsign	Radio Name	Sector Title	Frequency
SLC_03_CTR	SLC_3R_CTR	Salt Lake Center	U03	119.950
SLC_04_CTR	SLC_4R_CTR	Salt Lake Center	U04	135.775
SLC_05_CTR	SLC_5R_CTR	Salt Lake Center	U05	124.350
SLC_06_CTR	SLC_6R_CTR	Salt Lake Center	U06	132.400
SLC_07_CTR	SLC_7R_CTR	Salt Lake Center	U07	127.700
SLC_08_CTR	SLC_8R_CTR	Salt Lake Center	U08	128.350
SLC_11_CTR	SLC_1R_CTR	Salt Lake Center	U11	127.825
SLC_12_CTR	SLC_2R_CTR	Salt Lake Center	U12	127.075
SLC_14_CTR	SLC_4R_CTR	Salt Lake Center	U14	133.800

SLC_15_CTR	SLC_5R_CTR	Salt Lake Center	U15	127.750
SLC_16_CTR	SLC_6R_CTR	Salt Lake Center	U16	133.250
SLC_17_CTR	SLC_7R_CTR	Salt Lake Center	U17	126.850
SLC_18_CTR	SLC_8R_CTR	Salt Lake Center	U18	125.925
SLC_19_CTR	SLC_9R_CTR	Salt Lake Center	U19	133.400
SLC_20_CTR	SLC_0R_CTR	Salt Lake Center	U20	119.750
SLC_30_CTR	SLC_0R_CTR	Salt Lake Center	U30	128.050
SLC_31_CTR	SLC_1R_CTR	Salt Lake Center	U31	118.050
SLC_32_CTR	SLC_2R_CTR	Salt Lake Center	U32	133.900
SLC_33_CTR	SLC_3R_CTR	Salt Lake Center	U33	120.275
SLC_34_CTR	SLC_4R_CTR	Salt Lake Center	U34	127.925
SLC_39_CTR	SLC_9R_CTR	Salt Lake Center	U39	132.425
SLC_40_CTR	SLC_0R_CTR	Salt Lake Center	U40	128.550
SLC_41_CTR	SLC_1R_CTR	Salt Lake Center	U41	121.150
SLC_42_CTR	SLC_2R_CTR	Salt Lake Center	U42	128.725
SLC_43_CTR	SLC_3R_CTR	Salt Lake Center	U43	132.250
SLC_44_CTR	SLC_4R_CTR	Salt Lake Center	U44	125.575
SLC_45_CTR	SLC_5R_CTR	Salt Lake Center	U45	134.525
SLC_46_CTR	SLC_6R_CTR	Salt Lake Center	U46	133.600
SLC_47_CTR	SLC_7R_CTR	Salt Lake Center	U47	133.450

TRACON (Approach)

VATSIM/AFV Callsign	Relief Callsign	Radio Name	Sector Title	Frequency
SLC_B_APP	SLC_BR_APP	Salt Lake City Approach	Bear	124.900
SLC_G_APP	SLC_GR_APP	Salt Lake City Approach	Gunnison	126.250
SLC_J_APP	SLC_JR_APP	Salt Lake City Approach	Jordan	128.600
SLC_K_APP	SLC_KR_APP	Salt Lake City Approach	Lake	135.500
SLC_H_APP	SLC_HR_APP	Salt Lake City Approach	Hart	121.100
SLC_A_APP	SLC_AR_APP	Salt Lake City Approach	Alpine	118.850
SLC_V_APP	SLC_VR_APP	Salt Lake City Approach	Valley	120.900
SLC_S_APP	SLC_SR_APP	Salt Lake City Approach	Stockton	128.100
SLC_F_APP	SLC_FR_APP	Salt Lake City Approach	Final	125.700
BOI_A_APP	BOI_AR_APP	Big Sky Approach	Alpine	126.900
BOI_G_APP	BOI_GR_APP	Big Sky Approach	Sage	119.600
BZN_APP	BZN_R_APP	Big Sky Approach	Bozeman	118.975
BIL_N_APP	BIL_NR_APP	Billings Approach	North	119.200
BIL_S_APP	BIL_SR_APP	Billings Approach	South	120.500
GTF_APP	GTF_R_APP	Great Falls Approach	Great Falls	128.600
MSO_APP	MSO_R_APP	Spokane Approach	Missoula	124.900
MUO_N_APP	MUO_NR_APP	Mountain Home Approach	X-Ray North	124.800
MUO_S_APP	MUO_SR_APP	Cowboy Control	Cowboy	134.100
HLN_APP	HLN_R_APP	Helena Approach	Helena	119.500
TWF_APP	TWF_R_APP	Twin Falls Approach	Twin Falls	126.700

ATCT (Local)**Tower**

VATSIM/AFV Callsign	Relief Callsign	Radio Name	Sector Title	Frequency
SLC_W_TWR	SLC_WR_TWR	Salt Lake City Tower	West	132.650
SLC_C_TWR	SLC_CR_TWR	Salt Lake City Tower	Center	119.050
SLC_E_TWR	SLC_ER_TWR	Salt Lake City Tower	East	118.300
SLC_A_TWR	SLC_AR_TWR	Salt Lake City Tower	City	120.200
BOI_TWR	BOI_R_TWR	Boise Tower		118.100
BIL_TWR	BIL_R_TWR	Billings Tower		127.200
BZN_TWR	BZN_R_TWR	Bozeman Tower		118.200
MSO_TWR	MSO_R_TWR	Missoula Tower		118.400
MUO_TWR	MUO_R_TWR	Mountain Home Tower		133.850
GTF_TWR	GTF_R_TWR	Great Falls Tower		118.700
HLN_TWR	HLN_R_TWR	Helena Tower		118.300
HIF_TWR	HIF_R_TWR	Hill AFB Tower		127.150
TWF_TWR	TWF_R_TWR	Twin Falls Tower		118.200
PVU_TWR	PVU_R_TWR	Provo Tower		125.300
OGD_TWR	OGD_R_TWR	Ogden Tower		118.700
GPI_TWR	GPI_R_TWR	Glacier Tower		124.550
SUN_TWR	SUN_R_TWR	Hailey Tower		125.600
IDA_TWR	IDA_R_TWR	Idaho Falls Tower		118.500
JAC_TWR	JAC_R_TWR	Jackson Tower		118.075
PIH_TWR	PIH_R_TWR	Pocatello Tower		119.100

Ground

VATSIM/AFV Callsign	Relief Callsign	Radio Name	Sector Title	Frequency
SLC_E_GND	SLC_ER_GND	Salt Lake City Ground	East	121.900
SLC_W_GND	SLC_WR_GND	Salt Lake City Ground	West	123.775
BOI_GND	BOI_R_GND	Boise Ground		121.700
OGD_GND	OGD_R_GND	Ogden Ground		121.700
PVU_GND	PVU_R_GND	Provo Ground		119.400
MSO_GND	MSO_R_GND	Missoula Ground		121.900
MUO_GND	MUO_R_GND	Mountain Home Ground		120.500
GTF_GND	GTF_R_GND	Great Falls Ground		121.700
BIL_GND	BIL_R_GND	Billings Ground		121.900
TWF_GND	TWF_R_GND	Twin Falls Ground		121.700
BZN_GND	BZN_R_GND	Bozeman Ground		121.800
GPI_GND	GPI_R_GND	Glacier Ground		121.600
SUN_GND	SUN_R_GND	Hailey Ground		121.700
HLN_GND	HLN_R_GND	Helena Ground		121.900
HIF_GND	HIF_R_TWR	Hill AFB Ground		121.600
IDA_GND	IDA_R_GND	Idaho Falls Ground		121.700
JAC_GND	JAC_R_GND	Jackson Ground		124.550
PIH_GND	PIH_R_GND	Pocatello Ground		121.900

Clearance Delivery

VATSIM/AFV Callsign	Relief Callsign	Radio Name	Frequency
SLC_DEL	SLC_R_DEL	Salt Lake City Clearance	127.300
BOI_DEL	BOI_R_DEL	Boise Clearance	125.900
BZN_DEL	BZN_R_DEL	Bozeman Clearance	124.050

HIF_DEL	HIF_R_DEL	Hill Clearance	124.100
MUO_DEL	MUO_R_DEL	Mountain Home Clearance	127.100
TWF_DEL	TWF_R_DEL	Twin Falls Clearance	123.650