Polymorphism: Concept Challenge



This work is licensed under a <u>Creative Commons</u>
<u>Attribution-ShareAlike 4.0 International License</u>
by Christine Alvarado, Mia Minnes, and Leo Porter, 2015.

Concept Challenge

- Pause Try to solve the problem yourself
- Discuss with other learners (if you can)
- Watch the UCSD learners video
- Confirm your understanding with our explanation



Person void method1() void method2() Student void method1() void method2() Undergrad void method2()

```
public class Person {
public void method1() {
 System.out.print("Person 1 ");
public void method2() {
 System.out.print("Person 2 ");
public class Student extends Person {
public void method1() {
 System.out.print("Student 1 ");
  super.method1();
 method2();
public void method2() {
 System.out.print("Student 2 ");
public class Undergrad extends Student {
 public void method2() {
   System.out.print("Undergrad 2 ");
```

```
Person u = new Undergrad();
u.method1();
```

Start IVQ

```
public class Person {
public void method1() {
 System.out.print("Person 1 ");
public void method2() {
  System.out.print("Person 2 ");
public class Student extends Person
public void method1() {
 System.out.print("Student 1 ");
  super.method1();
 method2();
public void method2() {
  System.out.print("Student 2 ");
public class Undergrad extends Student {
 public void method2() {
   System.out.print("Undergrad 2 ");
```

```
Person u = new Undergrad();
u.method1();
```

```
<IVQ placeholder> E is correct.
What gets printed?
A) Compiler error
B) Run time error
C) Infinite execution
D) Student 1 / Person 1 / Student 2
E) Student 1 / Person 1 / Undergrad 2
```

End IVQ / Start Discussion

```
public class Person {
public void method1() {
 System.out.print("Person 1 ");
public void method2() {
 System.out.print("Person 2 ");
public class Student extends Person {
public void method1() {
 System.out.print("Student 1 ");
  super.method1();
 method2();
public void method2() {
 System.out.print("Student 2 ");
public class Undergrad extends Student {
 public void method2() {
   System.out.print("Undergrad 2 ");
```

```
Person u = new Undergrad();
u.method1();
```

```
public class Person {
public void method1() {
  System.out.print("Person 1 ");
 public void method2() {
  System.out.print("Person 2 ");
public class Student extends Person {
public void method1() {
  System.out.print("Student 1 ");
  super.method1();
 method2();
 public void method2() {
  System.out.print("Student 2 ");
public class Undergrad extends Student {
 public void method2() {
   System.out.print("Undergrad 2 ");
```

```
Person u = new Undergrad();
u.method1();
```

```
public class Person {
public void method1() {
 System.out.print("Person 1 ");
public void method2() {
 System.out.print("Person 2 ");
public class Student extends Person {
public void method1() {
 System.out.print("Student 1 ");
  super.method1();
 method2();
public void method2() {
 System.out.print("Student 2 ");
public class Undergrad extends Student {
 public void method2() {
   System.out.print("Undergrad 2 ");
```

```
Person u = new Undergrad();
u.method1();
```

```
public class Person {
public void method1() {
 System.out.print("Person 1 ");
public void method2() {
 System.out.print("Person 2 ");
public class Student extends Person {
public void method1()
  System.out.print("Student 1 ");
 super.method1();
 method2();
public void method2() {
  System.out.print("Student 2 ");
public class Undergrad extends Student {
 public void method2() {
   System.out.print("Undergrad 2 ");
```

```
Person u = new Undergrad();
u.method1();
```

```
public class Person {
public void method1() {
 System.out.print("Person 1 ");
public void method2() {
 System.out.print("Person 2 ");
public class Student extends Person {
public void method1() {
 System.out.print("Student 1 ");
  super.method1();
 method2();
public void method2() {
 System.out.print("Student 2 ");
public class Undergrad extends Student {
 public void method2() {
   System.out.print("Undergrad 2 ");
```

```
Person u = new Undergrad();
u.method1();
```

```
public class Person {
public void method1() {
 System.out.print("Person 1 ");
public void method2() {
 System.out.print("Person 2 ");
public class Student extends Person {
public void method1() {
 System.out.print("Student 1 ");
  super.method1();
 method2();
public void method2() {
  System.out.print("Student 2 ");
public class Undergrad extends Student {
 public void method2() {
   System.out.print("Undergrad 2 ");
```

```
Person u = new Undergrad();
u.method1();
```

Output so far:

Student 1

```
public class Person {
public void method1() {
 System.out.print("Person 1 ");
public void method2() {
 System.out.print("Person 2 ");
public class Student extends Person {
public void method1() {
  System.out.print("Student 1 ");
 super.method1();
 method2();
public void method2() {
  System.out.print("Student 2 ");
public class Undergrad extends Student {
 public void method2() {
   System.out.print("Undergrad 2 ");
```

```
Person u = new Undergrad();
u.method1();
```

```
public class Person {
public void method1() {
 System.out.print("Person 1 ");
public void method2() {
 System.out.print("Person 2 ");
public class Student extends Person {
public void method1() {
  System.out.print("Student 1 ").
 super.method1();
 method2();
public void method2() {
  System.out.print("Student 2 ");
public class Undergrad extends Student {
 public void method2() {
   System.out.print("Undergrad 2 ");
```

```
Person u = new Undergrad();
u.method1();
```

super
of what?

```
public class Person {
public void method1() {
 System.out.print("Person 1 ");
public void method2() {
  System.out.print("Person 2 ");
public clas Student extends Person { }
public void method1() {
  System.out.print("Student 1 ");
 super.method1();
 method2();
public void method2() {
  System.out.print("Student 2 ");
public class Undergrad extends Student {
 public void method2() {
   System.out.print("Undergrad 2 ");
```

```
Person u = new Undergrad();
u.method1();
```

Static binding!

```
public class Person {
public void method1() {
 System.out.print("Person 1 ");
public void method2() {
 System.out.print("Person 2 ");
public class Student extends Person {
public void method1() {
 System.out.print("Student 1 ");
  super.method1();
 method2();
public void method2() {
 System.out.print("Student 2 ");
public class Undergrad extends Student {
 public void method2() {
   System.out.print("Undergrad 2 ");
```

```
Person u = new Undergrad();
u.method1();
```

```
public class Person {
public void method1() {
 System.out.print("Person 1 ");
public void method2() {
 System.out.print("Person 2 ");
public class Student extends Person {
public void method1() {
 System.out.print("Student 1 ");
  super.method1();
 method2();
public void method2() {
  System.out.print("Student 2 ");
public class Undergrad extends Student {
 public void method2() {
   System.out.print("Undergrad 2 ");
```

```
Person u = new Undergrad();
u.method1();
```

```
public class Person {
public void method1() {
 System.out.print("Person 1 ");
public void method2() {
 System.out.print("Person 2 ");
public class Student extends Person {
public void method1() {
 System.out.print("Student 1 ");
  super.method1();
 method2();
public void method2() {
  System.out.print("Student 2 ");
public class Undergrad extends Student {
 public void method2() {
   System.out.print("Undergrad 2 ");
```

```
Person u = new Undergrad();
u.method1();
```

Output so far:

Student 1 Person 1

```
public class Person {
public void method1() {
 System.out.print("Person 1 ");
public void method2() {
 System.out.print("Person 2 ");
public class Student extends Person {
public void method1() {
 System.out.print("Student 1 ");
  super.method1();
 method2();
public void method2() {
  System.out.print("Student 2 ");
public class Undergrad extends Student {
 public void method2() {
   System.out.print("Undergrad 2 ");
```

```
Person u = new Undergrad();
u.method1();
```

```
public class Person {
public void method1() {
 System.out.print("Person 1 ");
public void method2() {
 System.out.print("Person 2 ");
public class Student extends Person {
public void method1() {
 System.out.print("Student 1 ");
  super.method1();
 method2();
public void method2() {
  System.out.print("Student 2 ");
public class Undergrad extends Student {
 public void method2() {
   System.out.print("Undergrad 2 ");
```

```
Person u = new Undergrad();
u.method1();
```

which method2()?

```
public class Person {
public void method1() {
 System.out.print("Person 1 ");
public void method2() {
 System.out.print("Person 2 ");
public class Student extends Person {
public void method1() {
 System.out.print("Student 1 ");
  super.method1();
 this.method2();
public void method2() {
  System.out.print("Student 2 ");
public class Undergrad extends Student {
 public void method2() {
   System.out.print("Undergrad 2 ");
```

```
Person u = new Undergrad();
u.method1();
```

```
Output so far:
Student 1 Person 1
```

object this

```
public class Person {
public void method1() {
 System.out.print("Person 1 ");
public void method2() {
  System.out.print("Person 2 ");
public class Student extends Person {
public void method1() {
 System.out.print("Student 1 ");
  super.method1();
 this.method2();
public void method2() {
  System.out.print("Student 2 ");
public class Undergrad extends Student {
 public void method2() {
   System.out.print("Undergrad 2 ");
```

```
Person u = new Undergrad();
u.method1();
```

type of object at runtime

```
public class Person {
public void method1() {
 System.out.print("Person 1 ");
public void method2() {
  System.out.print("Person 2 ");
public class Student extends Person {
public void method1() {
  System.out.print("Student 1 ");
  super.method1();
 this.method2();
public void method2() {
  System.out.print("Student 2 "):
                        Dynamic binding!
public class Undergrad extends Student
 public void methodz () {
   System.out.print("Undergrad 2 ");
```

```
Person u = new Undergrad();
u.method1();
```

type of object at runtime

```
public class Person {
public void method1() {
 System.out.print("Person 1 ");
public void method2() {
 System.out.print("Person 2 ");
public class Student extends Person {
public void method1() {
 System.out.print("Student 1 ");
  super.method1();
 this.method2();
public void method2() {
 System.out.print("Student 2 ");
public class Undergrad extends Student {
 public void method2() {
   System.out.print("Undergrad 2 ");
```

```
Person u = new Undergrad();
u.method1();
```

```
public class Person {
public void method1() {
 System.out.print("Person 1 ");
public void method2() {
 System.out.print("Person 2 ");
public class Student extends Person {
public void method1() {
 System.out.print("Student 1 ");
  super.method1();
 this.method2();
public void method2() {
 System.out.print("Student 2 ");
public class Undergrad extends Student {
 public void method2()
   System.out.print("Undergrad 2 ");
```

```
Person u = new Undergrad();
u.method1();
```

Final output:

Student 1 Person 1 Undergrad 2