Memory Models: Concept Challenge

Concept Challenge: Procedure

- **Pause**: Try to solve the problem yourself
- **Discuss** with other learners (if you can)
- **Watch** the UCSD learners video
- **Confirm** your understanding with our explanation

```
public class SimpleLocation
{
    public double lat;
    public double lon;

    public SimpleLocation(double latIn,
                          double lonIn)
    {
        this.lat = latIn;
        this.lon = lonIn;
    }
    // More code here
}
```

```
public class LocationTester
{
  public static void main(String[] args)
  {
    SimpleLocation lima =
       new SimpleLocation(-12.0, -77.0);
  }
}
```

Pause: Draw the memory model for this code



```
public class SimpleLocation
{
    public double lat;
    public double lon;

    public SimpleLocation(double latIn,
                          double lonIn)
    {
        this.lat = latIn;
        this.lon = lonIn;
    }
    // More code here
}
```

```
public class LocationTester
{
  public static void main(String[] args)
  {
    SimpleLocation lima =
       new SimpleLocation(-12.0, -77.0);
  }
}
```

<IVQ Placeholder>
Which of the following is the correct memory model for this code?

A.



B.



C.



D. None of these

```
public class SimpleLocation
{
    public double lat;
    public double lon;

    public SimpleLocation(double latIn,
                          double lonIn)
    {
        this.lat = latIn;
        this.lon = lonIn;
    }
    // More code here
}
```

```
public class LocationTester
{
  public static void main(String[] args)
  {
    SimpleLocation lima =
        new SimpleLocation(-12.0, -77.0);
  }
}
```

Which of the following is the correct memory model for this code?

```
public class SimpleLocation
{
    public double lat;
    public double lon;

    public SimpleLocation(double latIn,
                          double lonIn)
    {
        this.lat = latIn;
        this.lon = lonIn;
    }
    // More code here
}
```

```
public class LocationTester
{
  public static void main(String[] args)
  {
    SimpleLocation lima =
       new SimpleLocation(-12.0, -77.0);
  }
}
```

Which of the following is the correct memory model for this code?





```
public class SimpleLocation
{
    public double lat;
    public double lon;

    public SimpleLocation(double latIn,
                          double lonIn)
    {
        this.lat = latIn;
        this.lon = lonIn;
    }
    // More code here
}
```

```
public class LocationTester
{
  public static void main(String[] args)
  {
    SimpleLocation lima =
       new SimpleLocation(-12.0, -77.0);
  }
}
```

Which of the following is the correct memory model for this code?





```
public class SimpleLocation
{
    public double lat;
    public double lon;

    public SimpleLocation(double latIn,
                          double lonIn)
    {
        this.lat = latIn;
        this.lon = lonIn;
    }
    // More code here
}
```

```
public class LocationTester
{
  public static void main(String[] args)
  {
    SimpleLocation lima =
       new SimpleLocation(-12.0, -77.0);
  }
}
```

Which of the following is the correct memory model for this code?



```
public class SimpleLocation
{
    public double lat;
    public double lon;

    public SimpleLocation(double latIn,
                          double lonIn)
    {
        this.lat = latIn;
        this.lon = lonIn;
    }
    // More code here
}
```

```
public class LocationTester
{
  public static void main(String[] args)
  {
    SimpleLocation lima =
       new SimpleLocation(-12.0, -77.0);
  }
}
```

Which of the following is the correct memory model for this code?



```
public class SimpleLocation
{
    public double lat;
    public double lon;

    public SimpleLocation(double latIn,
                          double lonIn)
    {
        this.lat = latIn;
        this.lon = lonIn;
    }
    // More code here
}
```

```
public class LocationTester
{
  public static void main(String[] args)
  {
     double d = -77.0;
     SimpleLocation lima =
       new SimpleLocation(-12.0, d);
     SimpleLocation washDC =
       new SimpleLocation(38.9, lima.lon);
  }
}
```

```
public class SimpleLocation
{
    public double lat;
    public double lon;

    public SimpleLocation(double latIn,
                          double lonIn)
    {
        this.lat = latIn;
        this.lon = lonIn;
    }
    // More code here
}
```

```
public class LocationTester
{
  public static void main(String[] args)
  {
     double d = -77.0;
     SimpleLocation lima =
       new SimpleLocation(-12.0, d);
     SimpleLocation washDC =
       new SimpleLocation(38.9, lima.lon);
  }
}
```

Pause: Draw the memory model for this code



```
public class LocationTester
{
  public static void main(String[] args)
  {
     double d = -77.0;
     SimpleLocation lima =
       new SimpleLocation(-12.0, d);
     SimpleLocation washDC =
       new SimpleLocation(38.9, lima.lon);
  }
}
```

A.



<IVQ Placeholder>
Select the correct memory model for this code

B.



C.



D.



E. Other

Break here for Learner Video

```
public class LocationTester
{
  public static void main(String[] args)
  {
     double d = -77.0;
     SimpleLocation lima =
       new SimpleLocation(-12.0, d);
     SimpleLocation washDC =
       new SimpleLocation(38.9, lima.lon);
  }
}
```




```
public class SimpleLocation
{
    public double lat;
    public double lon;

    public SimpleLocation(double latIn,
                          double lonIn)
    {
        this.lat = latIn;
        this.lon = lonIn;
    }
    // More code here
}
```

```
public class LocationTester
{
  public static void main(String[] args)
  {
     double d = -77.0;
     SimpleLocation lima =
       new SimpleLocation(-12.0, d);
     SimpleLocation washDC =
       new SimpleLocation(38.9, lima.lon);
  }
}
```




```
public class SimpleLocation
{
    public double lat;
    public double lon;

    public SimpleLocation(double latIn,
                          double lonIn)
    {
        this.lat = latIn;
        this.lon = lonIn;
    }
    // More code here
}
```

```
public class LocationTester
{
  public static void main(String[] args)
  {
     double d = -77.0;
     SimpleLocation lima =
       new SimpleLocation(-12.0, d);
     SimpleLocation washDC =
       new SimpleLocation(38.9, lima.lon);
  }
}
```

```
public class SimpleLocation
{
    public double lat;
    public double lon;

    public SimpleLocation(double latIn,
                          double lonIn)
    {
        this.lat = latIn;
        this.lon = lonIn;
    }
    // More code here
}
```



```
public class LocationTester
{
  public static void main(String[] args)
  {
     double d = -77.0;
     SimpleLocation lima =
       new SimpleLocation(-12.0, d);
     SimpleLocation washDC =
       new SimpleLocation(38.9, lima.lon);
  }
}
```

```
public class SimpleLocation
{
    public double lat;
    public double lon;

    public SimpleLocation(double latIn,
                          double lonIn)
    {
        this.lat = latIn;
        this.lon = lonIn;
    }
    // More code here
}
```



```
public class LocationTester
{
  public static void main(String[] args)
  {
     double d = -77.0;
     SimpleLocation lima =
       new SimpleLocation(-12.0, d);
     SimpleLocation washDC =
       new SimpleLocation(38.9, lima.lon);
  }
}
```

```
public class SimpleLocation
{
    public double lat;
    public double lon;

    public SimpleLocation(double latIn,
                          double lonIn)
    {
        this.lat = latIn;
        this.lon = lonIn;
    }
    // More code here
}
```



```
public class LocationTester
{
  public static void main(String[] args)
  {
     double d = -77.0;
     SimpleLocation lima =
       new SimpleLocation(-12.0, d);
     SimpleLocation washDC =
       new SimpleLocation(38.9, lima.lon);
  }
}
```

```
public class SimpleLocation
{
    public double lat;
    public double lon;

    public SimpleLocation(double latIn,
                          double lonIn)
    {
        this.lat = latIn;
        this.lon = lonIn;
    }
    // More code here
}
```



```
public class LocationTester
{
  public static void main(String[] args)
  {
     double d = -77.0;
     SimpleLocation lima =
       new SimpleLocation(-12.0, d);
     SimpleLocation washDC =
       new SimpleLocation(38.9, lima.lon);
  }
}
```

```
public class SimpleLocation
{
    public double lat;
    public double lon;

    public SimpleLocation(double latIn,
                          double lonIn)
    {
        this.lat = latIn;
        this.lon = lonIn;
    }
    // More code here
}
```



```
public class LocationTester
{
  public static void main(String[] args)
  {
     double d = -77.0;
     SimpleLocation lima =
       new SimpleLocation(-12.0, d);
     SimpleLocation washDC =
       new SimpleLocation(38.9, lima.lon);
  }
}
```

```
public class SimpleLocation
{
    public double lat;
    public double lon;

    public SimpleLocation(double latIn,
                          double lonIn)
    {
        this.lat = latIn;
        this.lon = lonIn;
    }
    // More code here
}
```



```
public class LocationTester
{
  public static void main(String[] args)
  {
     double d = -77.0;
     SimpleLocation lima =
       new SimpleLocation(-12.0, d);
     SimpleLocation washDC =
       new SimpleLocation(38.9, lima.lon);
  }
}
```

```
public class SimpleLocation
{
    public double lat;
    public double lon;

    public SimpleLocation(double latIn,
                          double lonIn)
    {
        this.lat = latIn;
        this.lon = lonIn;
    }
    // More code here
}
```



```
public class LocationTester
{
  public static void main(String[] args)
  {
     double d = -77.0;
     SimpleLocation lima =
       new SimpleLocation(-12.0, d);
     SimpleLocation washDC =
       new SimpleLocation(38.9, lima.lon);
  }
}
```

```
public class SimpleLocation
{
    public double lat;
    public double lon;

    public SimpleLocation(double latIn,
                          double lonIn)
    {
        this.lat = latIn;
        this.lon = lonIn;
    }
    // More code here
}
```



```
public class LocationTester
{
  public static void main(String[] args)
  {
     double d = -77.0;
     SimpleLocation lima =
       new SimpleLocation(-12.0, d);
     SimpleLocation washDC =
       new SimpleLocation(38.9, lima.lon);
  }
}
```

```
public class SimpleLocation
{
    public double lat;
    public double lon;

    public SimpleLocation(double latIn,
                          double lonIn)
    {
        this.lat = latIn;
        this.lon = lonIn;
    }
    // More code here
}
```



```
public class LocationTester
{
  public static void main(String[] args)
  {
     double d = -77.0;
     SimpleLocation lima =
       new SimpleLocation(-12.0, d);
     SimpleLocation washDC =
       new SimpleLocation(38.9, lima.lon);
  }
}
```

```
public class SimpleLocation
{
    public double lat;
    public double lon;

    public SimpleLocation(double latIn,
                          double lonIn)
    {
        this.lat = latIn;
        this.lon = lonIn;
    }
    // More code here
}
```



```
public class LocationTester
{
  public static void main(String[] args)
  {
     double d = -77.0;
     SimpleLocation lima =
       new SimpleLocation(-12.0, d);
     SimpleLocation washDC =
       new SimpleLocation(38.9, lima.lon);
  }
}
```

```
public class SimpleLocation
{
    public double lat;
    public double lon;

    public SimpleLocation(double latIn,
                          double lonIn)
    {
        this.lat = latIn;
        this.lon = lonIn;
    }
    // More code here
}
```



```
public class LocationTester
{
  public static void main(String[] args)
  {
     double d = -77.0;
     SimpleLocation lima =
       new SimpleLocation(-12.0, d);
     SimpleLocation washDC =
       new SimpleLocation(38.9, lima.lon);
  }
}
```

```
public class SimpleLocation
{
    public double lat;
    public double lon;

    public SimpleLocation(double latIn,
                          double lonIn)
    {
        this.lat = latIn;
        this.lon = lonIn;
    }
    // More code here
}
```



```
public class LocationTester
{
  public static void main(String[] args)
  {
     double d = -77.0;
     SimpleLocation lima =
       new SimpleLocation(-12.0, d);
     SimpleLocation washDC =
       new SimpleLocation(38.9, lima.lon);
  }
}
```

```
public class SimpleLocation
{
    public double lat;
    public double lon;

    public SimpleLocation(double latIn,
                          double lonIn)
    {
        this.lat = latIn;
        this.lon = lonIn;
    }
    // More code here
}
```



```
public class LocationTester
{
  public static void main(String[] args)
  {
     double d = -77.0;
     SimpleLocation lima =
       new SimpleLocation(-12.0, d);
     SimpleLocation washDC =
       new SimpleLocation(38.9, lima.lon);
  }
}
```

```
public class SimpleLocation
{
    public double lat;
    public double lon;

    public SimpleLocation(double latIn,
                          double lonIn)
    {
        this.lat = latIn;
        this.lon = lonIn;
    }
    // More code here
}
```