Polymorphism: Introduction



By the end of this video you will be able to...

Explain the purpose of polymorphism

Polymorphism

Superclass reference to subclass object

```
Person s = new Student("Cara",1234);
```

Person

String name

String getName()

String toString()

Student

int studentID

int getSID()

String toString()

Faculty

String employeeID

String getEID()

String toString()

```
// assume appropriate ctors
Person p[] = new Person[3];
p[0] = new Person( "Tim" );
p[1] = new Student( "Cara", 1234 );
p[2] = new Faculty( "Mia", "ABCD" );
```

```
// assume appropriate ctors
Person p[] = new Person[3];
p[0] = new Person( "Tim" );
p[1] = new Student( "Cara", 1234 );
p[2] = new Faculty( "Mia", "ABCD" );
for (int i = 0; i < p.length; i++)
 System.out.println(p[i]);
```

```
// assume appropriate ctors
Person p[] = new Person[3];
p[0] = new Person( "Tim" );
p[1] = new Student( "Cara", 1234 );
p[2] = new Faculty( "Mia", "ABCD" );
for (int i = 0; i < p.length; i++)
 System.out.println(p[i]);
```



```
// assume appropriate ctors
Person p[] = new Person[3];
p[0] = new Person( "Tim" );
p[1] = new Student( "Cara", 1234 );
p[2] = new Faculty( "Mia", "ABCD" );
for (int i = 0; i < p.length; i++)
 System.out.println(p[i]);
```

```
// assume appropriate ctors
Person p[] = new Person[3];
p[0] = new Person( "Tim" );
p[1] = new Student( "Cara", 1234 );
p[2] = new Faculty( "Mia", "ABCD" );
for (int i = 0; i < p.length; i++)
  System.out.println( p[i] );
```

Output

Tim

1234: Cara

ABCD: Mia

```
// assume appropriate ctors
Person p[] = new Person[3];
p[0] = new Person( "Tim" );
p[1] = new Student( "Cara", 1234 );
p[2] = new Faculty( "Mia", "ABCD" );

for(int i = 0; i < p.length; i++)
{
   System.out.println( p[i] );
}</pre>
```

Output

Tim

1234: Cara

ABCD: Mia

Next... Compile Time and Runtime Rules