SQL Fundamentals

SELECT *

FILTERING

~~Question 1~~

```
SELECT *
FROM employees;
```

Employees

ID	first_name	last_name	department	salary	hire_date	City
1	Alice	Green	IT	70000	2020-00-10	Johannesburg
2	Brian	Lee	HR	45000	2019-03-22	Cape town
3	Cathy	Zulu	finance	65000	2018-07-18	Durban
4	David	Mokoena	Marketing	50000	2021-11-05	Pretoria
5	Eva	Naidoo	IT	72000	2017-09-30	Johannesburg

Question 2

```
SELECT DISTINCT department
FROM employees;
```

Department
IT
HR
Finance
Marketing

Question 3

```
SELECT first_name , last_name
FROM employees
ORDER BY first_name , last_name DESC;
```

first_name	last_name	Salary
Eva	Naidoo	72000
Alice	Green	70000
Cathy	Zulu	65000
David	Mokoena	50 000
Brian	Lee	45000

Question 4

```
SELECT id, first_name , last_name , salary
FROM employees
ORDER BY salary DESC
LIMIT 3;
```

ID	first_name	last_name	Salary
5	Eva	Naidoo	72 000
1	Alice	Green	70 000
3	Cathy	Zulu	65000

Question 5

```
SELECT id, first_name , last_name , department

FROM employees
WHERE department = 'IT';
```

id	first_name	last_name	department
5	Eva	Naidoo	IT
1	Alice	Green	IT

Question 6

```
SELECT id, first-name, last-name, department, salary
FROM employees
WHERE department = 'finance' AND salary > 60 000;
```

id	first-name	last-name	department	Salary
3	Cathy	Zulu	finance	65 000

Question 7

```
SELECT id, first-name, last-name, department
FROM employees
WHERE department = 'HR' OR 'marketing';
```

id	first-name	last-name	department
2	Brian	Lee	HR
4	David	Mokoena	marketing

Question 8

```
SELECT id, first-name, last-name, department
FROM employees
WHERE department NOT 'IT';
```

id	first-name	last-name	department
2	Brian	Lee	HR
3	Cathy	Zulu	finance
4	David	Mokoena	marketing

Question 9

```
SELECT id, first-name, last-name, department
FROM employees
WHERE department IN('IT','HR' OR 'Finance');
```

id	first name	last name	department
1	Alice	Green	IT
2	Brian	Lee	HR
3	Cathy	Zulu	Finance
5	Eva	Naidoo	IT

Question 10

```
SELECT id, first-name, last-name, department, salary, city.
FROM employees
WHERE department ='IT' AND salary > 65 000 AND city =
        'Johannesburg';
```

id	first-name	last-name	department	salary	City.
1	Alice	Green	IT	70000	Johannesburg.
5	Eva	Naidoo	IT	72000	Johannesburg.