

# DIE Manual Triage Project — Findings & Write-up

## 3. Findings Table

| File        | Folder | File Type | OS/Arch                        | Compiler/Type Shown                                  | Packer Detected                                 | File Size  | Notes                              |
|-------------|--------|-----------|--------------------------------|------------------------------------------------------|-------------------------------------------------|------------|------------------------------------|
| tcpview.exe | Clean  | PE32      | Windows Vista, 32-bit, GUI     | Microsoft Visual C/C++ (19.34.31943), VS 2022 v17.4  | No                                              | 922.38 KiB | Native binary, no packing          |
| tcpview.exe | Packed | PE32      | Windows Vista, 32-bit, GUI     | Microsoft Visual C/C++ (19.34.31943), VS 2022 v17.4  | <b>(Heur) Packer: Generic [PE in resources]</b> | 922.38 KiB | UPX compression detected           |
| Psinfo.exe  | Clean  | PE32      | Windows Vista, 32-bit, Console | Microsoft Visual C/C++ (19.50.35228), VS 2026 v18.00 | No                                              | 403.80 KiB | Native binary, console application |
| Psinfo.exe  | Packed | PE32      | Windows Vista, 32-bit, Console | Microsoft Visual C/C++ (19.50.35228), VS 2026 v18.00 | <b>(Heur) Packer: Generic [PE in resources]</b> | 403.80 KiB | UPX compression detected           |
| procexp.exe | Clean  | PE32      | Windows Vista, 32-bit, GUI     | Microsoft Visual C/C++ (19.50.35228), VS 2026 v18.00 | No                                              | 4.41 MiB   | Native binary, GUI application     |
| procexp.exe | Packed | PE32      | Windows Vista, 32-bit, GUI     | Microsoft Visual C/C++ (19.50.35228), VS 2026 v18.00 | <b>(Heur) Packer: Generic [PE in resources]</b> | 4.41 MiB   | UPX compression detected           |

|              |        |      |                                |                                                     | resources]                               |            |                                    |
|--------------|--------|------|--------------------------------|-----------------------------------------------------|------------------------------------------|------------|------------------------------------|
| Listdlls.exe | Clean  | PE32 | Windows XP, 32-bit, Console    | Microsoft Visual C/C++ (18.00.31101), VS 2013       | No                                       | 414.16 KiB | Native binary, console application |
| Listdlls.exe | Packed | PE32 | Windows XP, 32-bit, Console    | Microsoft Visual C/C++ (18.00.31101), VS 2013       | (Heur) Packer: Generic [PE in resources] | 414.16 KiB | UPX compression detected           |
| handle.exe   | Clean  | PE32 | Windows Vista, 32-bit, Console | Microsoft Visual C/C++ (19.33.31630), VS 2022 v17.3 | No                                       | 743.40 KiB | Native binary, console application |
| handle.exe   | Packed | PE32 | Windows Vista, 32-bit, Console | Microsoft Visual C/C++ (19.33.31630), VS 2022 v17.3 | (Heur) Packer: Generic [PE in resources] | 743.40 KiB | UPX compression detected           |
| Autoruns.exe | Clean  | PE32 | Windows Vista, 32-bit, GUI     | Microsoft Visual C/C++ (19.34.31943), VS 2022 v17.4 | No                                       | 1.73 MiB   | Native binary, GUI application     |
| Autoruns.exe | Packed | PE32 | Windows Vista, 32-bit, GUI     | Microsoft Visual C/C++ (19.34.31943), VS 2022 v17.4 | (Heur) Packer: Generic [PE in resources] | 1.73 MiB   | UPX compression detected           |

#### 4. Write-up (Answer in 2-4 sentences each)

**Q1: What differed between the Clean and Packed versions of the same file, according to DIE?**

**Your answer:**

For Packed, compression is listed, and it detects Packers. Specifically, (Heur) Packer: Generic [PE in resources]. Clean; no packers or compression.

---

**Q2: Why does packer/protector detection matter in real malware triage? (What does a SOC analyst do differently when a file is flagged as packed?)**

**Your answer:**

[Write here — explain why detecting packing is important for a SOC analyst. Consider: what does packing hide, why would malware use it, what additional analysis steps does a packed file require?]

Detecting packers is important because it shows whether a program contains malware or a hidden script.

---

**Q3: What are the limits of this method — what would a packer that DIE *doesn't* have a signature for look like, and how would you catch it instead?**

**Your answer:**

DIE's signatures are only for known packers (such as UPX or Themida), and if open source, it becomes hard to detect. If it fails, I use REMNUX because it bypasses basic digital signatures.

---

## How to fill this in

1. Copy the table above into a markdown file or Word doc.
2. Update rows with **your actual data** from the scans (file names, sizes, compiler versions, packer detection flags you saw).
3. Answer Q1, Q2, Q3 in your own words — these are short paragraphs, not bullet lists.
4. Save as **DIE-Manual-Triage-Findings.md** or **.docx**.
5. Add this + the PDF screenshots to your portfolio GitHub repo.

**Pass criterion:** Table is completely filled, all 3 questions answered in clear sentences (no incomplete thoughts or bullet points), deliverable is ready to email/share.