

DNS IODINE PCAP FILE:

```
remnux@remnux:~/Downloads$ tshark -r dns-tunnel-iodine.pcap -Y "dns.flags.response == 0" -T fields -e dns.qry.name | sort | uniq -c | sort -nr | head -n 10
```

```
1
zi1baA????????????????????????????????????????????????????????????
?????????????????.pirate.sea
1 zi1aaA0123456789?????????????????????????????????????????.pirate.sea
1 zi05aAbBcCdDeEfFgGhHijJkKlLmMnNoOpPqQrRsStTuUvVwWxXyYzZ.pirate.sea
1 zi04aA-La-fl?te-na?ve-fran?aise-est-retir?-?-Cr?te.pirate.sea
1 zi03aA-Aaahhh-Drink-mal-ein-J?germeister-.pirate.sea
1 yrbi02.pirate.sea
1 vaaaakardli.pirate.sea
1 sbhi1c.pirate.sea
1
rdkadZ????7D????Z????7D????Z????7D????Z????7D????Z????7D????Z????7D
????Z????7D????Z????7D????Z????7D????Z????7D????Z????7D????Z????7D
????Z????7D????Z????7D????Z????7D????Z????7D????Z????7D????Z????7D
????Z????7D????Z????7D????Z????7D????Z????7D????Z????7D????Z????7D
????Z????7D????Z????7D????Z????7D????Z????7D????Z????7D????Z????7D
????Z????7D????Z????7D????Z????7D????Z????7D????Z????7D????Z????7D
1
rdkad0???w?L???0?Tw?L???0?Tw?L???0?Tw?L???0?Tw?L???0?Tw?L???0?Tw?L???
0?Tw?L???0?Tw?L???0?Tw?L???0?Tw?L???0?Tw?L???0?Tw?L???0?Tw?L???0?Tw
?L???0?Tw?L???0?Tw?L???0?Tw?L???0?Tw?L???0?Tw?L???0?Tw?L???0?Tw?L?
?0?Tw?L???0?Tw?L???0?Tw?L???0?Tw?L???0?Tw?L???0?Tw?L???0?Tw?L???0?T
w?L???0?Tw?L???0?Tw?L???0?Tw?L???0?Tw?L???0?Tw?L???0?Tw?L???0?Tw?L?
pirate.sea
```

```
remnux@remnux:~/Downloads$ tshark -r dns.pcap -T fields -e dns.qry.name | sort | uniq -c | sort -nr
1 www.espn.com
1 espn.go.com
1 cdn.optimizely.com
1 assets.espn.go.com
1 a4.espncdn.com
1 a2.espncdn.com
1 a1.espncdn.com
remnux@remnux:~/Downloads$
```

No.	Time	Source	Destination	Protocol	Length	Info
1	0.000000	10.0.2.30	10.0.2.20	DNS	82	Standard query 0x12b0 NULL vaaaakardli.pirate.sea

Frame 1: Packet, 82 bytes on wire (656 bits), 82 bytes captured (656 bits)

Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)

Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20

User Datagram Protocol, Src Port: 44639, Dst Port: 53

Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
2	0.000093	10.0.2.20	10.0.2.30	DNS	103	Standard query response 0x12b0 NULL vaaaakardli.pirate.sea NULL vaaaakardli.pirate.sea

Frame 2: Packet, 103 bytes on wire (824 bits), 103 bytes captured (824 bits)
Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
3	0.000897	10.0.2.30	10.0.2.20	DNS	103	Standard query 0x30df NULL laegpumiplhhpz12ynd1efljwjkjcgwy.pirate.sea

Frame 3: Packet, 103 bytes on wire (824 bits), 103 bytes captured (824 bits)
Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
4	0.001176	10.0.2.20	10.0.2.30	DNS	144	Standard query response 0x30df NULL laegpumiplhhpz12ynd1efljwjkjcgwy.pirate.sea NULL laegpumiplhhpz12ynd1efljwjkjcgwy.pirate.sea

Frame 4: Packet, 144 bytes on wire (1152 bits), 144 bytes captured (1152 bits)
Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
5	0.006692	10.0.2.30	10.0.2.20	DNS	88	Standard query 0x4f0e NULL yrbi02.pirate.sea OPT

Frame 5: Packet, 88 bytes on wire (704 bits), 88 bytes captured (704 bits)
Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
-----	------	--------	-------------	----------	--------	------

6 0.006891 10.0.2.20 10.0.2.30 DNS 137 Standard query
response 0x4f0e NULL yrbi02.pirate.sea NULL yrbi02.pirate.sea

Frame 6: Packet, 137 bytes on wire (1096 bits), 137 bytes captured (1096 bits)
Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
7	0.007103	10.0.2.30	10.0.2.20	DNS	123	Standard query 0x6d3d NULL zi03aA-Aaahhh-Drink-mal-ein-Ji½germeister-.pirate.sea OPT

Frame 7: Packet, 123 bytes on wire (984 bits), 123 bytes captured (984 bits)
Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
8	0.007233	10.0.2.20	10.0.2.30	DNS	166	Standard query response 0x6d3d NULL zi03aA-Aaahhh-Drink-mal-ein-Ji½germeister-.pirate.sea NULL zi03aA-Aaahhh-Drink-mal-ein-Ji½germeister-.pirate.sea

Frame 8: Packet, 166 bytes on wire (1328 bits), 166 bytes captured (1328 bits)
Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
9	0.007348	10.0.2.30	10.0.2.20	DNS	132	Standard query 0x8b6c NULL zi04aA-La-flī½te-naī½ve-franī½aise-est-retirī½-ī½-Crī½te.pirate.sea OPT

Frame 9: Packet, 132 bytes on wire (1056 bits), 132 bytes captured (1056 bits)
Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
10	0.007460	10.0.2.20	10.0.2.30	DNS	184	Standard query response 0x8b6c NULL

zi04aA-La-flîġ 1/2te-naïġ 1/2ve-franiġ 1/2aise-est-retirîġ 1/2-iġ 1/2-Criġ 1/2te.pirate.sea NULL
zi04aA-La-flîġ 1/2te-naïġ 1/2ve-franiġ 1/2aise-est-retirîġ 1/2-iġ 1/2-Criġ 1/2te.pirate.sea

No.	Time	Source	Destination	Protocol	Length	Info
11	0.007567	10.0.2.30	10.0.2.20	DNS	138	Standard query
0xa99b NULL						
zi05aAbBcCdDeEfGhHiJjKkLlMmNnOoPpQqRrSsTtUuVvWwXxYyZz.pirate.sea OPT						

No.	Time	Source	Destination	Protocol	Length	Info
12	0.007677	10.0.2.20	10.0.2.30	DNS	196	Standard query response 0xa99b NULL
zi05aAbBcCdDeEfFgGhHijJkKlLmMnNoOpPqQrRsStTuUvVwWxXyYzZ.pirate.sea NULL						
zi05aAbBcCdDeEfFgGhHijJkKlLmMnNoOpPqQrRsStTuUvVwWxXyYzZ.pirate.sea						

[illegible]

No.	Time	Source	Destination	Protocol	Length	Info
14	0.007892	10.0.2.20	10.0.2.30	DNS	156	Standard query

Frame 14: Packet, 156 bytes on wire (1248 bits), 156 bytes captured (1248 bits)
Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

Frame 15: Packet, 134 bytes on wire (1072 bits), 134 bytes captured (1072 bits)
Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

Frame 16: Packet, 188 bytes on wire (1504 bits), 188 bytes captured (1504 bits)
Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

17 0.008205 10.0.2.30 10.0.2.20 DNS 88 Standard query
0x0428 NULL sbhi1c.pirate.sea OPT

Frame 17: Packet, 88 bytes on wire (704 bits), 88 bytes captured (704 bits)
Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
18	0.008334	10.0.2.20	10.0.2.30	DNS	96	Standard query response 0x0428 NULL sbhi1c.pirate.sea NULL sbhi1c.pirate.sea

Frame 18: Packet, 96 bytes on wire (768 bits), 96 bytes captured (768 bits)
Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
19	0.008487	10.0.2.30	10.0.2.20	DNS	88	Standard query 0x2257 NULL obsi1d.pirate.sea OPT

Frame 19: Packet, 88 bytes on wire (704 bits), 88 bytes captured (704 bits)
Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
20	0.008920	10.0.2.20	10.0.2.30	DNS	95	Standard query response 0x2257 NULL obsi1d.pirate.sea NULL obsi1d.pirate.sea

Frame 20: Packet, 95 bytes on wire (760 bits), 95 bytes captured (760 bits)
Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
21	0.008932	10.0.2.30	10.0.2.20	DNS	88	Standard query 0x4086 NULL obli1e.pirate.sea OPT

Frame 21: Packet, 88 bytes on wire (704 bits), 88 bytes captured (704 bits)

Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)

No.	Time	Source	Destination	Protocol	Length	Info
22	0.009097	10.0.2.20	10.0.2.30	DNS	93	Standard query response 0x4086 NULL obli1e.pirate.sea NULL obli1e.pirate.sea

No.	Time	Source	Destination	Protocol	Length	Info
23	0.009246	10.0.2.30	10.0.2.20	DNS	323	Standard query
0x5eb5 NULL						

No.	Time	Source	Destination	Protocol	Length	Info
24	0.009591	10.0.2.20	10.0.2.30	DNS	1092	Standard query response 0x5eb5 NULL

[illegible][illegible]

No.	Time	Source	Destination	Protocol	Length	Info
26	0.009818	10.0.2.20	10.0.2.30	DNS	1476	Standard query response 0x7ce4 NULL

Frame 26: Packet, 1476 bytes on wire (11808 bits), 1476 bytes captured (11808 bits)
Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

[illegible]0xb942 NULL
rdkad0iġ ħ½gġ ħ½Hġ ħ½ġ ħ½0Angġ ħ½Hġ ħ½ġ ħ½0Angġ ħ½Hġ ħ½ġ ħ½0Angġ ħ½Hġ ħ½ġ ħ½0Angġ ħ½H
ġ ħ½ġ ħ½0Angġ ħ½Hġ ħ½ġ ħ½0Angġ ħ½Hġ ħ½ġ ħ½0.Angġ ħ½Hġ ħ½ġ ħ½0Angġ ħ½Hġ ħ½ġ ħ½0Angġ ħ½
Hġ ħ½ġ ħ½0Angġ ħ½Hġ ħ½ġ ħ½0Angġ ħ½Hġ ħ½ġ ħ½0Angġ ħ½Hġ ħ½ġ ħ½0Angġ ħ½Hġ ħ½ġ ħ½0A.ngġ ħ
½Hġ ħ½ġ ħ½0Angġ ħ½Hġ ħ½ġ ħ½0Angġ ħ½Hġ ħ½ġ ħ½0Angġ ħ½Hġ ħ½ġ ħ½0Angġ ħ½Hġ ħ½ġ ħ½0Angġ
ħ½Hġ ħ½ġ ħ½0Angġ ħ½Hġ ħ½ġ ħ½0An.gġ ħ½Hġ ħ½ġ ħ½0Angġ ħ½Hġ ħ½ġ ħ½0Angġ ħ½Hġ ħ½ġ ħ½0An
gġ ħ½Hġ ħ½ġ ħ½0Angġ ħ½Hġ ħ½ġ ħ½0Angġ ħ½Hġ ħ½ġ ħ½0Angġ ħ½Hġ ħ½ġ ħ½0Ang.ġ ħ½Hġ ħ½ġ ħ½.pir
ate.sea OPT

No.	Time	Source	Destination	Protocol	Length	Info
-----	------	--------	-------------	----------	--------	------

Frame 29: Packet, 323 bytes on wire (2584 bits), 323 bytes captured (2584 bits)
Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

Frame 30: Packet, 323 bytes on wire (2584 bits), 323 bytes captured (2584 bits)
Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

[illegible]

No.	Time	Source	Destination	Protocol	Length	Info
32	4.996424	PCSSystemtec_10.0.2.30	c7:6e:ba PCSSystemtec_10.0.2.20	ARP	60	Who has 10.0.2.30? Tell 10.0.2.20

No.	Time	Source	Destination	Protocol	Length	Info
33	4.996491	PCSSystemtec_9c:e0:b4	PCSSystemtec_c7:6e:ba	ARP	60	10.0.2.30 is at 08:00:27:9c:e0:b4

No.	Time	Source	Destination	Protocol	Length	Info
34	5.020778	10.0.2.30	10.0.2.20	DNS	323	Standard query
0x31fe NULL						

Frame 34: Packet, 323 bytes on wire (2584 bits), 323 bytes captured (2584 bits)
Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
35	6.023500	10.0.2.30	10.0.2.20	DNS	323	Standard query
0x502d NULL						

[illegible]

[illegible]

No.	Time	Source	Destination	Protocol	Length	Info
36	7.026291	10.0.2.30	10.0.2.20	DNS	323	Standard query

[illegible]

No.	Time	Source	Destination	Protocol	Length	Info
37	8.028182	10.0.2.30	10.0.2.20	DNS	323	Standard query

[illegible]

Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)

No.	Time	Source	Destination	Protocol	Length	Info
38	9.030090	10.0.2.30	10.0.2.20	DNS	323	Standard query

Frame 38: Packet, 323 bytes on wire (2584 bits), 323 bytes captured (2584 bits)

No.	Time	Source	Destination	Protocol	Length	Info
39	9.030322	10.0.2.20	10.0.2.30	DNS	1500	Standard query

rdeyd4iïċ 1/2hdiċ 1/2iċ 1/2iċ 1/24Cohdiċ 1/2iċ 1/2iċ 1/24Cohdiċ 1/2iċ 1/2iċ 1/24Cohdiċ 1/2iċ 1/2iċ 1/24Cohdiċ 1/2iċ
ċ 1/2iċ 1/24Cohdiċ 1/2iċ 1/2iċ 1/24Cohdiċ 1/2iċ 1/2iċ 1/24. Cohdiċ 1/2iċ 1/2iċ 1/24Cohdiċ 1/2iċ 1/2iċ 1/24Cohdiċ 1/2iċ
ċ 1/2iċ 1/24Cohdiċ 1/2iċ 1/2iċ 1/24Cohdiċ 1/2iċ 1/2iċ 1/24Cohdiċ 1/2iċ 1/2iċ 1/24Cohdiċ 1/2iċ 1/2iċ 1/24C.ohdiċ 1/2iċ
ċ 1/2iċ 1/24Cohdiċ 1/2iċ 1/2iċ 1/24Cohdiċ 1/2iċ 1/2iċ 1/24Cohdiċ 1/2iċ 1/2iċ 1/24Cohdiċ 1/2iċ 1/2iċ 1/24Cohdiċ 1/2iċ
ċ 1/2iċ 1/24Cohdiċ 1/2iċ 1/2iċ 1/24Co.hdiċ 1/2iċ 1/2iċ 1/24Cohdiċ 1/2iċ 1/2iċ 1/24Cohdiċ 1/2iċ 1/2iċ 1/24Cohdiċ 1/2iċ
ċ 1/2iċ 1/24Cohdiċ 1/2iċ 1/2iċ 1/24Cohdiċ 1/2iċ 1/2iċ 1/24Cohdiċ 1/2iċ 1/2iċ 1/24Coh. diċ 1/2iċ 1/2iċ 1/2. pirate. sea

Frame 42: Packet, 91 bytes on wire (728 bits), 91 bytes captured (728 bits)

Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)

Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20

User Datagram Protocol, Src Port: 44639, Dst Port: 53

Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
43	9.031067	10.0.2.20	10.0.2.30	DNS	94	Standard query response 0xe718 NULL naeckei1s.pirate.sea NULL naeckei1s.pirate.sea

Frame 43: Packet, 94 bytes on wire (752 bits), 94 bytes captured (752 bits)

Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)

Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30

User Datagram Protocol, Src Port: 53, Dst Port: 44639

Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
44	9.032979	10.0.2.30	10.0.2.20	DNS	90	Standard query 0x0547 NULL paeacg2y.pirate.sea OPT

Frame 44: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)

Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)

Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20

User Datagram Protocol, Src Port: 44639, Dst Port: 53

Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
45	10.027232	PCSSystemtec_9c:e0:b4	PCSSystemtec_c7:6e:ba	ARP	60	Who has 10.0.2.20? Tell 10.0.2.30

Frame 45: Packet, 60 bytes on wire (480 bits), 60 bytes captured (480 bits)

Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)

Address Resolution Protocol (request)

No.	Time	Source	Destination	Protocol	Length	Info
46	10.027307	PCSSystemtec_c7:6e:ba	PCSSystemtec_9c:e0:b4	ARP	60	10.0.2.20 is at 08:00:27:c7:6e:ba

Frame 46: Packet, 60 bytes on wire (480 bits), 60 bytes captured (480 bits)

Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)

Address Resolution Protocol (reply)

No.	Time	Source	Destination	Protocol	Length	Info
-----	------	--------	-------------	----------	--------	------

47 12.995893 10.0.2.30 10.0.2.20 DNS 166 Standard query
0x2376 NULL
1eaba82i½2hbi½i½Yi½wgi½i½i½4yp1i½Ci½li½i½yi½i½i½i½Wi½i½
½fxi½VAacci½aHi½i½i½zmgni½i½Xy.CUdni½i½XclMZri½i½caBzi½i½i½
½.pirate.sea OPT

Frame 47: Packet, 166 bytes on wire (1328 bits), 166 bytes captured (1328 bits)
Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
48	12.996305	10.0.2.20	10.0.2.30	DNS	165	Standard query response 0x0547 NULL paeacg2y.pirate.sea NULL paeacg2y.pirate.sea

Frame 48: Packet, 165 bytes on wire (1320 bits), 165 bytes captured (1320 bits)
Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
49	12.996750	10.0.2.30	10.0.2.20	DNS	160	Standard query 0x41a5 NULL 1ibbb82i½2hbi½i½Yi½ggi½i½i½i½4yp9i½Oi½li½i½yi½i½i½i½Wi½i½ ½fxi½Vi½3i½i½i½0mci½i½ej½i½Wzmi½hl.i½i½Xi½Snbi½i½fAi½Ai½. pirate.sea OPT

Frame 49: Packet, 160 bytes on wire (1280 bits), 160 bytes captured (1280 bits)
Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
50	13.017856	10.0.2.20	10.0.2.30	DNS	169	Standard query response 0x2376 NULL 1eaba82i½2hbi½i½Yi½wgi½i½i½i½4yp1i½Ci½li½i½yi½i½i½i½Wi½i½ ½fxi½VAacci½aHi½i½i½i½zmgni½i½Xy.CUdni½i½XclMZri½i½caBzi½i½i½ ½.pirate.sea NULL 1eaba82i½2hbi½i½Yi½wgi½i½i½i½4yp1i½Ci½li½i½yi½i½i½i½Wi½i½ ½fxi½VAacci½aHi½i½i½i½zmgni½i½Xy.CUdni½i½XclMZri½i½caBzi½i½i½ ½.pirate.sea

Frame 50: Packet, 169 bytes on wire (1352 bits), 169 bytes captured (1352 bits)
 Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
 Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
 User Datagram Protocol, Src Port: 53, Dst Port: 44639
 Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
51	13.018232	10.0.2.30	10.0.2.20	DNS	323	Standard query

0x5fd4 NULL

1mbac82i 1/2i 1/2vi 1/2i 1/2tWi 1/2ai 1/2hFi 1/2Li 1/2i 1/2i 1/26Xyi 1/2i 1/2i 1/2i 1/2li 1/2JUi 1/2MUO
 i 1/2bZli 1/2i 1/2i 1/2i 1/2i 1/2wi 1/2cgohAZKi 1/2i 1/2i 1/2i 1/2i 1/2i 1/2i 1/2Vi 1/2fi 1/2i 1/2i 1/2Wi
 1/2i 1/2li 1/2rqGi 1/2W5zGOi 1/2QDcs6i 1/2G6i 1/2rUnhi 1/2bi 1/2Li 1/2i 1/2i 1/2i 1/2yI 1/2oli
 1/2i 1/2i 1/2Fi 1/28i 1/2i 1/2aHr7b1Gi 1/2i 1/2LNi 1/23i 1/2K8tghi 1/2C 1/2x7i 1/2i 1/2i 1/2i 1/2i 1/2i
 i 1/2i 1/2i 1/2i 1/2i 1/2Mhi 1/2i 1/2ai 1/2cu3bi 1/2ri 1/27i 1/2i 1/2Ga 1/2Ogi 1/2.Ni 1/2Ti 1/2ji 1/2i 1/2i
 1/2i 1/2Mi 1/2nUi 1/2i 1/2ri 1/2i 1/2i 1/2i 1/2Me64uSHivWqwi 1/2i 1/2i 1/2i 1/2i 1/2pigi 1/2Qi 1/2Ji
 1/2wSi 1/2i 1/25i 1/2i 1/2Bi 1/2i 1/2i 1/2i 1/2.Ui 1/20i 1/2.pirate.sea OPT

Frame 51: Packet, 323 bytes on wire (2584 bits), 323 bytes captured (2584 bits)
 Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
 Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
 User Datagram Protocol, Src Port: 44639, Dst Port: 53
 Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
52	13.018514	10.0.2.20	10.0.2.30	DNS	163	Standard query

response 0x41a5 NULL

1ibbb82i 1/2hbi 1/2i 1/2Yi 1/2ggi 1/2i 1/2i 1/24yp9i 1/2Oi 1/2li 1/2i 1/2yI 1/2i 1/2i 1/2i 1/2Wi 1/2i
 1/2fxi 1/2Vi 1/23i 1/2i 1/2i 1/20mci 1/2i 1/2ej 1/2Wzmi 1/2hl.i 1/2i 1/2Xi 1/2Snbi 1/2i 1/2fAi 1/2Ai 1/2.
 pirate.sea NULL

1ibbb82i 1/2hbi 1/2i 1/2Yi 1/2ggi 1/2i 1/2i 1/24yp9i 1/2Oi 1/2li 1/2i 1/2yI 1/2i 1/2i 1/2i 1/2Wi 1/2i
 1/2fxi 1/2Vi 1/23i 1/2i 1/2i 1/20mci 1/2i 1/2ej 1/2Wzmi 1/2hl.i 1/2i 1/2Xi 1/2Snbi 1/2i 1/2fAi 1/2Ai 1/2.
 pirate.sea

Frame 52: Packet, 163 bytes on wire (1304 bits), 163 bytes captured (1304 bits)
 Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
 Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
 User Datagram Protocol, Src Port: 53, Dst Port: 44639
 Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
53	13.019194	10.0.2.30	10.0.2.20	DNS	323	Standard query

0x7e03 NULL

1mjadx 1/2i 1/2i 1/2EI 1/2yi 1/2i 1/2URki 1/2Zi 1/2i 1/2mi 1/22i 1/2ai 1/2DQi 1/2i 1/2Yi 1/2i 1/21Xi
 1/2i 1/2i 1/2i 1/2KdTi 1/2i 1/2pVi 1/2i 1/2i 1/2i 1/2i 1/2i 1/2i 1/2Cl 1/2i 1/29i 1/2i 1/2i 1/2i 1/27i
 1/2i 1/2i 1/2Hi 1/21Bg 1/2i 1/2i 1/2i 1/2i 1/2i 1/2pi 1/2i 1/2vi 1/2i 1/2Gi 1/2di 1/2i 1/2pi 1/22kli 1/23ei

Frame 53: Packet, 323 bytes on wire (2584 bits), 323 bytes captured (2584 bits)
 Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
 Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
 User Datagram Protocol, Src Port: 44639, Dst Port: 53
 Domain Name System (query)

Frame 54: Packet, 326 bytes on wire (2608 bits), 326 bytes captured (2608 bits)
Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

Frame 55: Packet, 241 bytes on wire (1928 bits), 241 bytes captured (1928 bits)

Domain Name System (query)

1mjadxĩ ħ ½ĩ ħ ½ĩ ħ ½Eĩ ħ ½yĩ ħ ½ĩ ħ ½URKĩ ħ ½Zĩ ħ ½ĩ ħ ½mĩ ħ ½2ĩ ħ ½aĩ ħ ½DQĩ ħ ½ĩ ħ ½Yĩ ħ ½ĩ ħ ½1Xĩ ħ ½ĩ ħ ½ĩ ħ ½ĩ ħ ½KdTĩ ħ ½ĩ ħ ½pVĩ ħ ½ĩ ħ ½ĩ ħ ½ĩ ħ ½ĩ ħ ½ĩ ħ ½Cĩ ħ ½ĩ ħ ½9Sĩ ħ ½ĩ ħ ½.ĩ ħ ½ĩ ħ ½ĩ ħ ½7ĩ ħ ½ĩ ħ ½ĩ ħ ½ĩ ħ ½Hĩ ħ ½1Bgĩ ħ ½ĩ ħ ½ĩ ħ ½ĩ ħ ½ĩ ħ ½ĩ ħ ½pĩ ħ ½ĩ ħ ½vĩ ħ ½ĩ ħ ½Gĩ ħ ½dĩ ħ ½ĩ ħ ½pĩ ħ ½2klĩ ħ ½3eĩ ħ ½3ejĩ ħ ½ĩ ħ ½ĩ ħ ½Hĩ ħ ½QLĩ ħ ½Dĩ ħ ½7f.ĩ ħ ½Wĩ ħ ½ĩ ħ ½eĩ ħ ½ĩ ħ ½ĩ ħ ½HSÂĩ ħ ½Aĩ ħ ½Bĩ ħ ½ĩ ħ ½jĩ ħ ½ĩ ħ ½ĩ ħ ½Sĩ ħ ½ĩ ħ ½cĩ ħ ½ddĩ ħ ½ĩ ħ ½ĩ ħ ½eĩ ħ ½l0ĩ ħ ½Zĩ ħ ½DUĩ ħ ½4ĩ ħ ½ĩ ħ ½ĩ ħ ½Bĩ ħ ½ĩ ħ ½ĩ ħ ½1ĩ ħ ½ĩ ħ ½aĩ ħ ½i.oĩ ħ ½Mĩ ħ ½dnAĩ ħ ½ĩ ħ ½Gĩ ħ ½gAvĩ ħ ½Azi ħ ½ĩ ħ ½ĩ ħ ½2ĩ ħ ½lĩ ħ ½aĩ ħ ½ĩ ħ ½Qkĩ ħ ½N01 RnQtswPĩ ħ ½Zĩ ħ ½ĩ ħ ½ĩ ħ ½ĩ ħ ½Kĩ ħ ½7ĩ ħ ½mĩ ħ ½xĩ ħ ½c.li ħ ½wi ħ ½.pirate.sea

Domain Name System (response)

1qcaf82İ ğ ½2hbİ ğ ½İ ğ ½Yİ ğ ½zwqİ ğ ½İ ğ ½İ ğ ½4ypi ğ ½İ ğ ½Sİ ğ ½İ ğ ½İ ğ ½yİ ğ ½İ ğ ½İ ğ ½İ ğ ½Wİ ğ ½İ ğ ½Fİ ğ ½İ ğ ½İ ğ ½3İ ğ ½İ ğ ½İ ğ ½0mci ğ ½İ ğ ½İ ğ ½É³4Wzmİ ğ ½hl.İ ğ ½İ ğ ½Xi ğ ½2Snbİ ğ ½İ ğ ½İ ğ ½3İ ğ ½İ ğ ½Wyİ ğ ½wdbİ ğ ½İ ğ ½j2zbF2İ ğ ½İ ğ ½İ ğ ½ai ğ ½ai ğ ½Wi ğ ½İ ğ ½di ğ ½caOWYymh8İ ğ ½İ ğ ½İ ğ ½İ ğ ½mgJİ ğ ½.tİ ğ ½İ ğ ½Zİ ğ ½Gsaİ ğ ½İ ğ ½hİ ğ ½qİ ğ ½GQjİ ğ ½İ ğ ½bİ ğ ½bhİ ğ ½Gİ ğ ½pİ ğ ½emi ğ ½7EC3A5Fİ ğ ½izİ ğ ½İ ğ ½afi ğ ½eİ ğ ½İ ğ ½İ ğ ½İ ğ ½4Fİ ğ ½ySİ ğ ½.eİ ğ ½hs3eYİ ğ ½kbİ ğ ½oi ğ ½İ ğ ½Hİ ğ ½İ ğ ½zİ ğ ½İ ğ ½İ ğ ½ZDwi ğ ½gi ğ ½gi ğ ½İ ğ ½Kİ ğ ½İ ğ ½ci ğ ½1HONmİ ğ ½İ ğ ½fi ğ ½İ ğ ½WxR5İ ğ ½İ ğ ½İ ğ ½RXx.Qİ ğ ½Lr.pirate.sea OPT

Domain Name System (query)

1qcaf82i; 1/2hbi; 1/2i; 1/2Yi; 1/2zwqi; 1/2i; 1/2i; 1/24vp; 1/2i; 1/2Si; 1/2li; 1/2i; 1/2vi; 1/2i; 1/2i; 1/2i; 1/2Wi; 1/2

İ ğ 1/2fFİ ğ 1/2İ ğ 1/2İ ğ 1/23İ ğ 1/2İ ğ 1/2İ ğ 1/20mcİ ğ 1/2İ ğ 1/2İ ğ 1/2É¼Wzmİ ğ 1/2hl.İ ğ 1/2İ ğ 1/2Xİ ğ 1/2Snbİ ğ 1/2İ ğ 1/2İ ğ 1/23İ ğ 1/2İ ğ 1/2Wyİ ğ 1/2wdbİ ğ 1/2İ ğ 1/2j2zbF2İ ğ 1/2İ ğ 1/2İ ğ 1/2aİ ğ 1/2aİ ğ 1/2Wi ğ 1/2İ ğ 1/2dİ ğ 1/2caOWYymh8İ ğ 1/2İ ğ 1/2İ ğ 1/2İ ğ 1/2mgJİ ğ 1/2.tİ ğ 1/2İ ğ 1/2Zİ ğ 1/2Gsaİ ğ 1/2İ ğ 1/2hİ ğ 1/2qİ ğ 1/2GQJİ ğ 1/2İ ğ 1/2bİ ğ 1/2bhİ ğ 1/2Gİ ğ 1/2pİ ğ 1/2emİ ğ 1/27EC3A5Fİ ğ 1/2izİ ğ 1/2İ ğ 1/2afi ğ 1/2eİ ğ 1/2İ ğ 1/2İ ğ 1/2İ ğ 1/24Fİ ğ 1/2ySİ ğ 1/2.eİ ğ 1/2hs3eYİ ğ 1/2kbİ ğ 1/2oİ ğ 1/2İ ğ 1/2Hİ ğ 1/2İ ğ 1/2Zİ ğ 1/2İ ğ 1/2İ ğ 1/2ZDwİ ğ 1/2gİ ğ 1/2gİ ğ 1/2İ ğ 1/2Kİ ğ 1/2İ ğ 1/2cİ ğ 1/21HONmİ ğ 1/2İ ğ 1/2fİ ğ 1/2İ ğ 1/2WxR5İ ğ 1/2İ ğ 1/2İ ğ 1/2RXx.Qİ ğ 1/2Lr.pirate.sea

Frame 60: Packet, 390 bytes on wire (3120 bits), 390 bytes captured (3120 bits)
Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
61	13.026684	10.0.2.30	10.0.2.20	DNS	323	Standard query

0xf6bf NULL

1udah82İ ğ 1/2İ ğ 1/2A1İ ğ 1/2tOİ ğ 1/2hİ ğ 1/27yİ ğ 1/2Dİ ğ 1/2İ ğ 1/2İ ğ 1/27Lİ ğ 1/2iTDAİ ğ 1/2İ ğ 1/2kqİ ğ 1/2İ ğ 1/2İ ğ 1/2fİ ğ 1/2Mfsqİ ğ 1/2İ ğ 1/2imİ ğ 1/2muİ ğ 1/2İ ğ 1/2Mİ ğ 1/2İ ğ 1/2İ ğ 1/2Lfdj6.İ ğ 1/2İ ğ 1/2İ ğ 1/2İ ğ 1/2pİ ğ 1/2afi ğ 1/2İ ğ 1/2İ ğ 1/24İ ğ 1/25Qİ ğ 1/2İ ğ 1/2hWUİ ğ 1/2ulGİ ğ 1/2İ ğ 1/2İ ğ 1/2khİ ğ 1/2İ ğ 1/2Ejİ ğ 1/2k2İ ğ 1/2İ ğ 1/2İ ğ 1/2İ ğ 1/2İ ğ 1/2İ ğ 1/2İ ğ 1/2İ ğ 1/2İ ğ 1/2İ ğ 1/2mİ ğ 1/2İ ğ 1/2Wi ğ 1/2İ ğ 1/2vİ ğ 1/2x.ZNphİ ğ 1/2Fİ ğ 1/2İ ğ 1/2CzHQeİ ğ 1/2İ ğ 1/2İ ğ 1/2İ ğ 1/2İ ğ 1/2İ ğ 1/2İ ğ 1/2İ ğ 1/2İ ğ 1/2İ ğ 1/2Fİ ğ 1/2İ ğ 1/2Lİ ğ 1/2qİ ğ 1/29İ ğ 1/2İ ğ 1/2duİ ğ 1/2qİ ğ 1/2İ ğ 1/2İ ğ 1/2İ ğ 1/2İ ğ 1/2Zİ ğ 1/2İ ğ 1/2İ ğ 1/2İ ğ 1/2pyİ ğ 1/2jİ ğ 1/2İ ğ 1/2cOK.r7ti ğ 1/2İ ğ 1/2Eİ ğ 1/2Vİ ğ 1/2Oefİ ğ 1/2Nİ ğ 1/2Lİ ğ 1/2Gİ ğ 1/2Kİ ğ 1/2Jdİ ğ 1/2İ ğ 1/2İ ğ 1/2Sİ ğ 1/2Jİ ğ 1/2İ ğ 1/2İ ğ 1/2İ ğ 1/2Mİ ğ 1/2İ ğ 1/2İ ğ 1/2İ ğ 1/2eİ ğ 1/2İ ğ 1/2Vİ ğ 1/2Qjİ ğ 1/2İ ğ 1/2İ ğ 1/2İ ğ 1/2İ ğ 1/2bUİ ğ 1/2İ ğ 1/2.İ ğ 1/2İ ğ 1/2İ ğ 1/2.pirate.sea OPT

Frame 61: Packet, 323 bytes on wire (2584 bits), 323 bytes captured (2584 bits)
Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
62	13.026927	10.0.2.20	10.0.2.30	DNS	230	Standard query

response 0xd890 NULL

1qkbg2İ ğ 1/2İ ğ 1/2Pİ ğ 1/2İ ğ 1/2İ ğ 1/2Dlyİ ğ 1/2rWRİ ğ 1/2gdİ ğ 1/2İ ğ 1/2qXbkipWİ ğ 1/2İ ğ 1/2duejİ ğ 1/2eİ ğ 1/2Hİ ğ 1/2Hİ ğ 1/2İ ğ 1/2uİ ğ 1/24İ ğ 1/2İ ğ 1/2cSİ ğ 1/2Hİ ğ 1/2İ ğ 1/2dİ ğ 1/2.HcHİ ğ 1/2İ ğ 1/2yİ ğ 1/25Wİ ğ 1/2Cs4İ ğ 1/2Nİ ğ 1/2cl4c4İ ğ 1/2İ ğ 1/2qİ ğ 1/2HcHE4Gİ ğ 1/2beYuİ ğ 1/2Gb6qİ ğ 1/2qİ ğ 1/2LmGCİ ğ 1/2H2jCWti ğ 1/2İ ğ 1/2.aQaİ ğ 1/2uİ ğ 1/2KmaSİ ğ 1/2Kİ ğ 1/2İ ğ 1/2ti ğ 1/2ag4İ ğ 1/2İ ğ 1/2ya.pirate.sea NULL

1qkbg2İ ğ 1/2İ ğ 1/2Pİ ğ 1/2İ ğ 1/2İ ğ 1/2Dlyİ ğ 1/2rWRİ ğ 1/2gdİ ğ 1/2İ ğ 1/2qXbkipWİ ğ 1/2İ ğ 1/2duejİ ğ 1/2eİ ğ 1/2Hİ ğ 1/2Hİ ğ 1/2İ ğ 1/2uİ ğ 1/24İ ğ 1/2İ ğ 1/2cSİ ğ 1/2Hİ ğ 1/2İ ğ 1/2dİ ğ 1/2.HcHİ ğ 1/2İ ğ 1/2yİ ğ 1/25Wİ ğ 1/2Cs4İ ğ 1/2Nİ ğ 1/2cl4c4İ ğ 1/2İ ğ 1/2qİ ğ 1/2HcHE4Gİ ğ 1/2beYuİ ğ 1/2Gb6qİ ğ 1/2qİ ğ 1/2LmGCİ ğ 1/2H2jCWti ğ 1/2İ ğ 1/2.aQaİ ğ 1/2uİ ğ 1/2KmaSİ ğ 1/2Kİ ğ 1/2İ ğ 1/2ti ğ 1/2ag4İ ğ 1/2İ ğ 1/2ya.pirate.sea

Frame 62: Packet, 230 bytes on wire (1840 bits), 230 bytes captured (1840 bits)
Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30

Domain Name System (response)

0x14ee NULL

Frame 63: Packet, 323 bytes on wire (2584 bits), 323 bytes captured (2584 bits)

Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20

Domain Name System (query)

```
response 0xf6bf NULL
```

Frame 64: Packet, 326 bytes on wire (2608 bits), 326 bytes captured (2608 bits)

Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30

Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
-----	------	--------	-------------	----------	--------	------

1/21 1/2rPOPO1 1/21 1/21 1/2sgMw1 1/21 1/21 1/241 1/2KlK.R.1 1/21 1/21 1/21 1/21 1/21 1/21 1/2SA1 1/2G1 1/2u11 1/21 1/2a.pirate.sea OPT

Frame 67: Packet, 278 bytes on wire (2224 bits), 278 bytes captured (2224 bits)
Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
68	13.029807	10.0.2.20	10.0.2.30	DNS	280	Standard query response 0x331d NULL

1utbj1 1/21 1/281 1/21 1/21 1/221 1/21 1/2RbeRXU1 1/2Qig1 1/2C1 1/2C1 1/21 1/2ITG1 1/2YXä3/41/2siWxY 1/2x1 1/21 1/29Xq1 1/2j1 1/21 1/20b1 1/21 1/29u.J3Ä3/41 1/2Y1 1/21 1/21 1/21 1/2y1 1/2D1 1/2o1 1/2C1 1/2E1 1/2n1 1/21 1/21 1/21 1/21 1/2FY1 1/21 1/27n5P1 1/251 1/21 1/2l1 1/2G1 1/21 1/2o1 1/2Elhg31 1/2tokz1 1/2.1 1/21 1/21 1/21 1/2o6W3j1 1/2.pirate.sea NULL

1utbj1 1/21 1/281 1/21 1/21 1/221 1/21 1/2RbeRXU1 1/2Qig1 1/2C1 1/2C1 1/21 1/2ITG1 1/2YXä3/41/2siWxY 1/2x1 1/21 1/29Xq1 1/2j1 1/21 1/20b1 1/21 1/29u.J3Ä3/41 1/2Y1 1/21 1/21 1/21 1/2y1 1/2D1 1/2o1 1/2C1 1/2E1 1/2n1 1/21 1/21 1/21 1/21 1/2FY1 1/21 1/27n5P1 1/251 1/21 1/2l1 1/2G1 1/21 1/2o1 1/2Elhg31 1/2tokz1 1/2.1 1/21 1/21 1/21 1/2o6W3j1 1/2.pirate.sea

Frame 68: Packet, 280 bytes on wire (2240 bits), 280 bytes captured (2240 bits)
Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
69	13.033286	10.0.2.20	10.0.2.30	DNS	471	Standard query response 0x514c NULL

1yebk821 1/21 1/21 1/21 1/2D1 1/24hin1 1/2Qp1 1/21 1/28K1 1/21 1/2K31 1/2ymld1 1/2lyo1 1/2fi 1/21 1/2aV Dyl1 1/21 1/21 1/21 1/2dRf1 1/2ai1 1/21 1/21 1/2cd.IH1 1/21 1/21 1/21 1/2p1 1/251 1/2jX1 1/21 1/21 1/21 1/21 1/2Sp1 1/21 1/2c8N1 1/21 1/21 1/2V1 1/281 1/21 1/21 1/2RrD1 1/2oPÄ1/4aC1 1/2Dm1 1/2n1 1/2F1 1/21 1/21 1/2c 1/25.wLM1 1/24l1 1/21 1/21 1/2631 1/21 1/2Uu1 1/2G1 1/2AK1 1/21 1/21 1/2O1 1/21 1/2vAjd1 1/21 1/21 1/21 1/21 1/2rPOPO1 1/21 1/21 1/2sgMw1 1/21 1/21 1/241 1/2KlK.R.1 1/21 1/21 1/21 1/21 1/21 1/2SA1 1/2G1 1/2u11 1/21 1/2a.pirate.sea NULL

1yebk821 1/21 1/21 1/21 1/2D1 1/24hin1 1/2Qp1 1/21 1/28K1 1/21 1/2K31 1/2ymld1 1/2lyo1 1/2fi 1/21 1/2aV Dyl1 1/21 1/21 1/21 1/2dRf1 1/2ai1 1/21 1/21 1/2cd.IH1 1/21 1/21 1/21 1/2p1 1/251 1/2jX1 1/21 1/21 1/21 1/21 1/2Sp1 1/21 1/2c8N1 1/21 1/21 1/2V1 1/281 1/21 1/21 1/2RrD1 1/2oPÄ1/4aC1 1/2Dm1 1/2n1 1/2F1 1/21 1/21 1/2c 1/25.wLM1 1/24l1 1/21 1/21 1/2631 1/21 1/2Uu1 1/2G1 1/2AK1 1/21 1/21 1/2O1 1/21 1/2vAjd1 1/21 1/21 1/21 1/21 1/2rPOPO1 1/21 1/21 1/2sgMw1 1/21 1/21 1/241 1/2KlK.R.1 1/21 1/21 1/21 1/21 1/21 1/2SA1 1/2G1 1/2u11 1/21 1/2a.pirate.sea

Frame 69: Packet, 471 bytes on wire (3768 bits), 471 bytes captured (3768 bits)
Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)

Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
70	13.033644	10.0.2.30	10.0.2.20	DNS	90	Standard query 0x6f7b NULL pafqcg3a.pirate.sea OPT

Frame 70: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)
Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
71	13.033673	10.0.2.30	10.0.2.20	DNS	162	Standard query 0x8daa NULL 12gbl82i 1/2hb 1/2Y 1/2ggm 1/2 1/2 1/24yp9 1/2a 1/2l 1/2 1/2y 1/2 1/2 1/2W 1/2 1/2fF 1/2x 1/23 1/2 1/2 1/2ydhQ2Ç 1/2 1/2YyCU.dv 1/2 1/2WYehM 1/2qdByoSa.pirate.s ea OPT

Frame 71: Packet, 162 bytes on wire (1296 bits), 162 bytes captured (1296 bits)
Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
72	13.042606	10.0.2.20	10.0.2.30	DNS	158	Standard query response 0x6f7b NULL pafqcg3a.pirate.sea NULL pafqcg3a.pirate.sea

Frame 72: Packet, 158 bytes on wire (1264 bits), 158 bytes captured (1264 bits)
Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
73	13.046839	10.0.2.20	10.0.2.30	DNS	710	Standard query response 0x8daa NULL 12gbl82i 1/2hb 1/2Y 1/2ggm 1/2 1/2 1/24yp9 1/2a 1/2l 1/2 1/2y 1/2 1/2 1/2W 1/2 1/2fF 1/2x 1/23 1/2 1/2 1/2ydhQ2Ç 1/2 1/2YyCU.dv 1/2 1/2WYehM 1/2qdByoSa.pirate.s ea NULL 12gbl82i 1/2hb 1/2Y 1/2ggm 1/2 1/2 1/24yp9 1/2a 1/2l 1/2 1/2y 1/2 1/2 1/2W 1/2 1/2fF 1/2x 1/23 1/2 1/2 1/2ydhQ2Ç 1/2 1/2YyCU.dv 1/2 1/2WYehM 1/2qdByoSa.pirate.s

½fFĩ½Xĩ½3ĩ½ĩ½ĩ½ĩ½ydhQ2Ç½ĩ½YyCU.dvĩ½WYehMĩ½qdByoSa.pirate.s
ea

Frame 73: Packet, 710 bytes on wire (5680 bits), 710 bytes captured (5680 bits)
Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
74	13.047146	10.0.2.30	10.0.2.20	DNS	90	Standard query

0xabd9 NULL paeacg3i.pirate.sea OPT

Frame 74: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)
Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
75	13.047592	10.0.2.20	10.0.2.30	DNS	296	Standard query

response 0xabd9 NULL paeacg3i.pirate.sea NULL paeacg3i.pirate.sea

Frame 75: Packet, 296 bytes on wire (2368 bits), 296 bytes captured (2368 bits)
Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
76	13.047600	10.0.2.30	10.0.2.20	DNS	162	Standard query

0xca08 NULL
1aabm82ĩ½2hbĩ½ĩ½Yĩ½ggmĩ½ĩ½½4yp1ĩ½8ĩ½lĩ½ĩ½yĩ½ĩ½ĩ½Wĩ½ĩ½fFĩ½Xĩ½3ĩ½ĩ½Oydh7ĩ½ĩ½bĩ½Y5ĩ½.glnĩ½ĩ½ioTaGdĩ½0pRĩ½.pirate.sea OPT

Frame 76: Packet, 162 bytes on wire (1296 bits), 162 bytes captured (1296 bits)
Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
-----	------	--------	-------------	----------	--------	------

77 13.056279 10.0.2.30 10.0.2.20 DNS 162 Standard query

0xe837 NULL

1abbn82İ½2hbİ½İ½Yİ½ggmİ½İ½İ½4yp1İ½8İ½İ½İ½Yİ½İ½İ½İ½Wi½İ½İ½fFİ½xİ½3İ½İ½İ½Oydh7İ½İ½İ½bİ½İ½Y5İ½.glnİ½İ½İ½ioTaGdİ½OpRİ½.pirate.sea OPT

Frame 77: Packet, 162 bytes on wire (1296 bits), 162 bytes captured (1296 bits)

Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)

Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20

User Datagram Protocol, Src Port: 44639, Dst Port: 53

Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
78	13.056592	10.0.2.20	10.0.2.30	DNS	165	Standard query response 0xca08 NULL

1aabm82İ½2hbİ½İ½Yİ½ggmİ½İ½İ½4yp1İ½8İ½İ½İ½Yİ½İ½İ½İ½Wi½İ½İ½fFİ½xİ½3İ½İ½İ½Oydh7İ½İ½İ½bİ½İ½Y5İ½.glnİ½İ½İ½ioTaGdİ½OpRİ½.pirate.sea NULL

1aabm82İ½2hbİ½İ½Yİ½ggmİ½İ½İ½4yp1İ½8İ½İ½İ½Yİ½İ½İ½İ½Wi½İ½İ½fFİ½xİ½3İ½İ½İ½Oydh7İ½İ½İ½bİ½İ½Y5İ½.glnİ½İ½İ½ioTaGdİ½OpRİ½.pirate.sea

Frame 78: Packet, 165 bytes on wire (1320 bits), 165 bytes captured (1320 bits)

Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)

Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30

User Datagram Protocol, Src Port: 53, Dst Port: 44639

Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
79	13.063112	10.0.2.20	10.0.2.30	DNS	230	Standard query response 0xe837 NULL

1abbn82İ½2hbİ½İ½Yİ½ggmİ½İ½İ½4yp1İ½8İ½İ½İ½Yİ½İ½İ½İ½Wi½İ½İ½fFİ½xİ½3İ½İ½İ½Oydh7İ½İ½İ½bİ½İ½Y5İ½.glnİ½İ½İ½ioTaGdİ½OpRİ½.pirate.sea NULL

1abbn82İ½2hbİ½İ½Yİ½ggmİ½İ½İ½4yp1İ½8İ½İ½İ½Yİ½İ½İ½İ½Wi½İ½İ½fFİ½xİ½3İ½İ½İ½Oydh7İ½İ½İ½bİ½İ½Y5İ½.glnİ½İ½İ½ioTaGdİ½OpRİ½.pirate.sea

Frame 79: Packet, 230 bytes on wire (1840 bits), 230 bytes captured (1840 bits)

Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)

Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30

User Datagram Protocol, Src Port: 53, Dst Port: 44639

Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
-----	------	--------	-------------	----------	--------	------

80 13.063125 10.0.2.30 10.0.2.20 DNS 162 Standard query
0x0666 NULL

1ebbo82İ½2hbİ½İ½Yİ½ggmİ½İ½İ½4yp1İ½Cİ½lİ½İ½yİ½İ½İ½İ½Wİ½İ½İ½fİ½xİ½30İ½Ö¾Wfnİ½gİ½İ½bİ½İ½Y5İ½.glnİ½İ½İ½ioTaGdvİ½oSa.pir
ate.sea OPT

Frame 80: Packet, 162 bytes on wire (1296 bits), 162 bytes captured (1296 bits)
Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
81	13.069699	10.0.2.30	10.0.2.20	DNS	162	Standard query

0x2495 NULL
1ecbp82İ½2hbİ½İ½Yİ½ggmİ½İ½İ½4yp1İ½Cİ½lİ½İ½yİ½İ½İ½İ½Wİ½İ½İ½fİ½xİ½30İ½Ö¾Wfnİ½gİ½İ½bİ½İ½Y5İ½.glnİ½İ½İ½ioTaGdvİ½oSa.pir
ate.sea OPT

Frame 81: Packet, 162 bytes on wire (1296 bits), 162 bytes captured (1296 bits)
Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
82	13.069913	10.0.2.20	10.0.2.30	DNS	165	Standard query

response 0x0666 NULL
1ebbo82İ½2hbİ½İ½Yİ½ggmİ½İ½İ½4yp1İ½Cİ½lİ½İ½yİ½İ½İ½İ½Wİ½İ½İ½fİ½xİ½30İ½Ö¾Wfnİ½gİ½İ½bİ½İ½Y5İ½.glnİ½İ½İ½ioTaGdvİ½oSa.pir
ate.sea NULL
1ebbo82İ½2hbİ½İ½Yİ½ggmİ½İ½İ½4yp1İ½Cİ½lİ½İ½yİ½İ½İ½İ½Wİ½İ½İ½fİ½xİ½30İ½Ö¾Wfnİ½gİ½İ½bİ½İ½Y5İ½.glnİ½İ½İ½ioTaGdvİ½oSa.pir
ate.sea

Frame 82: Packet, 165 bytes on wire (1320 bits), 165 bytes captured (1320 bits)
Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
83	13.080998	10.0.2.20	10.0.2.30	DNS	230	Standard query

response 0x2495 NULL
1ecbp82İ½2hbİ½İ½Yİ½ggmİ½İ½İ½4yp1İ½Cİ½lİ½İ½yİ½İ½İ½İ½Wİ½İ½İ½fİ½xİ½30İ½Ö¾Wfnİ½gİ½İ½bİ½İ½Y5İ½.glnİ½İ½İ½ioTaGdvİ½oSa.pir

1/2fF1/2x1/2301/203/4Wfni1/2gi1/2i1/2bi1/2i1/2Y51/2.gln1/2i1/2i1/2ioTaGdvi1/2oSa.pirate.sea NULL
1ecbp821/22hb1/2i1/2Y1/2ggmi1/2i1/2i1/24yp1i1/2Ci1/2i1/2i1/2yi1/2i1/2i1/2i1/2Wi1/2i1/2fF1/2x1/2301/203/4Wfni1/2gi1/2i1/2bi1/2i1/2Y51/2.gln1/2i1/2i1/2ioTaGdvi1/2oSa.pirate.sea

Frame 83: Packet, 230 bytes on wire (1840 bits), 230 bytes captured (1840 bits)
Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
84	13.082440	10.0.2.30	10.0.2.20	DNS	90	Standard query

0x42c4 NULL paeycg3q.pirate.sea OPT

Frame 84: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)
Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
85	13.101938	10.0.2.20	10.0.2.30	DNS	158	Standard query

response 0x42c4 NULL paeycg3q.pirate.sea NULL paeycg3q.pirate.sea

Frame 85: Packet, 158 bytes on wire (1264 bits), 158 bytes captured (1264 bits)
Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
86	13.102280	10.0.2.30	10.0.2.20	DNS	207	Standard query

0x60f3 NULL
1iebp821/22hb1/2i1/2Y1/2rg0i1/2i1/2i1/24ypXi1/2yi1/2li1/2i1/2yi1/2i1/2i1/2i1/2Wi1/2i1/2fF1/2x1/2301/203/4Wfni1/2gi1/2i1/2bi1/2i1/2Y51/2.gln1/2i1/2i1/2ioTaGdvi1/2oSa.pirate.sea NULL
1iebp821/22hb1/2i1/2Y1/2rg0i1/2i1/2i1/24ypXi1/2yi1/2li1/2i1/2yi1/2i1/2i1/2i1/2Wi1/2i1/2fF1/2x1/2301/203/4Wfni1/2gi1/2i1/2bi1/2i1/2Y51/2.gln1/2i1/2i1/2ioTaGdvi1/2oSa.pirate.sea NULL
oJi1/2i1/2i1/2i1/2i1/2Wi5Si1/29i1/2OXi1/2mTOi1/2i1/2i1/2Wo4ni1/2ddi1/2i1/2ym1/2si1/2aad.ti1/2PO.pirate.sea OPT

Frame 86: Packet, 207 bytes on wire (1656 bits), 207 bytes captured (1656 bits)
Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53

Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
87	13.103044	10.0.2.20	10.0.2.30	DNS	303	Standard query response 0x60f3 NULL

1iebq82i ½2hbĩ ½ĩ ½Yĩ ½rg0ĩ ½ĩ ½ĩ ½4ypXi ½yĩ ½lĩ ½ĩ ½yĩ ½ĩ ½ĩ ½ĩ ½Wi ½ĩ ½fFi ½xi ½30ĩ ½Ö¾WLMĩ ½ĩ ½ĩ ½B¾Ai ½YyCU.dvi ½ĩ ½ĩ ½Wehwĩ ½tzi ½ĩ ½ĩ ½yoJĩ ½ĩ ½ĩ ½ĩ ½Wi5Si ½9ĩ ½OXĩ ½mTOĩ ½ĩ ½ĩ ½Wo4ni ½ddĩ ½ĩ ½2ymi ½si ½aad.ti ½PO.pirate.sea NULL

1iebq82i ½2hbĩ ½ĩ ½Yĩ ½rg0ĩ ½ĩ ½ĩ ½4ypXi ½yĩ ½lĩ ½ĩ ½yĩ ½ĩ ½ĩ ½ĩ ½Wi ½ĩ ½fFi ½xi ½30ĩ ½Ö¾WLMĩ ½ĩ ½ĩ ½B¾Ai ½YyCU.dvi ½ĩ ½ĩ ½Wehwĩ ½tzi ½ĩ ½ĩ ½yoJĩ ½ĩ ½ĩ ½ĩ ½Wi5Si ½9ĩ ½OXĩ ½mTOĩ ½ĩ ½ĩ ½Wo4ni ½ddĩ ½ĩ ½2ymi ½si ½aad.ti ½PO.pirate.sea

Frame 87: Packet, 303 bytes on wire (2424 bits), 303 bytes captured (2424 bits) on Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)

Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30

User Datagram Protocol, Src Port: 53, Dst Port: 44639

Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
88	13.103260	10.0.2.30	10.0.2.20	DNS	162	Standard query response 0x7f22 NULL

1mfbr82i ½2hbĩ ½ĩ ½Yĩ ½ggmi ½ĩ ½ĩ ½4yp1i ½mi ½lĩ ½ĩ ½yĩ ½ĩ ½ĩ ½ĩ ½Wi ½ĩ ½fFi ½xi ½30ĩ ½ĩ ½GWfni ½gi ½Hi ½ĩ ½YyCU.dvi ½ĩ ½ĩ ½WehEi ½adBeoS.pirate.sea OPT

Frame 88: Packet, 162 bytes on wire (1296 bits), 162 bytes captured (1296 bits) on Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)

Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20

User Datagram Protocol, Src Port: 44639, Dst Port: 53

Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
89	13.121810	10.0.2.20	10.0.2.30	DNS	165	Standard query response 0x7f22 NULL

1mfbr82i ½2hbĩ ½ĩ ½Yĩ ½ggmi ½ĩ ½ĩ ½4yp1i ½mi ½lĩ ½ĩ ½yĩ ½ĩ ½ĩ ½ĩ ½Wi ½ĩ ½fFi ½xi ½30ĩ ½ĩ ½GWfni ½gi ½Hi ½ĩ ½YyCU.dvi ½ĩ ½ĩ ½WehEi ½adBeoS.pirate.sea NULL

1mfbr82i ½2hbĩ ½ĩ ½Yĩ ½ggmi ½ĩ ½ĩ ½4yp1i ½mi ½lĩ ½ĩ ½yĩ ½ĩ ½ĩ ½ĩ ½Wi ½ĩ ½fFi ½xi ½30ĩ ½ĩ ½GWfni ½gi ½Hi ½ĩ ½YyCU.dvi ½ĩ ½ĩ ½WehEi ½adBeoS.pirate.sea

Frame 89: Packet, 165 bytes on wire (1320 bits), 165 bytes captured (1320 bits) on Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)

Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
90	13.122853	10.0.2.30	10.0.2.20	DNS	204	Standard query 0x9d51 NULL 1qfbs82ĩ ħ 12hbĩ ħ 12ĩ ħ 12Yĩ ħ 12rgeĩ ħ 12ĩ ħ 12ĩ ħ 124ypXĩ ħ 124ĩ ħ 12ĩ ħ 12ĩ ħ 12yĩ ħ 12ĩ ħ 12ĩ ħ 12ĩ ħ 12Wi ħ 12ĩ ħ 12fFi ħ 12ĩ ħ 12ĩ ħ 1230ĩ ħ 12ĩ ħ 12GWLnĩ ħ 12ĩ ħ 12EHĩ ħ 12ĩ ħ 12YyCU.dvĩ ħ 12ĩ ħ 12ĩ ħ 12YehEĩ ħ 12dzĩ ħ 12ĩ ħ 12ĩ ħ 12yoJĩ ħ 12ĩ ħ 12ĩ ħ 12ĩ ħ 12ĩ ħ 12WI5Sĩ ħ 129ĩ ħ 12OXĩ ħ 12mĩ ħ 12Oĩ ħ 12ĩ ħ 12ĩ ħ 12Wo4nĩ ħ 12dvĩ ħ 12ĩ ħ 12W4aĩ ħ 12d5ĩ ħ 12kl.ĩ ħ 12.pirate.sea OPT

Frame 90: Packet, 204 bytes on wire (1632 bits), 204 bytes captured (1632 bits)
Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
91	13.123016	10.0.2.20	10.0.2.30	DNS	272	Standard query response 0x9d51 NULL 1qfbs82ĩ ħ 12hbĩ ħ 12ĩ ħ 12Yĩ ħ 12rgeĩ ħ 12ĩ ħ 12ĩ ħ 124ypXĩ ħ 124ĩ ħ 12ĩ ħ 12ĩ ħ 12yĩ ħ 12ĩ ħ 12ĩ ħ 12ĩ ħ 12Wi ħ 12ĩ ħ 12fFi ħ 12ĩ ħ 12ĩ ħ 1230ĩ ħ 12ĩ ħ 12GWLnĩ ħ 12ĩ ħ 12EHĩ ħ 12ĩ ħ 12YyCU.dvĩ ħ 12ĩ ħ 12ĩ ħ 12YehEĩ ħ 12dzĩ ħ 12ĩ ħ 12ĩ ħ 12yoJĩ ħ 12ĩ ħ 12ĩ ħ 12ĩ ħ 12ĩ ħ 12WI5Sĩ ħ 129ĩ ħ 12OXĩ ħ 12mĩ ħ 12Oĩ ħ 12ĩ ħ 12ĩ ħ 12Wo4nĩ ħ 12dvĩ ħ 12ĩ ħ 12W4aĩ ħ 12d5ĩ ħ 12kl.ĩ ħ 12.pirate.sea NULL 1qfbs82ĩ ħ 12hbĩ ħ 12ĩ ħ 12Yĩ ħ 12rgeĩ ħ 12ĩ ħ 12ĩ ħ 124ypXĩ ħ 124ĩ ħ 12ĩ ħ 12ĩ ħ 12yĩ ħ 12ĩ ħ 12ĩ ħ 12ĩ ħ 12Wi ħ 12ĩ ħ 12fFi ħ 12ĩ ħ 12ĩ ħ 1230ĩ ħ 12ĩ ħ 12GWLnĩ ħ 12ĩ ħ 12EHĩ ħ 12ĩ ħ 12YyCU.dvĩ ħ 12ĩ ħ 12ĩ ħ 12YehEĩ ħ 12dzĩ ħ 12ĩ ħ 12ĩ ħ 12yoJĩ ħ 12ĩ ħ 12ĩ ħ 12ĩ ħ 12ĩ ħ 12WI5Sĩ ħ 129ĩ ħ 12OXĩ ħ 12mĩ ħ 12Oĩ ħ 12ĩ ħ 12ĩ ħ 12Wo4nĩ ħ 12dvĩ ħ 12ĩ ħ 12W4aĩ ħ 12d5ĩ ħ 12kl.ĩ ħ 12.pirate.sea

Frame 91: Packet, 272 bytes on wire (2176 bits), 272 bytes captured (2176 bits)
Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
92	13.123262	10.0.2.30	10.0.2.20	DNS	162	Standard query 0xbb80 NULL 1ugbt82ĩ ħ 12hbĩ ħ 12ĩ ħ 12ĩ ħ 12ĩ ħ 128mĩ ħ 12dĩ ħ 12ĩ ħ 12ĩ ħ 12iFpqcViomi ħ 12dyPi ħ 12i7ĩ ħ 12tci ħ 12Pi ħ 12ĩ ħ 1238mGelĩ ħ 120li ħ 12ĩ ħ 12Wi ħ 12S8ĩ ħ 12c.ĩ ħ 12pki ħ 12Zĩ ħ 12ĩ ħ 12ĩ ħ 12ĩ ħ 12Đ³qfi ħ 12ktzi ħ 12.pirate.sea OPT

Frame 92: Packet, 162 bytes on wire (1296 bits), 162 bytes captured (1296 bits)
Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)

Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
93	13.140738	10.0.2.20	10.0.2.30	DNS	165	Standard query response 0xbb80 NULL

1ugbt82İğ½2hbİğ½İğ½İğ½8mİğ½dİğ½İğ½İğ½iFpqcViomİğ½dyPİğ½i7İğ½tciğ½Pİğ½İğ½38mGelİğ½0liğ½İğ½Wiğ½S8İğ½c.İğ½pkİğ½Zİğ½İğ½İğ½Đ³qfiğ½ktziğ½.pirate.sea NULL

1ugbt82İğ½2hbİğ½İğ½İğ½İğ½8mİğ½dİğ½İğ½İğ½iFpqcViomİğ½dyPİğ½i7İğ½tciğ½Pİğ½İğ½38mGelİğ½0liğ½İğ½Wiğ½S8İğ½c.İğ½pkİğ½Zİğ½İğ½İğ½Đ³qfiğ½ktziğ½.pirate.sea

Frame 93: Packet, 165 bytes on wire (1320 bits), 165 bytes captured (1320 bits)
Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
94	13.142888	10.0.2.30	10.0.2.20	DNS	163	Standard query 0xd9af NULL

1ygbu82İğ½2hbİğ½İğ½İğ½İğ½8mİğ½dİğ½İğ½İğ½iFpqcViomİğ½dyPİğ½i7İğ½tciğ½İğ½İğ½İğ½İğ½38mİğ½dbWiğ½İğ½Pİğ½hİğ½nİğ½İğ½İğ½İğ½aaYİğ½Qİğ½İğ½kİğ½ciğ½cUğ½jİğ½İğ½.pirate.sea OPT

Frame 94: Packet, 163 bytes on wire (1304 bits), 163 bytes captured (1304 bits)
Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
95	13.143038	10.0.2.20	10.0.2.30	DNS	231	Standard query response 0xd9af NULL

1ygbu82İğ½2hbİğ½İğ½İğ½İğ½8mİğ½dİğ½İğ½İğ½iFpqcViomİğ½dyPİğ½i7İğ½tciğ½İğ½İğ½İğ½İğ½38mİğ½dbWiğ½İğ½Pİğ½hİğ½nİğ½İğ½İğ½İğ½aaYİğ½Qİğ½İğ½kİğ½ciğ½cUğ½jİğ½İğ½.pirate.sea NULL

1ygbu82İğ½2hbİğ½İğ½İğ½İğ½8mİğ½dİğ½İğ½İğ½iFpqcViomİğ½dyPİğ½i7İğ½tciğ½İğ½İğ½İğ½İğ½38mİğ½dbWiğ½İğ½Pİğ½hİğ½nİğ½İğ½İğ½İğ½aaYİğ½Qİğ½İğ½kİğ½ciğ½cUğ½jİğ½İğ½.pirate.sea

Frame 95: Packet, 231 bytes on wire (1848 bits), 231 bytes captured (1848 bits)
Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30

User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
96	13.150823	10.0.2.30	10.0.2.20	DNS	90	Standard query

0xf7de NULL pafycg3y.pirate.sea OPT

Frame 96: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)
Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
97	13.160322	10.0.2.20	10.0.2.30	DNS	157	Standard query

response 0xf7de NULL pafycg3y.pirate.sea NULL pafycg3y.pirate.sea

Frame 97: Packet, 157 bytes on wire (1256 bits), 157 bytes captured (1256 bits)
Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
98	13.165640	10.0.2.30	10.0.2.20	DNS	90	Standard query

0x160d NULL paeacg4a.pirate.sea OPT

Frame 98: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)
Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
99	13.165777	10.0.2.20	10.0.2.30	DNS	158	Standard query

response 0x160d NULL paeacg4a.pirate.sea NULL paeacg4a.pirate.sea

Frame 99: Packet, 158 bytes on wire (1264 bits), 158 bytes captured (1264 bits)
Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
-----	------	--------	-------------	----------	--------	------

100 13.171443 10.0.2.30 10.0.2.20 DNS 90 Standard query
0x343c NULL paeicg4i.pirate.sea OPT

Frame 100: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)
Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
101	13.181287	10.0.2.20	10.0.2.30	DNS	158	Standard query response 0x343c NULL paeicg4i.pirate.sea NULL paeicg4i.pirate.sea

Frame 101: Packet, 158 bytes on wire (1264 bits), 158 bytes captured (1264 bits)
Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
102	13.187489	10.0.2.30	10.0.2.20	DNS	90	Standard query 0x526b NULL paeqcg4q.pirate.sea OPT

Frame 102: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)
Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
103	13.200898	10.0.2.20	10.0.2.30	DNS	158	Standard query response 0x526b NULL paeqcg4q.pirate.sea NULL paeqcg4q.pirate.sea

Frame 103: Packet, 158 bytes on wire (1264 bits), 158 bytes captured (1264 bits)
Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
104	13.207671	10.0.2.30	10.0.2.20	DNS	90	Standard query 0x709a NULL paeycg4y.pirate.sea OPT

Frame 104: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)

Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)

Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20

User Datagram Protocol, Src Port: 44639, Dst Port: 53

Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
105	13.221760	10.0.2.20	10.0.2.30	DNS	158	Standard query response 0x709a NULL paeycg4y.pirate.sea NULL paeycg4y.pirate.sea

Frame 105: Packet, 158 bytes on wire (1264 bits), 158 bytes captured (1264 bits)

Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)

Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30

User Datagram Protocol, Src Port: 53, Dst Port: 44639

Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
106	13.227351	10.0.2.30	10.0.2.20	DNS	90	Standard query 0x8ec9 NULL pafacg5a.pirate.sea OPT

Frame 106: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)

Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)

Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20

User Datagram Protocol, Src Port: 44639, Dst Port: 53

Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
107	13.242835	10.0.2.20	10.0.2.30	DNS	158	Standard query response 0x8ec9 NULL pafacg5a.pirate.sea NULL pafacg5a.pirate.sea

Frame 107: Packet, 158 bytes on wire (1264 bits), 158 bytes captured (1264 bits)

Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)

Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30

User Datagram Protocol, Src Port: 53, Dst Port: 44639

Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
108	13.249582	10.0.2.30	10.0.2.20	DNS	90	Standard query 0xacf8 NULL paficg5i.pirate.sea OPT

Frame 108: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)

Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)

Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20

User Datagram Protocol, Src Port: 44639, Dst Port: 53

Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
109	13.260105	10.0.2.20	10.0.2.30	DNS	158	Standard query response 0xacf8 NULL paficg5i.pirate.sea NULL paficg5i.pirate.sea

Frame 109: Packet, 158 bytes on wire (1264 bits), 158 bytes captured (1264 bits)
Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
110	13.265711	10.0.2.30	10.0.2.20	DNS	90	Standard query 0xcb27 NULL pafqcg5q.pirate.sea OPT

Frame 110: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)
Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
111	13.281059	10.0.2.20	10.0.2.30	DNS	158	Standard query response 0xcb27 NULL pafqcg5q.pirate.sea NULL pafqcg5q.pirate.sea

Frame 111: Packet, 158 bytes on wire (1264 bits), 158 bytes captured (1264 bits)
Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
112	13.287532	10.0.2.30	10.0.2.20	DNS	90	Standard query 0xe956 NULL pafycg5y.pirate.sea OPT

Frame 112: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)
Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
-----	------	--------	-------------	----------	--------	------

113 13.300607 10.0.2.20 10.0.2.30 DNS 158 Standard query response 0xe956 NULL pafycg5y.pirate.sea NULL pafycg5y.pirate.sea

Frame 113: Packet, 158 bytes on wire (1264 bits), 158 bytes captured (1264 bits)
Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
114	13.306978	10.0.2.30	10.0.2.20	DNS	90	Standard query 0x0785 NULL paeachaa.pirate.sea OPT

Frame 114: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)
Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
115	13.322287	10.0.2.20	10.0.2.30	DNS	158	Standard query response 0x0785 NULL paeachaa.pirate.sea NULL paeachaa.pirate.sea

Frame 115: Packet, 158 bytes on wire (1264 bits), 158 bytes captured (1264 bits)
Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
116	13.327762	10.0.2.30	10.0.2.20	DNS	90	Standard query 0x25b4 NULL paeichai.pirate.sea OPT

Frame 116: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)
Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
117	13.340210	10.0.2.20	10.0.2.30	DNS	158	Standard query response 0x25b4 NULL paeichai.pirate.sea NULL paeichai.pirate.sea

Frame 117: Packet, 158 bytes on wire (1264 bits), 158 bytes captured (1264 bits)

Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)

Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30

User Datagram Protocol, Src Port: 53, Dst Port: 44639

Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
118	13.346106	10.0.2.30	10.0.2.20	DNS	90	Standard query

0x43e3 NULL paeqchaq.pirate.sea OPT

Frame 118: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)

Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)

Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20

User Datagram Protocol, Src Port: 44639, Dst Port: 53

Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
119	13.361234	10.0.2.20	10.0.2.30	DNS	158	Standard query

response 0x43e3 NULL paeqchaq.pirate.sea NULL paeqchaq.pirate.sea

Frame 119: Packet, 158 bytes on wire (1264 bits), 158 bytes captured (1264 bits)

Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)

Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30

User Datagram Protocol, Src Port: 53, Dst Port: 44639

Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
120	13.366737	10.0.2.30	10.0.2.20	DNS	90	Standard query

0x6212 NULL paeychay.pirate.sea OPT

Frame 120: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)

Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)

Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20

User Datagram Protocol, Src Port: 44639, Dst Port: 53

Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
121	13.380468	10.0.2.20	10.0.2.30	DNS	158	Standard query

response 0x6212 NULL paeychay.pirate.sea NULL paeychay.pirate.sea

Frame 121: Packet, 158 bytes on wire (1264 bits), 158 bytes captured (1264 bits)

Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)

Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30

User Datagram Protocol, Src Port: 53, Dst Port: 44639

Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
122	13.386820	10.0.2.30	10.0.2.20	DNS	90	Standard query

0x8041 NULL pafachba.pirate.sea OPT

Frame 122: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)
Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
123	13.401452	10.0.2.20	10.0.2.30	DNS	158	Standard query

response 0x8041 NULL pafachba.pirate.sea NULL pafachba.pirate.sea

Frame 123: Packet, 158 bytes on wire (1264 bits), 158 bytes captured (1264 bits)
Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
124	13.406894	10.0.2.30	10.0.2.20	DNS	90	Standard query

0x9e70 NULL pafichbi.pirate.sea OPT

Frame 124: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)
Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
125	13.422263	10.0.2.20	10.0.2.30	DNS	158	Standard query

response 0x9e70 NULL pafichbi.pirate.sea NULL pafichbi.pirate.sea

Frame 125: Packet, 158 bytes on wire (1264 bits), 158 bytes captured (1264 bits)
Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
-----	------	--------	-------------	----------	--------	------

126 13.428097 10.0.2.30 10.0.2.20 DNS 90 Standard query
0xbc9f NULL pafqchbq.pirate.sea OPT

Frame 126: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)
Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
127	13.441483	10.0.2.20	10.0.2.30	DNS	178	Standard query response 0xbc9f NULL pafqchbq.pirate.sea NULL pafqchbq.pirate.sea

Frame 127: Packet, 178 bytes on wire (1424 bits), 178 bytes captured (1424 bits)
Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
128	13.447118	10.0.2.30	10.0.2.20	DNS	90	Standard query 0xdace NULL pafychby.pirate.sea OPT

Frame 128: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)
Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
129	13.461111	10.0.2.20	10.0.2.30	DNS	179	Standard query response 0xdace NULL pafychby.pirate.sea NULL pafychby.pirate.sea

Frame 129: Packet, 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits)
Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
130	13.468014	10.0.2.30	10.0.2.20	DNS	90	Standard query 0xf8fd NULL paeachca.pirate.sea OPT

Frame 130: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)

Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)

Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20

User Datagram Protocol, Src Port: 44639, Dst Port: 53

Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
131	13.482385	10.0.2.20	10.0.2.30	DNS	178	Standard query response 0xf8fd NULL paeachca.pirate.sea NULL paeachca.pirate.sea

Frame 131: Packet, 178 bytes on wire (1424 bits), 178 bytes captured (1424 bits)

Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)

Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30

User Datagram Protocol, Src Port: 53, Dst Port: 44639

Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
132	13.489131	10.0.2.30	10.0.2.20	DNS	90	Standard query 0x172c NULL paeichci.pirate.sea OPT

Frame 132: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)

Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)

Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20

User Datagram Protocol, Src Port: 44639, Dst Port: 53

Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
133	13.503065	10.0.2.20	10.0.2.30	DNS	178	Standard query response 0x172c NULL paeichci.pirate.sea NULL paeichci.pirate.sea

Frame 133: Packet, 178 bytes on wire (1424 bits), 178 bytes captured (1424 bits)

Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)

Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30

User Datagram Protocol, Src Port: 53, Dst Port: 44639

Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
134	13.508543	10.0.2.30	10.0.2.20	DNS	90	Standard query 0x355b NULL paeqchcq.pirate.sea OPT

Frame 134: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)

Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)

Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20

User Datagram Protocol, Src Port: 44639, Dst Port: 53

Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
135	13.520697	10.0.2.20	10.0.2.30	DNS	178	Standard query response 0x355b NULL paeqchcq.pirate.sea NULL paeqchcq.pirate.sea

Frame 135: Packet, 178 bytes on wire (1424 bits), 178 bytes captured (1424 bits)
Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
136	13.527049	10.0.2.30	10.0.2.20	DNS	90	Standard query 0x538a NULL paeychcy.pirate.sea OPT

Frame 136: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)
Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
137	13.540900	10.0.2.20	10.0.2.30	DNS	179	Standard query response 0x538a NULL paeychcy.pirate.sea NULL paeychcy.pirate.sea

Frame 137: Packet, 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits)
Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
138	13.547187	10.0.2.30	10.0.2.20	DNS	90	Standard query 0x71b9 NULL pafachda.pirate.sea OPT

Frame 138: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)
Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
-----	------	--------	-------------	----------	--------	------

139 13.561566 10.0.2.20 10.0.2.30 DNS 179 Standard query response 0x71b9 NULL pafachda.pirate.sea NULL pafachda.pirate.sea

Frame 139: Packet, 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits)
Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
140	13.567713	10.0.2.30	10.0.2.20	DNS	90	Standard query 0x8fe8 NULL pafichdi.pirate.sea OPT

Frame 140: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)
Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
141	13.582186	10.0.2.20	10.0.2.30	DNS	179	Standard query response 0x8fe8 NULL pafichdi.pirate.sea NULL pafichdi.pirate.sea

Frame 141: Packet, 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits)
Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
142	13.587459	10.0.2.30	10.0.2.20	DNS	90	Standard query 0xae17 NULL pafqchdq.pirate.sea OPT

Frame 142: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)
Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
143	13.603492	10.0.2.20	10.0.2.30	DNS	178	Standard query response 0xae17 NULL pafqchdq.pirate.sea NULL pafqchdq.pirate.sea

Frame 143: Packet, 178 bytes on wire (1424 bits), 178 bytes captured (1424 bits)

Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)

Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30

User Datagram Protocol, Src Port: 53, Dst Port: 44639

Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
144	13.609178	10.0.2.30	10.0.2.20	DNS	90	Standard query

0xcc46 NULL pafychdy.pirate.sea OPT

Frame 144: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)

Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)

Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20

User Datagram Protocol, Src Port: 44639, Dst Port: 53

Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
145	13.620362	10.0.2.20	10.0.2.30	DNS	178	Standard query

response 0xcc46 NULL pafychdy.pirate.sea NULL pafychdy.pirate.sea

Frame 145: Packet, 178 bytes on wire (1424 bits), 178 bytes captured (1424 bits)

Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)

Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30

User Datagram Protocol, Src Port: 53, Dst Port: 44639

Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
146	13.625826	10.0.2.30	10.0.2.20	DNS	90	Standard query

0xea75 NULL paeachea.pirate.sea OPT

Frame 146: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)

Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)

Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20

User Datagram Protocol, Src Port: 44639, Dst Port: 53

Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
147	13.641423	10.0.2.20	10.0.2.30	DNS	179	Standard query

response 0xea75 NULL paeachea.pirate.sea NULL paeachea.pirate.sea

Frame 147: Packet, 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits)

Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)

Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30

User Datagram Protocol, Src Port: 53, Dst Port: 44639

Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
148	13.648602	10.0.2.30	10.0.2.20	DNS	90	Standard query

0x08a4 NULL paeichei.pirate.sea OPT

Frame 148: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)
Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
149	13.660530	10.0.2.20	10.0.2.30	DNS	179	Standard query

response 0x08a4 NULL paeichei.pirate.sea NULL paeichei.pirate.sea

Frame 149: Packet, 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits)
Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
150	13.667165	10.0.2.30	10.0.2.20	DNS	90	Standard query

0x26d3 NULL paeqcheq.pirate.sea OPT

Frame 150: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)
Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
151	13.682225	10.0.2.20	10.0.2.30	DNS	179	Standard query

response 0x26d3 NULL paeqcheq.pirate.sea NULL paeqcheq.pirate.sea

Frame 151: Packet, 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits)
Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
-----	------	--------	-------------	----------	--------	------

152 13.688188 10.0.2.30 10.0.2.20 DNS 90 Standard query
0x4502 NULL paeychey.pirate.sea OPT

Frame 152: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)
Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
153	13.701295	10.0.2.20	10.0.2.30	DNS	179	Standard query response 0x4502 NULL paeychey.pirate.sea NULL paeychey.pirate.sea

Frame 153: Packet, 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits)
Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
154	13.707099	10.0.2.30	10.0.2.20	DNS	90	Standard query 0x6331 NULL pafachfa.pirate.sea OPT

Frame 154: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)
Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
155	13.721616	10.0.2.20	10.0.2.30	DNS	179	Standard query response 0x6331 NULL pafachfa.pirate.sea NULL pafachfa.pirate.sea

Frame 155: Packet, 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits)
Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
156	13.727290	10.0.2.30	10.0.2.20	DNS	90	Standard query 0x8160 NULL pafichfi.pirate.sea OPT

Frame 156: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)

Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)

Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20

User Datagram Protocol, Src Port: 44639, Dst Port: 53

Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
157	13.741249	10.0.2.20	10.0.2.30	DNS	179	Standard query response 0x8160 NULL pafichfi.pirate.sea NULL pafichfi.pirate.sea

Frame 157: Packet, 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits)

Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)

Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30

User Datagram Protocol, Src Port: 53, Dst Port: 44639

Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
158	13.746753	10.0.2.30	10.0.2.20	DNS	90	Standard query 0x9f8f NULL pafqchfq.pirate.sea OPT

Frame 158: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)

Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)

Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20

User Datagram Protocol, Src Port: 44639, Dst Port: 53

Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
159	13.761125	10.0.2.20	10.0.2.30	DNS	179	Standard query response 0x9f8f NULL pafqchfq.pirate.sea NULL pafqchfq.pirate.sea

Frame 159: Packet, 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits)

Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)

Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30

User Datagram Protocol, Src Port: 53, Dst Port: 44639

Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
160	13.768302	10.0.2.30	10.0.2.20	DNS	90	Standard query 0xbdbe NULL pafychfy.pirate.sea OPT

Frame 160: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)

Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)

Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20

User Datagram Protocol, Src Port: 44639, Dst Port: 53

Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
161	13.779761	10.0.2.20	10.0.2.30	DNS	179	Standard query response 0xbdbe NULL pafychfy.pirate.sea NULL pafychfy.pirate.sea

Frame 161: Packet, 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits)
Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
162	13.785135	10.0.2.30	10.0.2.20	DNS	90	Standard query 0xdbed NULL paeachga.pirate.sea OPT

Frame 162: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)
Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
163	13.800770	10.0.2.20	10.0.2.30	DNS	179	Standard query response 0xdbed NULL paeachga.pirate.sea NULL paeachga.pirate.sea

Frame 163: Packet, 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits)
Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
164	13.806715	10.0.2.30	10.0.2.20	DNS	90	Standard query 0xfa1c NULL paeichgi.pirate.sea OPT

Frame 164: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)
Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
-----	------	--------	-------------	----------	--------	------

165 13.821420 10.0.2.20 10.0.2.30 DNS 179 Standard query response 0xfa1c NULL paeichgi.pirate.sea NULL paeichgi.pirate.sea

Frame 165: Packet, 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits) on Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
166	13.826829	10.0.2.30	10.0.2.20	DNS	90	Standard query 0x184b NULL paeqchgq.pirate.sea OPT

Frame 166: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits) on Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
167	13.840699	10.0.2.20	10.0.2.30	DNS	179	Standard query response 0x184b NULL paeqchgq.pirate.sea NULL paeqchgq.pirate.sea

Frame 167: Packet, 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits) on Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
168	13.846987	10.0.2.30	10.0.2.20	DNS	90	Standard query 0x367a NULL paeychgy.pirate.sea OPT

Frame 168: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits) on Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
169	13.861375	10.0.2.20	10.0.2.30	DNS	179	Standard query response 0x367a NULL paeychgy.pirate.sea NULL paeychgy.pirate.sea

Frame 169: Packet, 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits)

Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)

Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30

User Datagram Protocol, Src Port: 53, Dst Port: 44639

Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
170	13.869094	10.0.2.30	10.0.2.20	DNS	90	Standard query

0x54a9 NULL pafachha.pirate.sea OPT

Frame 170: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)

Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)

Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20

User Datagram Protocol, Src Port: 44639, Dst Port: 53

Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
171	13.880970	10.0.2.20	10.0.2.30	DNS	179	Standard query

response 0x54a9 NULL pafachha.pirate.sea NULL pafachha.pirate.sea

Frame 171: Packet, 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits)

Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)

Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30

User Datagram Protocol, Src Port: 53, Dst Port: 44639

Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
172	13.887271	10.0.2.30	10.0.2.20	DNS	90	Standard query

0x72d8 NULL pafichhi.pirate.sea OPT

Frame 172: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)

Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)

Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20

User Datagram Protocol, Src Port: 44639, Dst Port: 53

Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
173	13.901310	10.0.2.20	10.0.2.30	DNS	179	Standard query

response 0x72d8 NULL pafichhi.pirate.sea NULL pafichhi.pirate.sea

Frame 173: Packet, 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits)

Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)

Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30

User Datagram Protocol, Src Port: 53, Dst Port: 44639

Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
174	13.906996	10.0.2.30	10.0.2.20	DNS	90	Standard query

0x9107 NULL pafqchhq.pirate.sea OPT

Frame 174: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)
Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
175	13.922478	10.0.2.20	10.0.2.30	DNS	181	Standard query

response 0x9107 NULL pafqchhq.pirate.sea NULL pafqchhq.pirate.sea

Frame 175: Packet, 181 bytes on wire (1448 bits), 181 bytes captured (1448 bits)
Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
176	13.929048	10.0.2.30	10.0.2.20	DNS	90	Standard query

0xaf36 NULL pafychhy.pirate.sea OPT

Frame 176: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)
Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
177	13.939953	10.0.2.20	10.0.2.30	DNS	179	Standard query

response 0xaf36 NULL pafychhy.pirate.sea NULL pafychhy.pirate.sea

Frame 177: Packet, 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits)
Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
-----	------	--------	-------------	----------	--------	------

178 13.947191 10.0.2.30 10.0.2.20 DNS 90 Standard query
0xcd65 NULL paeachia.pirate.sea OPT

Frame 178: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)
Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
179	13.961954	10.0.2.20	10.0.2.30	DNS	179	Standard query response 0xcd65 NULL paeachia.pirate.sea NULL paeachia.pirate.sea

Frame 179: Packet, 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits)
Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
180	13.968024	10.0.2.30	10.0.2.20	DNS	90	Standard query 0xeb94 NULL paeichii.pirate.sea OPT

Frame 180: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)
Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
181	13.980989	10.0.2.20	10.0.2.30	DNS	179	Standard query response 0xeb94 NULL paeichii.pirate.sea NULL paeichii.pirate.sea

Frame 181: Packet, 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits)
Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
182	13.987736	10.0.2.30	10.0.2.20	DNS	90	Standard query 0x09c3 NULL paeqchii.pirate.sea OPT

Frame 182: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)

Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)

Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20

User Datagram Protocol, Src Port: 44639, Dst Port: 53

Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
183	14.000638	10.0.2.20	10.0.2.30	DNS	179	Standard query response 0x09c3 NULL paeqchiq.pirate.sea NULL paeqchiq.pirate.sea

Frame 183: Packet, 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits)

Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)

Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30

User Datagram Protocol, Src Port: 53, Dst Port: 44639

Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
184	14.006594	10.0.2.30	10.0.2.20	DNS	90	Standard query 0x27f2 NULL paeychiy.pirate.sea OPT

Frame 184: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)

Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)

Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20

User Datagram Protocol, Src Port: 44639, Dst Port: 53

Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
185	14.021657	10.0.2.20	10.0.2.30	DNS	179	Standard query response 0x27f2 NULL paeychiy.pirate.sea NULL paeychiy.pirate.sea

Frame 185: Packet, 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits)

Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)

Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30

User Datagram Protocol, Src Port: 53, Dst Port: 44639

Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
186	14.028531	10.0.2.30	10.0.2.20	DNS	90	Standard query 0x4621 NULL pafachja.pirate.sea OPT

Frame 186: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)

Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)

Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20

User Datagram Protocol, Src Port: 44639, Dst Port: 53

Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
187	14.041723	10.0.2.20	10.0.2.30	DNS	179	Standard query response 0x4621 NULL pafachja.pirate.sea NULL pafachja.pirate.sea

Frame 187: Packet, 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits)
Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
188	14.048847	10.0.2.30	10.0.2.20	DNS	90	Standard query 0x6450 NULL pafichji.pirate.sea OPT

Frame 188: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)
Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
189	14.060540	10.0.2.20	10.0.2.30	DNS	179	Standard query response 0x6450 NULL pafichji.pirate.sea NULL pafichji.pirate.sea

Frame 189: Packet, 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits)
Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
190	14.066643	10.0.2.30	10.0.2.20	DNS	90	Standard query 0x827f NULL pafqchjq.pirate.sea OPT

Frame 190: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)
Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
-----	------	--------	-------------	----------	--------	------

191 14.080565 10.0.2.20 10.0.2.30 DNS 179 Standard query
response 0x827f NULL pafqchjq.pirate.sea NULL pafqchjq.pirate.sea

Frame 191: Packet, 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits)
Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
192	14.087466	10.0.2.30	10.0.2.20	DNS	90	Standard query 0xa0ae NULL pafychjy.pirate.sea OPT

Frame 192: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)
Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
193	14.101097	10.0.2.20	10.0.2.30	DNS	179	Standard query response 0xa0ae NULL pafychjy.pirate.sea NULL pafychjy.pirate.sea

Frame 193: Packet, 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits)
Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
194	14.106866	10.0.2.30	10.0.2.20	DNS	90	Standard query 0xbdd NULL paeachka.pirate.sea OPT

Frame 194: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)
Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
195	14.121814	10.0.2.20	10.0.2.30	DNS	179	Standard query response 0xbdd NULL paeachka.pirate.sea NULL paeachka.pirate.sea

Frame 195: Packet, 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits)

Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)

Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30

User Datagram Protocol, Src Port: 53, Dst Port: 44639

Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
196	14.127450	10.0.2.30	10.0.2.20	DNS	90	Standard query

0xdd0c NULL paeichki.pirate.sea OPT

Frame 196: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)

Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)

Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20

User Datagram Protocol, Src Port: 44639, Dst Port: 53

Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
197	14.140126	10.0.2.20	10.0.2.30	DNS	179	Standard query

response 0xdd0c NULL paeichki.pirate.sea NULL paeichki.pirate.sea

Frame 197: Packet, 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits)

Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)

Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30

User Datagram Protocol, Src Port: 53, Dst Port: 44639

Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
198	14.147246	10.0.2.30	10.0.2.20	DNS	90	Standard query

0xfb3b NULL paeqchkq.pirate.sea OPT

Frame 198: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)

Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)

Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20

User Datagram Protocol, Src Port: 44639, Dst Port: 53

Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
199	14.160756	10.0.2.20	10.0.2.30	DNS	179	Standard query

response 0xfb3b NULL paeqchkq.pirate.sea NULL paeqchkq.pirate.sea

Frame 199: Packet, 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits)

Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)

Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30

User Datagram Protocol, Src Port: 53, Dst Port: 44639

Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
200	14.166868	10.0.2.30	10.0.2.20	DNS	90	Standard query

0x196a NULL paeychky.pirate.sea OPT

Frame 200: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)
Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
201	14.182491	10.0.2.20	10.0.2.30	DNS	179	Standard query

response 0x196a NULL paeychky.pirate.sea NULL paeychky.pirate.sea

Frame 201: Packet, 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits)
Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
202	14.188748	10.0.2.30	10.0.2.20	DNS	90	Standard query

0x3799 NULL pafachla.pirate.sea OPT

Frame 202: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)
Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
203	14.201699	10.0.2.20	10.0.2.30	DNS	179	Standard query

response 0x3799 NULL pafachla.pirate.sea NULL pafachla.pirate.sea

Frame 203: Packet, 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits)
Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
-----	------	--------	-------------	----------	--------	------

204 14.207252 10.0.2.30 10.0.2.20 DNS 90 Standard query
0x55c8 NULL pafichli.pirate.sea OPT

Frame 204: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)
Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
205	14.219860	10.0.2.20	10.0.2.30	DNS	179	Standard query response 0x55c8 NULL pafichli.pirate.sea NULL pafichli.pirate.sea

Frame 205: Packet, 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits)
Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
206	14.226225	10.0.2.30	10.0.2.20	DNS	90	Standard query 0x73f7 NULL pafqchlq.pirate.sea OPT

Frame 206: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)
Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
207	14.240903	10.0.2.20	10.0.2.30	DNS	179	Standard query response 0x73f7 NULL pafqchlq.pirate.sea NULL pafqchlq.pirate.sea

Frame 207: Packet, 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits)
Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
208	14.247019	10.0.2.30	10.0.2.20	DNS	90	Standard query 0x9226 NULL pafychly.pirate.sea OPT

Frame 208: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)

Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)

Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20

User Datagram Protocol, Src Port: 44639, Dst Port: 53

Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
209	14.262107	10.0.2.20	10.0.2.30	DNS	179	Standard query response 0x9226 NULL pafychly.pirate.sea NULL pafychly.pirate.sea

Frame 209: Packet, 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits)

Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)

Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30

User Datagram Protocol, Src Port: 53, Dst Port: 44639

Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
210	14.268139	10.0.2.30	10.0.2.20	DNS	90	Standard query 0xb055 NULL paeachma.pirate.sea OPT

Frame 210: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)

Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)

Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20

User Datagram Protocol, Src Port: 44639, Dst Port: 53

Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
211	14.280832	10.0.2.20	10.0.2.30	DNS	179	Standard query response 0xb055 NULL paeachma.pirate.sea NULL paeachma.pirate.sea

Frame 211: Packet, 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits)

Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)

Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30

User Datagram Protocol, Src Port: 53, Dst Port: 44639

Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
212	14.286555	10.0.2.30	10.0.2.20	DNS	90	Standard query 0xce84 NULL paeichmi.pirate.sea OPT

Frame 212: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)

Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)

Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20

User Datagram Protocol, Src Port: 44639, Dst Port: 53

Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
213	14.300730	10.0.2.20	10.0.2.30	DNS	179	Standard query response 0xce84 NULL paeichmi.pirate.sea NULL paeichmi.pirate.sea

Frame 213: Packet, 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits)
Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
214	14.307698	10.0.2.30	10.0.2.20	DNS	90	Standard query 0xecb3 NULL paeqchmq.pirate.sea OPT

Frame 214: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)
Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
215	14.319608	10.0.2.20	10.0.2.30	DNS	179	Standard query response 0xecb3 NULL paeqchmq.pirate.sea NULL paeqchmq.pirate.sea

Frame 215: Packet, 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits)
Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
216	14.326339	10.0.2.30	10.0.2.20	DNS	90	Standard query 0x0ae2 NULL paeychmy.pirate.sea OPT

Frame 216: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)
Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
-----	------	--------	-------------	----------	--------	------

217 14.339887 10.0.2.20 10.0.2.30 DNS 179 Standard query
response 0x0ae2 NULL paeychmy.pirate.sea NULL paeychmy.pirate.sea

Frame 217: Packet, 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits)
Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
218	14.348014	10.0.2.30	10.0.2.20	DNS	90	Standard query

0x2911 NULL pafachna.pirate.sea OPT

Frame 218: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)
Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
219	14.360884	10.0.2.20	10.0.2.30	DNS	179	Standard query

response 0x2911 NULL pafachna.pirate.sea NULL pafachna.pirate.sea

Frame 219: Packet, 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits)
Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
220	14.366321	10.0.2.30	10.0.2.20	DNS	90	Standard query

0x4740 NULL pafichni.pirate.sea OPT

Frame 220: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)
Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
221	14.382078	10.0.2.20	10.0.2.30	DNS	179	Standard query

response 0x4740 NULL pafichni.pirate.sea NULL pafichni.pirate.sea

Frame 221: Packet, 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits)

Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)

Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30

User Datagram Protocol, Src Port: 53, Dst Port: 44639

Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
222	14.388011	10.0.2.30	10.0.2.20	DNS	90	Standard query

0x656f NULL pafqchnq.pirate.sea OPT

Frame 222: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)

Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)

Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20

User Datagram Protocol, Src Port: 44639, Dst Port: 53

Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
223	14.400804	10.0.2.20	10.0.2.30	DNS	179	Standard query

response 0x656f NULL pafqchnq.pirate.sea NULL pafqchnq.pirate.sea

Frame 223: Packet, 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits)

Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)

Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30

User Datagram Protocol, Src Port: 53, Dst Port: 44639

Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
224	14.407506	10.0.2.30	10.0.2.20	DNS	90	Standard query

0x839e NULL pafychny.pirate.sea OPT

Frame 224: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)

Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)

Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20

User Datagram Protocol, Src Port: 44639, Dst Port: 53

Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
225	14.422024	10.0.2.20	10.0.2.30	DNS	179	Standard query

response 0x839e NULL pafychny.pirate.sea NULL pafychny.pirate.sea

Frame 225: Packet, 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits)

Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)

Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30

User Datagram Protocol, Src Port: 53, Dst Port: 44639

Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
226	14.428234	10.0.2.30	10.0.2.20	DNS	90	Standard query

0xa1cd NULL paeachoa.pirate.sea OPT

Frame 226: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)
Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
227	14.441132	10.0.2.20	10.0.2.30	DNS	179	Standard query

response 0xa1cd NULL paeachoa.pirate.sea NULL paeachoa.pirate.sea

Frame 227: Packet, 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits)
Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
228	14.447026	10.0.2.30	10.0.2.20	DNS	90	Standard query

0xbffc NULL paeichoi.pirate.sea OPT

Frame 228: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)
Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
229	14.460630	10.0.2.20	10.0.2.30	DNS	179	Standard query

response 0xbffc NULL paeichoi.pirate.sea NULL paeichoi.pirate.sea

Frame 229: Packet, 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits)
Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
-----	------	--------	-------------	----------	--------	------

230 14.466890 10.0.2.30 10.0.2.20 DNS 90 Standard query
0xde2b NULL paeqchoq.pirate.sea OPT

Frame 230: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)
Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
231	14.481594	10.0.2.20	10.0.2.30	DNS	181	Standard query response 0xde2b NULL paeqchoq.pirate.sea NULL paeqchoq.pirate.sea

Frame 231: Packet, 181 bytes on wire (1448 bits), 181 bytes captured (1448 bits)
Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
232	14.487989	10.0.2.30	10.0.2.20	DNS	90	Standard query 0xfc5a NULL paeychoy.pirate.sea OPT

Frame 232: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)
Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
233	14.502739	10.0.2.20	10.0.2.30	DNS	179	Standard query response 0xfc5a NULL paeychoy.pirate.sea NULL paeychoy.pirate.sea

Frame 233: Packet, 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits)
Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
234	14.508085	10.0.2.30	10.0.2.20	DNS	90	Standard query 0x1a89 NULL pafachpa.pirate.sea OPT

Frame 234: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)

Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)

Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20

User Datagram Protocol, Src Port: 44639, Dst Port: 53

Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
235	14.521499	10.0.2.20	10.0.2.30	DNS	179	Standard query response 0x1a89 NULL pafachpa.pirate.sea NULL pafachpa.pirate.sea

Frame 235: Packet, 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits)

Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)

Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30

User Datagram Protocol, Src Port: 53, Dst Port: 44639

Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
236	14.528190	10.0.2.30	10.0.2.20	DNS	90	Standard query 0x38b8 NULL pafichpi.pirate.sea OPT

Frame 236: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)

Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)

Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20

User Datagram Protocol, Src Port: 44639, Dst Port: 53

Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
237	14.541166	10.0.2.20	10.0.2.30	DNS	179	Standard query response 0x38b8 NULL pafichpi.pirate.sea NULL pafichpi.pirate.sea

Frame 237: Packet, 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits)

Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)

Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30

User Datagram Protocol, Src Port: 53, Dst Port: 44639

Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
238	14.547404	10.0.2.30	10.0.2.20	DNS	90	Standard query 0x56e7 NULL pafqchpq.pirate.sea OPT

Frame 238: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)

Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)

Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20

User Datagram Protocol, Src Port: 44639, Dst Port: 53

Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
239	14.561452	10.0.2.20	10.0.2.30	DNS	179	Standard query response 0x56e7 NULL pafqchpq.pirate.sea NULL pafqchpq.pirate.sea

Frame 239: Packet, 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits)
Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
240	14.567143	10.0.2.30	10.0.2.20	DNS	90	Standard query 0x7516 NULL pafychpy.pirate.sea OPT

Frame 240: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)
Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
241	14.581135	10.0.2.20	10.0.2.30	DNS	179	Standard query response 0x7516 NULL pafychpy.pirate.sea NULL pafychpy.pirate.sea

Frame 241: Packet, 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits)
Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
242	14.587777	10.0.2.30	10.0.2.20	DNS	90	Standard query 0x9345 NULL paeachqa.pirate.sea OPT

Frame 242: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)
Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
-----	------	--------	-------------	----------	--------	------

243 14.601911 10.0.2.20 10.0.2.30 DNS 181 Standard query
response 0x9345 NULL paeachqa.pirate.sea NULL paeachqa.pirate.sea

Frame 243: Packet, 181 bytes on wire (1448 bits), 181 bytes captured (1448 bits)
Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
244	14.607547	10.0.2.30	10.0.2.20	DNS	90	Standard query

0xb174 NULL paeichqi.pirate.sea OPT

Frame 244: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)
Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
245	14.622059	10.0.2.20	10.0.2.30	DNS	179	Standard query

response 0xb174 NULL paeichqi.pirate.sea NULL paeichqi.pirate.sea

Frame 245: Packet, 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits)
Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
246	14.628093	10.0.2.30	10.0.2.20	DNS	90	Standard query

0xcfa3 NULL paeqchqq.pirate.sea OPT

Frame 246: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)
Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
247	14.641210	10.0.2.20	10.0.2.30	DNS	179	Standard query

response 0xcfa3 NULL paeqchqq.pirate.sea NULL paeqchqq.pirate.sea

Frame 247: Packet, 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits)

Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)

Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30

User Datagram Protocol, Src Port: 53, Dst Port: 44639

Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
248	14.646547	10.0.2.30	10.0.2.20	DNS	90	Standard query

0xedd2 NULL paeychqy.pirate.sea OPT

Frame 248: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)

Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)

Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20

User Datagram Protocol, Src Port: 44639, Dst Port: 53

Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
249	14.660319	10.0.2.20	10.0.2.30	DNS	179	Standard query

response 0xedd2 NULL paeychqy.pirate.sea NULL paeychqy.pirate.sea

Frame 249: Packet, 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits)

Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)

Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30

User Datagram Protocol, Src Port: 53, Dst Port: 44639

Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
250	14.666441	10.0.2.30	10.0.2.20	DNS	90	Standard query

0x0c01 NULL pafachra.pirate.sea OPT

Frame 250: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)

Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)

Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20

User Datagram Protocol, Src Port: 44639, Dst Port: 53

Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
251	14.681627	10.0.2.20	10.0.2.30	DNS	179	Standard query

response 0x0c01 NULL pafachra.pirate.sea NULL pafachra.pirate.sea

Frame 251: Packet, 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits)

Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)

Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30

User Datagram Protocol, Src Port: 53, Dst Port: 44639

Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
252	14.686770	10.0.2.30	10.0.2.20	DNS	90	Standard query

0x2a30 NULL pafichri.pirate.sea OPT

Frame 252: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)
Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
253	14.703221	10.0.2.20	10.0.2.30	DNS	178	Standard query

response 0x2a30 NULL pafichri.pirate.sea NULL pafichri.pirate.sea

Frame 253: Packet, 178 bytes on wire (1424 bits), 178 bytes captured (1424 bits)
Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
254	14.709289	10.0.2.30	10.0.2.20	DNS	90	Standard query

0x485f NULL pafqchrq.pirate.sea OPT

Frame 254: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)
Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
255	14.722004	10.0.2.20	10.0.2.30	DNS	179	Standard query

response 0x485f NULL pafqchrq.pirate.sea NULL pafqchrq.pirate.sea

Frame 255: Packet, 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits)
Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
-----	------	--------	-------------	----------	--------	------

256 14.727601 10.0.2.30 10.0.2.20 DNS 90 Standard query
0x668e NULL pafychry.pirate.sea OPT

Frame 256: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)
Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
257	14.741164	10.0.2.20	10.0.2.30	DNS	179	Standard query response 0x668e NULL pafychry.pirate.sea NULL pafychry.pirate.sea

Frame 257: Packet, 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits)
Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
258	14.746898	10.0.2.30	10.0.2.20	DNS	90	Standard query 0x84bd NULL paeachsa.pirate.sea OPT

Frame 258: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)
Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
259	14.761366	10.0.2.20	10.0.2.30	DNS	179	Standard query response 0x84bd NULL paeachsa.pirate.sea NULL paeachsa.pirate.sea

Frame 259: Packet, 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits)
Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
260	14.768326	10.0.2.30	10.0.2.20	DNS	90	Standard query 0xa2ec NULL paeichsi.pirate.sea OPT

Frame 260: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)

Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)

Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20

User Datagram Protocol, Src Port: 44639, Dst Port: 53

Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
261	14.779961	10.0.2.20	10.0.2.30	DNS	178	Standard query response 0xa2ec NULL paeichsi.pirate.sea NULL paeichsi.pirate.sea

Frame 261: Packet, 178 bytes on wire (1424 bits), 178 bytes captured (1424 bits)

Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)

Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30

User Datagram Protocol, Src Port: 53, Dst Port: 44639

Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
262	14.785423	10.0.2.30	10.0.2.20	DNS	90	Standard query 0xc11b NULL paeqchs.pirate.sea OPT

Frame 262: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)

Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)

Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20

User Datagram Protocol, Src Port: 44639, Dst Port: 53

Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
263	14.800757	10.0.2.20	10.0.2.30	DNS	179	Standard query response 0xc11b NULL paeqchs.pirate.sea NULL paeqchs.pirate.sea

Frame 263: Packet, 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits)

Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)

Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30

User Datagram Protocol, Src Port: 53, Dst Port: 44639

Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
264	14.806722	10.0.2.30	10.0.2.20	DNS	90	Standard query 0xdf4a NULL paeychsy.pirate.sea OPT

Frame 264: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)

Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)

Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20

User Datagram Protocol, Src Port: 44639, Dst Port: 53

Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
265	14.821339	10.0.2.20	10.0.2.30	DNS	179	Standard query response 0xdf4a NULL paeychsy.pirate.sea NULL paeychsy.pirate.sea

Frame 265: Packet, 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits)
Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
266	14.827045	10.0.2.30	10.0.2.20	DNS	90	Standard query 0xfd79 NULL pafachta.pirate.sea OPT

Frame 266: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)
Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
267	14.841229	10.0.2.20	10.0.2.30	DNS	179	Standard query response 0xfd79 NULL pafachta.pirate.sea NULL pafachta.pirate.sea

Frame 267: Packet, 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits)
Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
268	14.847749	10.0.2.30	10.0.2.20	DNS	90	Standard query 0x1ba8 NULL pafichti.pirate.sea OPT

Frame 268: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)
Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
-----	------	--------	-------------	----------	--------	------

269 14.861292 10.0.2.20 10.0.2.30 DNS 179 Standard query response 0x1ba8 NULL pafichti.pirate.sea NULL pafichti.pirate.sea

Frame 269: Packet, 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits)
Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
270	14.866962	10.0.2.30	10.0.2.20	DNS	90	Standard query 0x39d7 NULL pafqchtq.pirate.sea OPT

Frame 270: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)
Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
271	14.880507	10.0.2.20	10.0.2.30	DNS	179	Standard query response 0x39d7 NULL pafqchtq.pirate.sea NULL pafqchtq.pirate.sea

Frame 271: Packet, 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits)
Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
272	14.885900	10.0.2.30	10.0.2.20	DNS	90	Standard query 0x5806 NULL pafychty.pirate.sea OPT

Frame 272: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)
Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
273	14.901007	10.0.2.20	10.0.2.30	DNS	178	Standard query response 0x5806 NULL pafychty.pirate.sea NULL pafychty.pirate.sea

Frame 273: Packet, 178 bytes on wire (1424 bits), 178 bytes captured (1424 bits)

Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)

Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30

User Datagram Protocol, Src Port: 53, Dst Port: 44639

Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
274	14.906369	10.0.2.30	10.0.2.20	DNS	90	Standard query

0x7635 NULL paeachua.pirate.sea OPT

Frame 274: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)

Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)

Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20

User Datagram Protocol, Src Port: 44639, Dst Port: 53

Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
275	14.921735	10.0.2.20	10.0.2.30	DNS	179	Standard query

response 0x7635 NULL paeachua.pirate.sea NULL paeachua.pirate.sea

Frame 275: Packet, 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits)

Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)

Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30

User Datagram Protocol, Src Port: 53, Dst Port: 44639

Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
276	14.927034	10.0.2.30	10.0.2.20	DNS	90	Standard query

0x9464 NULL paeichui.pirate.sea OPT

Frame 276: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)

Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)

Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20

User Datagram Protocol, Src Port: 44639, Dst Port: 53

Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
277	14.941428	10.0.2.20	10.0.2.30	DNS	178	Standard query

response 0x9464 NULL paeichui.pirate.sea NULL paeichui.pirate.sea

Frame 277: Packet, 178 bytes on wire (1424 bits), 178 bytes captured (1424 bits)

Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)

Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30

User Datagram Protocol, Src Port: 53, Dst Port: 44639

Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
278	14.947149	10.0.2.30	10.0.2.20	DNS	90	Standard query

0xb293 NULL paeqchuq.pirate.sea OPT

Frame 278: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)
Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
279	14.962000	10.0.2.20	10.0.2.30	DNS	179	Standard query

response 0xb293 NULL paeqchuq.pirate.sea NULL paeqchuq.pirate.sea

Frame 279: Packet, 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits)
Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
280	14.968240	10.0.2.30	10.0.2.20	DNS	90	Standard query

0xd0c2 NULL paeychuy.pirate.sea OPT

Frame 280: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)
Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
281	14.980006	10.0.2.20	10.0.2.30	DNS	179	Standard query

response 0xd0c2 NULL paeychuy.pirate.sea NULL paeychuy.pirate.sea

Frame 281: Packet, 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits)
Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
-----	------	--------	-------------	----------	--------	------

282 14.988876 10.0.2.30 10.0.2.20 DNS 90 Standard query
0xeef1 NULL pafachva.pirate.sea OPT

Frame 282: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)
Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
283	15.001053	10.0.2.20	10.0.2.30	DNS	179	Standard query response 0xeef1 NULL pafachva.pirate.sea NULL pafachva.pirate.sea

Frame 283: Packet, 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits)
Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
284	15.006342	10.0.2.30	10.0.2.20	DNS	90	Standard query 0x0d20 NULL pafichvi.pirate.sea OPT

Frame 284: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)
Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
285	15.022925	10.0.2.20	10.0.2.30	DNS	179	Standard query response 0x0d20 NULL pafichvi.pirate.sea NULL pafichvi.pirate.sea

Frame 285: Packet, 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits)
Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
286	15.030208	10.0.2.30	10.0.2.20	DNS	90	Standard query 0x2b4f NULL pafqchvq.pirate.sea OPT

Frame 286: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)

Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
287	15.041405	10.0.2.20	10.0.2.30	DNS	179	Standard query response 0x2b4f NULL pafqchvq.pirate.sea NULL pafqchvq.pirate.sea

Frame 287: Packet, 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits)
Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
288	15.047536	10.0.2.30	10.0.2.20	DNS	90	Standard query 0x497e NULL pafychvy.pirate.sea OPT

Frame 288: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)
Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
289	15.061612	10.0.2.20	10.0.2.30	DNS	179	Standard query response 0x497e NULL pafychvy.pirate.sea NULL pafychvy.pirate.sea

Frame 289: Packet, 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits)
Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
290	15.068254	10.0.2.30	10.0.2.20	DNS	90	Standard query 0x67ad NULL paeachwa.pirate.sea OPT

Frame 290: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)
Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53

Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
291	15.080768	10.0.2.20	10.0.2.30	DNS	178	Standard query response 0x67ad NULL paeachwa.pirate.sea NULL paeachwa.pirate.sea

Frame 291: Packet, 178 bytes on wire (1424 bits), 178 bytes captured (1424 bits)
Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
292	15.087454	10.0.2.30	10.0.2.20	DNS	90	Standard query 0x85dc NULL paeichwi.pirate.sea OPT

Frame 292: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)
Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
293	15.101498	10.0.2.20	10.0.2.30	DNS	179	Standard query response 0x85dc NULL paeichwi.pirate.sea NULL paeichwi.pirate.sea

Frame 293: Packet, 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits)
Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
294	15.107191	10.0.2.30	10.0.2.20	DNS	90	Standard query 0xa40b NULL paeqchwq.pirate.sea OPT

Frame 294: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)
Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
-----	------	--------	-------------	----------	--------	------

295 15.121101 10.0.2.20 10.0.2.30 DNS 179 Standard query response 0xa40b NULL paeqchwy.pirate.sea NULL paeqchwy.pirate.sea

Frame 295: Packet, 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits) on Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
296	15.127815	10.0.2.30	10.0.2.20	DNS	90	Standard query 0xc23a NULL paeychwy.pirate.sea OPT

Frame 296: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits) on Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
297	15.140936	10.0.2.20	10.0.2.30	DNS	179	Standard query response 0xc23a NULL paeychwy.pirate.sea NULL paeychwy.pirate.sea

Frame 297: Packet, 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits) on Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
298	15.146528	10.0.2.30	10.0.2.20	DNS	90	Standard query 0xe069 NULL pafachxa.pirate.sea OPT

Frame 298: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits) on Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
299	15.161074	10.0.2.20	10.0.2.30	DNS	179	Standard query response 0xe069 NULL pafachxa.pirate.sea NULL pafachxa.pirate.sea

Frame 299: Packet, 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits)

Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)

Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30

User Datagram Protocol, Src Port: 53, Dst Port: 44639

Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
300	15.166753	10.0.2.30	10.0.2.20	DNS	90	Standard query

0xfe98 NULL pafichxi.pirate.sea OPT

Frame 300: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)

Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)

Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20

User Datagram Protocol, Src Port: 44639, Dst Port: 53

Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
301	15.181266	10.0.2.20	10.0.2.30	DNS	179	Standard query

response 0xfe98 NULL pafichxi.pirate.sea NULL pafichxi.pirate.sea

Frame 301: Packet, 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits)

Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)

Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30

User Datagram Protocol, Src Port: 53, Dst Port: 44639

Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
302	15.187545	10.0.2.30	10.0.2.20	DNS	90	Standard query

0x1cc7 NULL pafqchxq.pirate.sea OPT

Frame 302: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)

Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)

Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20

User Datagram Protocol, Src Port: 44639, Dst Port: 53

Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
303	15.202303	10.0.2.20	10.0.2.30	DNS	178	Standard query

response 0x1cc7 NULL pafqchxq.pirate.sea NULL pafqchxq.pirate.sea

Frame 303: Packet, 178 bytes on wire (1424 bits), 178 bytes captured (1424 bits)

Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)

Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30

User Datagram Protocol, Src Port: 53, Dst Port: 44639

Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
304	15.207531	10.0.2.30	10.0.2.20	DNS	90	Standard query

0x3af6 NULL pafychxy.pirate.sea OPT

Frame 304: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)
Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
305	15.221589	10.0.2.20	10.0.2.30	DNS	179	Standard query

response 0x3af6 NULL pafychxy.pirate.sea NULL pafychxy.pirate.sea

Frame 305: Packet, 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits)
Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
306	15.227661	10.0.2.30	10.0.2.20	DNS	90	Standard query

0x5925 NULL paeachya.pirate.sea OPT

Frame 306: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)
Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
307	15.241208	10.0.2.20	10.0.2.30	DNS	179	Standard query

response 0x5925 NULL paeachya.pirate.sea NULL paeachya.pirate.sea

Frame 307: Packet, 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits)
Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
-----	------	--------	-------------	----------	--------	------

308 15.246897 10.0.2.30 10.0.2.20 DNS 90 Standard query
0x7754 NULL paeichyi.pirate.sea OPT

Frame 308: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)
Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
309	15.261102	10.0.2.20	10.0.2.30	DNS	179	Standard query response 0x7754 NULL paeichyi.pirate.sea NULL paeichyi.pirate.sea

Frame 309: Packet, 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits)
Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
310	15.266456	10.0.2.30	10.0.2.20	DNS	90	Standard query 0x9583 NULL paeqchyq.pirate.sea OPT

Frame 310: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)
Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
311	15.281158	10.0.2.20	10.0.2.30	DNS	179	Standard query response 0x9583 NULL paeqchyq.pirate.sea NULL paeqchyq.pirate.sea

Frame 311: Packet, 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits)
Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
312	15.286817	10.0.2.30	10.0.2.20	DNS	90	Standard query 0xb3b2 NULL paeychyy.pirate.sea OPT

Frame 312: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)

Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
313	15.301351	10.0.2.20	10.0.2.30	DNS	179	Standard query response 0xb3b2 NULL paeychyy.pirate.sea NULL paeychyy.pirate.sea

Frame 313: Packet, 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits)
Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
314	15.306846	10.0.2.30	10.0.2.20	DNS	90	Standard query 0xd1e1 NULL pafachza.pirate.sea OPT

Frame 314: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)
Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
315	15.321449	10.0.2.20	10.0.2.30	DNS	179	Standard query response 0xd1e1 NULL pafachza.pirate.sea NULL pafachza.pirate.sea

Frame 315: Packet, 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits)
Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
316	15.327588	10.0.2.30	10.0.2.20	DNS	90	Standard query 0xf010 NULL pafichzi.pirate.sea OPT

Frame 316: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)
Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53

Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
317	15.342570	10.0.2.20	10.0.2.30	DNS	179	Standard query response 0xf010 NULL pafichzi.pirate.sea NULL pafichzi.pirate.sea

Frame 317: Packet, 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits)
Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
318	15.348296	10.0.2.30	10.0.2.20	DNS	90	Standard query 0x0e3f NULL pafqchzq.pirate.sea OPT

Frame 318: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)
Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
319	15.361358	10.0.2.20	10.0.2.30	DNS	179	Standard query response 0x0e3f NULL pafqchzq.pirate.sea NULL pafqchzq.pirate.sea

Frame 319: Packet, 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits)
Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
320	15.368069	10.0.2.30	10.0.2.20	DNS	90	Standard query 0x2c6e NULL pafychzy.pirate.sea OPT

Frame 320: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)
Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
-----	------	--------	-------------	----------	--------	------

321 15.382012 10.0.2.20 10.0.2.30 DNS 179 Standard query
response 0x2c6e NULL pafychzy.pirate.sea NULL pafychzy.pirate.sea

Frame 321: Packet, 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits)
Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
322	15.388863	10.0.2.30	10.0.2.20	DNS	90	Standard query

0x4a9d NULL paeach0a.pirate.sea OPT

Frame 322: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)
Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
323	15.402301	10.0.2.20	10.0.2.30	DNS	179	Standard query

response 0x4a9d NULL paeach0a.pirate.sea NULL paeach0a.pirate.sea

Frame 323: Packet, 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits)
Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
324	15.407739	10.0.2.30	10.0.2.20	DNS	90	Standard query

0x68cc NULL paeich0i.pirate.sea OPT

Frame 324: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)
Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
325	15.420547	10.0.2.20	10.0.2.30	DNS	179	Standard query

response 0x68cc NULL paeich0i.pirate.sea NULL paeich0i.pirate.sea

Frame 325: Packet, 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits)

Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)

Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30

User Datagram Protocol, Src Port: 53, Dst Port: 44639

Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
326	15.427227	10.0.2.30	10.0.2.20	DNS	90	Standard query

0x86fb NULL paeqch0q.pirate.sea OPT

Frame 326: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)

Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)

Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20

User Datagram Protocol, Src Port: 44639, Dst Port: 53

Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
327	15.440549	10.0.2.20	10.0.2.30	DNS	179	Standard query

response 0x86fb NULL paeqch0q.pirate.sea NULL paeqch0q.pirate.sea

Frame 327: Packet, 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits)

Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)

Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30

User Datagram Protocol, Src Port: 53, Dst Port: 44639

Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
328	15.445957	10.0.2.30	10.0.2.20	DNS	90	Standard query

0xa52a NULL paeych0y.pirate.sea OPT

Frame 328: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)

Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)

Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20

User Datagram Protocol, Src Port: 44639, Dst Port: 53

Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
329	15.461770	10.0.2.20	10.0.2.30	DNS	179	Standard query

response 0xa52a NULL paeych0y.pirate.sea NULL paeych0y.pirate.sea

Frame 329: Packet, 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits)

Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)

Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30

User Datagram Protocol, Src Port: 53, Dst Port: 44639

Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
330	15.468971	10.0.2.30	10.0.2.20	DNS	90	Standard query

0xc359 NULL pafach1a.pirate.sea OPT

Frame 330: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)
Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
331	15.481449	10.0.2.20	10.0.2.30	DNS	179	Standard query

response 0xc359 NULL pafach1a.pirate.sea NULL pafach1a.pirate.sea

Frame 331: Packet, 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits)
Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
332	15.487152	10.0.2.30	10.0.2.20	DNS	90	Standard query

0xe188 NULL pafich1i.pirate.sea OPT

Frame 332: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)
Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
333	15.501101	10.0.2.20	10.0.2.30	DNS	179	Standard query

response 0xe188 NULL pafich1i.pirate.sea NULL pafich1i.pirate.sea

Frame 333: Packet, 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits)
Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
-----	------	--------	-------------	----------	--------	------

334 15.507110 10.0.2.30 10.0.2.20 DNS 90 Standard query 0xffb7
NULL pafqch1q.pirate.sea OPT

Frame 334: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)
Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
335	15.521423	10.0.2.20	10.0.2.30	DNS	179	Standard query response 0xffb7 NULL pafqch1q.pirate.sea NULL pafqch1q.pirate.sea

Frame 335: Packet, 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits)
Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
336	15.527157	10.0.2.30	10.0.2.20	DNS	90	Standard query 0x1de6 NULL pafych1y.pirate.sea OPT

Frame 336: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)
Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
337	15.542058	10.0.2.20	10.0.2.30	DNS	179	Standard query response 0x1de6 NULL pafych1y.pirate.sea NULL pafych1y.pirate.sea

Frame 337: Packet, 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits)
Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
338	15.547723	10.0.2.30	10.0.2.20	DNS	90	Standard query 0x3c15 NULL paeach2a.pirate.sea OPT

Frame 338: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)

Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)

Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20

User Datagram Protocol, Src Port: 44639, Dst Port: 53

Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
339	15.560922	10.0.2.20	10.0.2.30	DNS	179	Standard query

response 0x3c15 NULL paeach2a.pirate.sea NULL paeach2a.pirate.sea

Frame 339: Packet, 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits)

Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)

Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30

User Datagram Protocol, Src Port: 53, Dst Port: 44639

Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
340	15.567484	10.0.2.30	10.0.2.20	DNS	90	Standard query

0x5a44 NULL paeich2i.pirate.sea OPT

Frame 340: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)

Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)

Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20

User Datagram Protocol, Src Port: 44639, Dst Port: 53

Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
341	15.581160	10.0.2.20	10.0.2.30	DNS	179	Standard query

response 0x5a44 NULL paeich2i.pirate.sea NULL paeich2i.pirate.sea

Frame 341: Packet, 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits)

Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)

Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30

User Datagram Protocol, Src Port: 53, Dst Port: 44639

Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
342	15.588168	10.0.2.30	10.0.2.20	DNS	90	Standard query

0x7873 NULL paeqch2q.pirate.sea OPT

Frame 342: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)

Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)

Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20

User Datagram Protocol, Src Port: 44639, Dst Port: 53

Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
343	15.601596	10.0.2.20	10.0.2.30	DNS	179	Standard query response 0x7873 NULL paeqch2q.pirate.sea NULL paeqch2q.pirate.sea

Frame 343: Packet, 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits)
Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
344	15.607373	10.0.2.30	10.0.2.20	DNS	90	Standard query 0x96a2 NULL paeych2y.pirate.sea OPT

Frame 344: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)
Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
345	15.621379	10.0.2.20	10.0.2.30	DNS	179	Standard query response 0x96a2 NULL paeych2y.pirate.sea NULL paeych2y.pirate.sea

Frame 345: Packet, 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits)
Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
346	15.628278	10.0.2.30	10.0.2.20	DNS	90	Standard query 0xb4d1 NULL pafach3a.pirate.sea OPT

Frame 346: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)
Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
-----	------	--------	-------------	----------	--------	------

347 15.641235 10.0.2.20 10.0.2.30 DNS 179 Standard query
response 0xb4d1 NULL pafach3a.pirate.sea NULL pafach3a.pirate.sea

Frame 347: Packet, 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits)
Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
348	15.646895	10.0.2.30	10.0.2.20	DNS	90	Standard query 0xd300 NULL pafich3i.pirate.sea OPT

Frame 348: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)
Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
349	15.661847	10.0.2.20	10.0.2.30	DNS	179	Standard query response 0xd300 NULL pafich3i.pirate.sea NULL pafich3i.pirate.sea

Frame 349: Packet, 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits)
Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
350	15.667544	10.0.2.30	10.0.2.20	DNS	90	Standard query 0xf12f NULL pafqch3q.pirate.sea OPT

Frame 350: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)
Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
351	15.680724	10.0.2.20	10.0.2.30	DNS	179	Standard query response 0xf12f NULL pafqch3q.pirate.sea NULL pafqch3q.pirate.sea

Frame 351: Packet, 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits)

Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)

Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30

User Datagram Protocol, Src Port: 53, Dst Port: 44639

Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
352	15.686312	10.0.2.30	10.0.2.20	DNS	90	Standard query

0x0f5e NULL pafych3y.pirate.sea OPT

Frame 352: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)

Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)

Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20

User Datagram Protocol, Src Port: 44639, Dst Port: 53

Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
353	15.700771	10.0.2.20	10.0.2.30	DNS	179	Standard query

response 0x0f5e NULL pafych3y.pirate.sea NULL pafych3y.pirate.sea

Frame 353: Packet, 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits)

Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)

Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30

User Datagram Protocol, Src Port: 53, Dst Port: 44639

Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
354	15.708517	10.0.2.30	10.0.2.20	DNS	90	Standard query

0x2d8d NULL paeach4a.pirate.sea OPT

Frame 354: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)

Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)

Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20

User Datagram Protocol, Src Port: 44639, Dst Port: 53

Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
355	15.720969	10.0.2.20	10.0.2.30	DNS	181	Standard query

response 0x2d8d NULL paeach4a.pirate.sea NULL paeach4a.pirate.sea

Frame 355: Packet, 181 bytes on wire (1448 bits), 181 bytes captured (1448 bits)

Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)

Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30

User Datagram Protocol, Src Port: 53, Dst Port: 44639

Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
356	15.727258	10.0.2.30	10.0.2.20	DNS	90	Standard query

0x4bbc NULL paeich4i.pirate.sea OPT

Frame 356: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)
Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
357	15.740995	10.0.2.20	10.0.2.30	DNS	179	Standard query

response 0x4bbc NULL paeich4i.pirate.sea NULL paeich4i.pirate.sea

Frame 357: Packet, 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits)
Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
358	15.746408	10.0.2.30	10.0.2.20	DNS	90	Standard query

0x69eb NULL paeqch4q.pirate.sea OPT

Frame 358: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)
Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
359	15.761253	10.0.2.20	10.0.2.30	DNS	179	Standard query

response 0x69eb NULL paeqch4q.pirate.sea NULL paeqch4q.pirate.sea

Frame 359: Packet, 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits)
Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
-----	------	--------	-------------	----------	--------	------

360 15.768469 10.0.2.30 10.0.2.20 DNS 90 Standard query
0x881a NULL paeych4y.pirate.sea OPT

Frame 360: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)
Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
361	15.780937	10.0.2.20	10.0.2.30	DNS	179	Standard query response 0x881a NULL paeych4y.pirate.sea NULL paeych4y.pirate.sea

Frame 361: Packet, 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits)
Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
362	15.786662	10.0.2.30	10.0.2.20	DNS	90	Standard query 0xa649 NULL pafach5a.pirate.sea OPT

Frame 362: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)
Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
363	15.801790	10.0.2.20	10.0.2.30	DNS	181	Standard query response 0xa649 NULL pafach5a.pirate.sea NULL pafach5a.pirate.sea

Frame 363: Packet, 181 bytes on wire (1448 bits), 181 bytes captured (1448 bits)
Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
364	15.809001	10.0.2.30	10.0.2.20	DNS	90	Standard query 0xc478 NULL pafich5i.pirate.sea OPT

Frame 364: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)

Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)

Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20

User Datagram Protocol, Src Port: 44639, Dst Port: 53

Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
365	15.820648	10.0.2.20	10.0.2.30	DNS	179	Standard query

response 0xc478 NULL pafich5i.pirate.sea NULL pafich5i.pirate.sea

Frame 365: Packet, 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits)

Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)

Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30

User Datagram Protocol, Src Port: 53, Dst Port: 44639

Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
366	15.826759	10.0.2.30	10.0.2.20	DNS	90	Standard query

0xe2a7 NULL pafqch5q.pirate.sea OPT

Frame 366: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)

Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)

Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20

User Datagram Protocol, Src Port: 44639, Dst Port: 53

Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
367	15.841768	10.0.2.20	10.0.2.30	DNS	179	Standard query

response 0xe2a7 NULL pafqch5q.pirate.sea NULL pafqch5q.pirate.sea

Frame 367: Packet, 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits)

Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)

Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30

User Datagram Protocol, Src Port: 53, Dst Port: 44639

Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
368	15.847463	10.0.2.30	10.0.2.20	DNS	90	Standard query

0x00d6 NULL pafych5y.pirate.sea OPT

Frame 368: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)

Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)

Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20

User Datagram Protocol, Src Port: 44639, Dst Port: 53

Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
369	15.860879	10.0.2.20	10.0.2.30	DNS	179	Standard query response 0x00d6 NULL pafych5y.pirate.sea NULL pafych5y.pirate.sea

Frame 369: Packet, 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits)
Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
370	15.866328	10.0.2.30	10.0.2.20	DNS	90	Standard query 0x1f05 NULL paeaciaa.pirate.sea OPT

Frame 370: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)
Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
371	15.880165	10.0.2.20	10.0.2.30	DNS	179	Standard query response 0x1f05 NULL paeaciaa.pirate.sea NULL paeaciaa.pirate.sea

Frame 371: Packet, 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits)
Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
372	15.885969	10.0.2.30	10.0.2.20	DNS	90	Standard query 0x3d34 NULL paeciai.pirate.sea OPT

Frame 372: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)
Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
-----	------	--------	-------------	----------	--------	------

373 15.901834 10.0.2.20 10.0.2.30 DNS 179 Standard query
response 0x3d34 NULL paeiciai.pirate.sea NULL paeiciai.pirate.sea

Frame 373: Packet, 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits)
Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
374	15.907260	10.0.2.30	10.0.2.20	DNS	90	Standard query

0x5b63 NULL paeqciaq.pirate.sea OPT

Frame 374: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)
Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
375	15.921309	10.0.2.20	10.0.2.30	DNS	179	Standard query

response 0x5b63 NULL paeqciaq.pirate.sea NULL paeqciaq.pirate.sea

Frame 375: Packet, 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits)
Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
376	15.926639	10.0.2.30	10.0.2.20	DNS	90	Standard query

0x7992 NULL paeyciay.pirate.sea OPT

Frame 376: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)
Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
377	15.940947	10.0.2.20	10.0.2.30	DNS	179	Standard query

response 0x7992 NULL paeyciay.pirate.sea NULL paeyciay.pirate.sea

Frame 377: Packet, 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits)

Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)

Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30

User Datagram Protocol, Src Port: 53, Dst Port: 44639

Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
378	15.949066	10.0.2.30	10.0.2.20	DNS	90	Standard query

0x97c1 NULL pafaciba.pirate.sea OPT

Frame 378: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)

Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)

Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20

User Datagram Protocol, Src Port: 44639, Dst Port: 53

Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
379	15.960282	10.0.2.20	10.0.2.30	DNS	181	Standard query

response 0x97c1 NULL pafaciba.pirate.sea NULL pafaciba.pirate.sea

Frame 379: Packet, 181 bytes on wire (1448 bits), 181 bytes captured (1448 bits)

Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)

Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30

User Datagram Protocol, Src Port: 53, Dst Port: 44639

Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
380	15.965403	10.0.2.30	10.0.2.20	DNS	90	Standard query

0xb5f0 NULL paficibi.pirate.sea OPT

Frame 380: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)

Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)

Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20

User Datagram Protocol, Src Port: 44639, Dst Port: 53

Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
381	15.980549	10.0.2.20	10.0.2.30	DNS	179	Standard query

response 0xb5f0 NULL paficibi.pirate.sea NULL paficibi.pirate.sea

Frame 381: Packet, 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits)

Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)

Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30

User Datagram Protocol, Src Port: 53, Dst Port: 44639

Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
382	15.988698	10.0.2.30	10.0.2.20	DNS	90	Standard query

0xd41f NULL pafqibq.pirate.sea OPT

Frame 382: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)
Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
383	16.004153	10.0.2.20	10.0.2.30	DNS	179	Standard query

response 0xd41f NULL pafqibq.pirate.sea NULL pafqibq.pirate.sea

Frame 383: Packet, 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits)
Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
384	16.007785	10.0.2.30	10.0.2.20	DNS	90	Standard query

0xf24e NULL pafyciby.pirate.sea OPT

Frame 384: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)
Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
385	16.020620	10.0.2.20	10.0.2.30	DNS	181	Standard query

response 0xf24e NULL pafyciby.pirate.sea NULL pafyciby.pirate.sea

Frame 385: Packet, 181 bytes on wire (1448 bits), 181 bytes captured (1448 bits)
Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
-----	------	--------	-------------	----------	--------	------

386 16.027235 10.0.2.30 10.0.2.20 DNS 90 Standard query
0x107d NULL paeacica.pirate.sea OPT

Frame 386: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)
Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
387	16.041162	10.0.2.20	10.0.2.30	DNS	179	Standard query response 0x107d NULL paeacica.pirate.sea NULL paeacica.pirate.sea

Frame 387: Packet, 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits)
Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
388	16.047442	10.0.2.30	10.0.2.20	DNS	90	Standard query 0x2eac NULL paeicici.pirate.sea OPT

Frame 388: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)
Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
389	16.061474	10.0.2.20	10.0.2.30	DNS	178	Standard query response 0x2eac NULL paeicici.pirate.sea NULL paeicici.pirate.sea

Frame 389: Packet, 178 bytes on wire (1424 bits), 178 bytes captured (1424 bits)
Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
390	16.068891	10.0.2.30	10.0.2.20	DNS	90	Standard query 0x4cdb NULL paeqcicq.pirate.sea OPT

Frame 390: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)

Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)

Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20

User Datagram Protocol, Src Port: 44639, Dst Port: 53

Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
391	16.081112	10.0.2.20	10.0.2.30	DNS	179	Standard query response 0x4cdb NULL paeqcicq.pirate.sea NULL paeqcicq.pirate.sea

Frame 391: Packet, 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits)

Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)

Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30

User Datagram Protocol, Src Port: 53, Dst Port: 44639

Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
392	16.086816	10.0.2.30	10.0.2.20	DNS	90	Standard query 0x6b0a NULL paeycicy.pirate.sea OPT

Frame 392: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)

Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)

Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20

User Datagram Protocol, Src Port: 44639, Dst Port: 53

Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
393	16.101942	10.0.2.20	10.0.2.30	DNS	179	Standard query response 0x6b0a NULL paeycicy.pirate.sea NULL paeycicy.pirate.sea

Frame 393: Packet, 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits)

Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)

Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30

User Datagram Protocol, Src Port: 53, Dst Port: 44639

Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
394	16.109206	10.0.2.30	10.0.2.20	DNS	90	Standard query 0x8939 NULL pafacida.pirate.sea OPT

Frame 394: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)

Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)

Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20

User Datagram Protocol, Src Port: 44639, Dst Port: 53

Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
395	16.122043	10.0.2.20	10.0.2.30	DNS	179	Standard query response 0x8939 NULL pafacida.pirate.sea NULL pafacida.pirate.sea

Frame 395: Packet, 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits)
Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
396	16.127450	10.0.2.30	10.0.2.20	DNS	90	Standard query 0xa768 NULL paficidi.pirate.sea OPT

Frame 396: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)
Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
397	16.141219	10.0.2.20	10.0.2.30	DNS	179	Standard query response 0xa768 NULL paficidi.pirate.sea NULL paficidi.pirate.sea

Frame 397: Packet, 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits)
Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
398	16.146573	10.0.2.30	10.0.2.20	DNS	90	Standard query 0xc597 NULL pafqidq.pirate.sea OPT

Frame 398: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)
Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
-----	------	--------	-------------	----------	--------	------

399 16.162266 10.0.2.20 10.0.2.30 DNS 179 Standard query
response 0xc597 NULL pafqcidq.pirate.sea NULL pafqcidq.pirate.sea

Frame 399: Packet, 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits)
Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
400	16.168842	10.0.2.30	10.0.2.20	DNS	90	Standard query 0xe3c6 NULL pafycidy.pirate.sea OPT

Frame 400: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)
Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
401	16.180573	10.0.2.20	10.0.2.30	DNS	179	Standard query response 0xe3c6 NULL pafycidy.pirate.sea NULL pafycidy.pirate.sea

Frame 401: Packet, 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits)
Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
402	16.188285	10.0.2.30	10.0.2.20	DNS	90	Standard query 0x01f5 NULL paeaciea.pirate.sea OPT

Frame 402: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)
Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
403	16.201196	10.0.2.20	10.0.2.30	DNS	179	Standard query response 0x01f5 NULL paeaciea.pirate.sea NULL paeaciea.pirate.sea

Frame 403: Packet, 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits)

Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)

Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30

User Datagram Protocol, Src Port: 53, Dst Port: 44639

Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
404	16.206996	10.0.2.30	10.0.2.20	DNS	90	Standard query

0x2024 NULL paeiciei.pirate.sea OPT

Frame 404: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)

Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)

Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20

User Datagram Protocol, Src Port: 44639, Dst Port: 53

Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
405	16.222009	10.0.2.20	10.0.2.30	DNS	179	Standard query

response 0x2024 NULL paeiciei.pirate.sea NULL paeiciei.pirate.sea

Frame 405: Packet, 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits)

Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)

Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30

User Datagram Protocol, Src Port: 53, Dst Port: 44639

Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
406	16.228219	10.0.2.30	10.0.2.20	DNS	90	Standard query

0x3e53 NULL paeqcieq.pirate.sea OPT

Frame 406: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)

Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)

Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20

User Datagram Protocol, Src Port: 44639, Dst Port: 53

Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
407	16.241188	10.0.2.20	10.0.2.30	DNS	181	Standard query

response 0x3e53 NULL paeqcieq.pirate.sea NULL paeqcieq.pirate.sea

Frame 407: Packet, 181 bytes on wire (1448 bits), 181 bytes captured (1448 bits)

Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)

Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30

User Datagram Protocol, Src Port: 53, Dst Port: 44639

Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
408	16.246866	10.0.2.30	10.0.2.20	DNS	90	Standard query

0x5c82 NULL paeyciey.pirate.sea OPT

Frame 408: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)
Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
409	16.260439	10.0.2.20	10.0.2.30	DNS	179	Standard query

response 0x5c82 NULL paeyciey.pirate.sea NULL paeyciey.pirate.sea

Frame 409: Packet, 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits)
Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
410	16.268563	10.0.2.30	10.0.2.20	DNS	90	Standard query

0x7ab1 NULL pafacifa.pirate.sea OPT

Frame 410: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)
Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
411	16.280399	10.0.2.20	10.0.2.30	DNS	179	Standard query

response 0x7ab1 NULL pafacifa.pirate.sea NULL pafacifa.pirate.sea

Frame 411: Packet, 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits)
Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
-----	------	--------	-------------	----------	--------	------

412 16.285814 10.0.2.30 10.0.2.20 DNS 90 Standard query
0x98e0 NULL pacifici.pirate.sea OPT

Frame 412: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)
Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
413	16.302510	10.0.2.20	10.0.2.30	DNS	179	Standard query response 0x98e0 NULL pacifici.pirate.sea NULL pacifici.pirate.sea

Frame 413: Packet, 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits)
Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
414	16.309482	10.0.2.30	10.0.2.20	DNS	90	Standard query 0xb70f NULL pafqcfq.pirate.sea OPT

Frame 414: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)
Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
415	16.321078	10.0.2.20	10.0.2.30	DNS	179	Standard query response 0xb70f NULL pafqcfq.pirate.sea NULL pafqcfq.pirate.sea

Frame 415: Packet, 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits)
Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
416	16.327003	10.0.2.30	10.0.2.20	DNS	90	Standard query 0xd53e NULL pafycify.pirate.sea OPT

Frame 416: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)

Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)

Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20

User Datagram Protocol, Src Port: 44639, Dst Port: 53

Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
417	16.341891	10.0.2.20	10.0.2.30	DNS	179	Standard query response 0xd53e NULL pafycify.pirate.sea NULL pafycify.pirate.sea

Frame 417: Packet, 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits)

Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)

Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30

User Datagram Protocol, Src Port: 53, Dst Port: 44639

Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
418	16.348346	10.0.2.30	10.0.2.20	DNS	90	Standard query 0xf36d NULL paeaciga.pirate.sea OPT

Frame 418: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)

Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)

Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20

User Datagram Protocol, Src Port: 44639, Dst Port: 53

Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
419	16.360223	10.0.2.20	10.0.2.30	DNS	179	Standard query response 0xf36d NULL paeaciga.pirate.sea NULL paeaciga.pirate.sea

Frame 419: Packet, 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits)

Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)

Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30

User Datagram Protocol, Src Port: 53, Dst Port: 44639

Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
420	16.365954	10.0.2.30	10.0.2.20	DNS	90	Standard query 0x119c NULL paeicigi.pirate.sea OPT

Frame 420: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)

Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)

Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20

User Datagram Protocol, Src Port: 44639, Dst Port: 53

Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
421	16.381564	10.0.2.20	10.0.2.30	DNS	179	Standard query response 0x119c NULL paeicigi.pirate.sea NULL paeicigi.pirate.sea

Frame 421: Packet, 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits)
Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
422	16.388076	10.0.2.30	10.0.2.20	DNS	90	Standard query 0x2fcb NULL paeqcigq.pirate.sea OPT

Frame 422: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)
Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
423	16.403160	10.0.2.20	10.0.2.30	DNS	179	Standard query response 0x2fcb NULL paeqcigq.pirate.sea NULL paeqcigq.pirate.sea

Frame 423: Packet, 179 bytes on wire (1432 bits), 179 bytes captured (1432 bits)
Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
424	16.408877	10.0.2.30	10.0.2.20	DNS	90	Standard query 0x4dfa NULL paeycigy.pirate.sea OPT

Frame 424: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)
Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
-----	------	--------	-------------	----------	--------	------

425 16.408992 10.0.2.20 10.0.2.30 DNS 212 Standard query response 0x4dfa NULL paeycigy.pirate.sea NULL paeycigy.pirate.sea

Frame 425: Packet, 212 bytes on wire (1696 bits), 212 bytes captured (1696 bits) on Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
426	16.414830	10.0.2.30	10.0.2.20	DNS	90	Standard query 0x6c29 NULL pafaciha.pirate.sea OPT

Frame 426: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits) on Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
427	16.447261	10.0.2.30	10.0.2.20	DNS	162	Standard query 0x8a58 NULL 12ebv82i 1/2hbi 1/2i 1/2Yi 1/2ggmi 1/2i 1/2i 1/24yp1i 1/2ui 1/2li 1/2i 1/2yi 1/2i 1/2i 1/2i 1/2Wi 1/2i 1/2Fi 1/2i 1/2i 1/230i 1/2i 1/2WWfni 1/2i 1/2i 1/2Hi 1/2i 1/2YyCU.dvi 1/2i 1/2Ci 1/2ioAGi 1/2di 1/2ep Ri 1/2.pirate.sea OPT

Frame 427: Packet, 162 bytes on wire (1296 bits), 162 bytes captured (1296 bits) on Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
428	16.464788	10.0.2.20	10.0.2.30	DNS	93	Standard query response 0x6c29 NULL pafaciha.pirate.sea NULL pafaciha.pirate.sea

Frame 428: Packet, 93 bytes on wire (744 bits), 93 bytes captured (744 bits) on Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
-----	------	--------	-------------	----------	--------	------

Frame 429: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)
 Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
 Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
 User Datagram Protocol, Src Port: 44639, Dst Port: 53
 Domain Name System (query)

Frame 430: Packet, 165 bytes on wire (1320 bits), 165 bytes captured (1320 bits)
 Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
 Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
 User Datagram Protocol, Src Port: 53, Dst Port: 44639
 Domain Name System (response)

Frame 431: Packet, 162 bytes on wire (1296 bits), 162 bytes captured (1296 bits)
Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

Frame 432: Packet, 157 bytes on wire (1256 bits), 157 bytes captured (1256 bits)
Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)

Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
433	20.441995	10.0.2.30	10.0.2.20	DNS	162	Standard query

0xe4e5 NULL

1efbx82i½2hbi½i½Yi½ggki½i½i½4yp1i½ei½li½i½yi½i½i½i½Wi½i½i½Fi½i½i½30i½i½i½WWfni½i½i½i½ri½i½i½Y5i½i½glni½i½Si½i½i½kaGdi½i½CpRi½i½.pirate.sea OPT

Frame 433: Packet, 162 bytes on wire (1296 bits), 162 bytes captured (1296 bits)
Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
434	20.460447	10.0.2.20	10.0.2.30	DNS	165	Standard query

response 0xc6b6 NULL

1aebw82i½2hbi½i½Yi½ggmi½i½i½i½4yp1i½Ki½li½i½yi½i½i½i½Wi½i½i½Fi½i½i½30i½i½i½WYfni½i½i½i½ri½i½i½Y5i½i½glni½i½Si½i½ioAGi½i½di½i½i½pRi½i½.pirate.sea NULL
1aebw82i½2hbi½i½Yi½ggmi½i½i½i½4yp1i½Ki½li½i½yi½i½i½i½Wi½i½i½Fi½i½i½30i½i½i½WYfni½i½i½i½ri½i½i½Y5i½i½glni½i½Si½i½ioAGi½i½di½i½i½pRi½i½.pirate.sea

Frame 434: Packet, 165 bytes on wire (1320 bits), 165 bytes captured (1320 bits)
Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
User Datagram Protocol, Src Port: 53, Dst Port: 44639
Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
435	20.481360	10.0.2.30	10.0.2.20	DNS	90	Standard query

0x0314 NULL paficihq.pirate.sea OPT

Frame 435: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)
Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
User Datagram Protocol, Src Port: 44639, Dst Port: 53
Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
-----	------	--------	-------------	----------	--------	------

436 20.481617 10.0.2.20 10.0.2.30 DNS 165 Standard query response 0xe4e5 NULL
 1efbx82İ½2hbİ½İ½Yİ½ggkİ½İ½İ½4yp1İ½eİ½İ½İ½yİ½İ½İ½İ½Wi½İ½İ½Fİ½İ½İ½30İ½İ½WWfnİ½İ½İ½İ½rİ½İ½Y5İ½.glnİ½Si½İ½İ½kaGdİ½CpRİ½.pirate.sea NULL
 1efbx82İ½2hbİ½İ½Yİ½ggkİ½İ½İ½4yp1İ½eİ½İ½İ½yİ½İ½İ½İ½Wi½İ½İ½Fİ½İ½İ½30İ½İ½WWfnİ½İ½İ½İ½rİ½İ½Y5İ½.glnİ½Si½İ½İ½kaGdİ½CpRİ½.pirate.sea

Frame 436: Packet, 165 bytes on wire (1320 bits), 165 bytes captured (1320 bits)
 Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
 Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
 User Datagram Protocol, Src Port: 53, Dst Port: 44639
 Domain Name System (response)

No.	Time	Source	Destination	Protocol	Length	Info
437	24.487095	10.0.2.30	10.0.2.20	DNS	90	Standard query 0x2143 NULL paficihy.pirate.sea OPT

Frame 437: Packet, 90 bytes on wire (720 bits), 90 bytes captured (720 bits)
 Ethernet II, Src: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4), Dst: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba)
 Internet Protocol Version 4, Src: 10.0.2.30, Dst: 10.0.2.20
 User Datagram Protocol, Src Port: 44639, Dst Port: 53
 Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
438	24.487287	10.0.2.20	10.0.2.30	DNS	93	Standard query response 0x0314 NULL paficihq.pirate.sea NULL paficihq.pirate.sea

Frame 438: Packet, 93 bytes on wire (744 bits), 93 bytes captured (744 bits)
 Ethernet II, Src: PCSSystemtec_c7:6e:ba (08:00:27:c7:6e:ba), Dst: PCSSystemtec_9c:e0:b4 (08:00:27:9c:e0:b4)
 Internet Protocol Version 4, Src: 10.0.2.20, Dst: 10.0.2.30
 User Datagram Protocol, Src Port: 53, Dst Port: 44639
 Domain Name System (response)