

fagtaph
ve

pilin: Ree Te

a ouanitie subtle Em... Emph Intense E

' 1 2 =

[HOSPITAL] 3 1 4 a 5 _ 6

[HOSPITAL]: [DATE] ;

[HOSPITAL]

ri & MRA EXAMINATION OF THE [HOSPITAL]
TECHNIQUE:

© Sagittal T2WI

Axial T2 and FLAIR WI

* Coronal T1Wi

© TOFMRA

No areas of diffusion restriction (no current MRI evidence of acute infarcts)

= Normal cortical sulci.

= Normal

and configuration of the ventricular system.

The brain parenchyma shows normal signal intensity pattern.

No parenchymal areas of fresh blood signal or its degradation products.

= No midline shift.

= The basal cisterns are clear.

= [HOSPITAL] and brain stem are normal

= Left antrocheanal polyp.

II MRA

= Patent normal caliber internal carotid and both anterior and middle cerebral

arteries. No evidence of stenotic segments, vessel occlusion or vascular
malformation.

= [HOSPITAL] right vertebral artery (normal variant),

= Patent average caliber of the basilar and both posterlor cerebral arteries with no

evidence of vessel occlusion or stenotic segments.

OPINION:

* Unremarkable MRI and [HOSPITAL] studies of the brain.