


```
public interface Vehicle {  
    static final ArrayList<String> manufacturedVehicles = new ArrayList<>();  
}
```














































































































































































































































































































































































































































































































































































manufacturedVehicles

ArrayList@779

```
public class Car implements Vehicle {  
    // Constructor method  
  
    public Car(String carName) {  
        Vehicle.manufacturedVehicles.add(carName);  
    }  
}
```


public interface Vehicle {

```
static final ArrayList<String> manifestVehicles = new ArrayList<>();
```

public class Car implements Vehicle {

~~constuctor method~~

public Car(String carName) {

VehicleManufacturer.addVehicle(Name);

public class Main {

```
public static void main(String[] args) {
```

Caraudi = new Car("Audi");

Car mazda == new Car('Mazda');

`Cairfiat` \Rightarrow `new Cair("Fiit")`;

Carrenault=newCar("Renault");

Carryota = new Car('Toyota');

CarLotus=newCar('Lotus');

Car benz == new Car("Benz");

Carjaguar == new Car('Jaguar');

```
Cair kia = new Cair("Kia");
```

CarLexus==newCar('Lexus');

Car volvo == new Car('volvo');

Car bmw == new Car('BMW');

Carford == new Car("Ford");

manufacturedVehicles

ArrayList@779

Fields

elementData

Object[0]@781

size

0

modCount

0



elementData

Object[0]@781