

CHAROTAR UNIVERSITY OF SCIENCE & TECHNOLOGY

Bachelor of Physiotherapy (B.P.T)

Semester – III Examination – MAY 2012

PT201 KINESIOLOGY

Date: 10/05/12, Thursday

Time: 10.00am to 10.20am

Maximum Marks: 10

Instructions:

1. There are two parts in the paper. **PART – I** contains 10 Questions and **PART – II** contains 4 Questions.
2. **PART – I** should be answered in MCQ 'S' question paper & **PART – II** should be answered in two separate answer books which has two sections.
3. Marks on the right side suggest the total marks of that question.
4. Maximum time allotted for **PART – I** is 20 min. Question paper for **PART – II** will be given at the table when the answer sheet for **PART – I** is returned. However, Candidates who complete **PART – I** earlier than 20 min, can collect main question paper for **PART – II** immediately after handing over the **PART-I** question paper.

PART-I

Multiple Choice Questions: (MCQs)

(10 × 1 = 10)

(Encircle the correct answer)

1. Biceps brachii as an elbow flexor is most effective at _____ elbow flexion range.
 - a. 45°
 - b. 60°
 - c. 90°
 - d. 120°
2. A pathologic increase in neck shaft angle is known as _____.
 - a. Coxa vara
 - b. Coxa valga
 - c. Femoral anteversion
 - d. Femoral retroversion.
3. Static stabilization of glenohumeral articular surface is provided by _____.
 - a. Coracohumeral ligament
 - b. Coraco clavicular ligament
 - c. Superior joint capsule
 - d. Coracohumeral ligament & superior joint capsule
4. An increased in medial tibiofemoral angle is called _____.
 - a. Genu valgum
 - b. Genu varum
 - c. Bow legs
 - d. None of the above
5. A decrease in medial longitudinal transverse arch is known as _____.
 - a. Pes cavus
 - b. Pes planus
 - c. Hallux valgus
 - d. All of the above

6. Stance phase is _____ % of gait cycle.
- 40%
 - 50%
 - 60%
 - 70%
7. Following of which is not a power grip type of prehension?
- Cylindrical grip
 - Spherical grip
 - Hook grip
 - Tip to tip prehension
8. Running is distinguished from walking by _____.
- Cadence more than 130/min.
 - Absence of double support phase
 - Both (a) & (b)
 - None of above
9. Action of Sartorius muscle is _____.
- Hip flexion, abduction & lateral rotation
 - Hip extension, adduction & medial rotation
 - Hip flexion
 - Hip extension
10. Which muscle plays important role in unlocking of Knee?
- Biceps femoris
 - Gracilis
 - Popliteus
 - Vastus Medialis

CHAROTAR UNIVERSITY OF SCI. & TECHNOLOGY	
CHARUSAT CAMPUS CHANGA	
Examination Semester	_____
Subject	_____ No. _____
Candidate's Seat No.	_____
Section	_____
Date	_____
Sr. Supervisor's Sign.	

CHAROTAR UNIVERSITY OF SCIENCE & TECHNOLOGY

Bachelor of Physiotherapy (B.P.T)

Semester – III Examination – MAY 2012

PT201 KINESIOLOGY

Date: 10/05/12, Thursday

Time: 10.20am to 1.00pm

Maximum Marks: 60

Instructions:

1. There are two parts in the paper. PART –I contains 10 Questions and PART – II contains 4 Questions.
2. PART –I should be answered in MCQ 'S question paper & PART – II should be answered in two separate answer books which has two sections.
3. Marks on the right side suggest the total marks of that question.
4. Maximum time allotted for PART – II is 2 Hr 40min.
5. Draw the figure wherever necessary.

PART-II

SECTION –I

Q.1. Long Question (1 out of 2)

(1× 10= 10)

Explain the dynamic stabilisation of Gleno Humeral joint.

OR

Explain the mechanism of injuries in elbow joint.

Q.2. Write short notes on: (4 out of 5)

(4× 5 = 20)

- a. Glenohumeral rhythm
- b. Functional Position of wrist and hand
- c. Wrist Instability
- d. Carrying angle & its importance
- e. Anatomical Pulley

SECTION –II

Q.3. Long Question (1 out of 2)

(1× 10= 10)

Describe why using a cane on the side opposite hip joint pain or weakness is more effective than using a cane on same side.

OR

Explain the mechanism of injuries in knee joint.

Q.4. Write short notes on: (4 out of 5)

(4× 5 = 20)

- a. Coxa Valga and Coxa Vara
- b. Plantar Arches
- c. Pelvic tilt
- d. Determinants of Gait
- e. Subtalar Joint