

CHAROTAR UNIVERSITY OF SCIENCE AND TECHNOLOGY

University Examination

Date: 04/06/18 Day: Monday

Time: 10:00 am to 10:30 am

Total Marks: 20

Student's ID No.									
Student's Name: _____									
Student's Sign : _____									
Supervisor's Name : _____									
Supervisor's Sign: _____									

Answer Sheet for Multiple Choice Questions (MCQs), True or false and Match the following
Examination : MPT- June 2018
Semester: 3
Section : I
Course Code : PT943
Course Name: PHYSICAL & FUNCTIONAL DIAGNOSIS II FOR WOMEN'S HEALTH

Important Instructions:

- There are two sections in the paper. **SECTION –I** contains 20 Questions and **SECTION – II** contains 3 Questions.
- **SECTION –I** should be answered in the question paper itself & **SECTION – II** should be answered in separate answer book.
- Marks on the right side suggest the total marks of that question.
- Maximum time allotted for **SECTION – I** is 30 minutes Question paper for **SECTION – II** will be given once the **SECTION – I** is completed within the stipulated time and returned. However, Candidates who complete **SECTION – I** earlier than 30 minutes can collect main question paper for **SECTION –II** immediately after handing over the **SECTION-I** question paper with answers.
- **SECTION – I** should be attached with the main answer book at the end of the examination and should be submitted to the supervisor.

SECTION-I

Multiple Choice Questions: (MCQs)
(Encircle the correct answer)

(10 × 1 = 10)

1. Oral glucose tolerance test for gestational diabetes is usually done during _____
 - a. 12 to 14 weeks of pregnancy
 - b. 32 to 36 weeks of pregnancy
 - c. 24 to 28 weeks of pregnancy
 - d. 6- 8 weeks of pregnancy
2. The most common clinical presentation of PID is _____:
 - a. Severe pain
 - b. No pain
 - c. Profuse vaginal discharge
 - d. Fever, chills, and cramping

P.T.O.

3. Which of the following is NOT a symptom of syphilis?
 - a. A hard chancre sore
 - b. A rash on the skin including the palm and soles
 - c. A thick, yellowish discharge
 - d. Large ulcer called gummas
4. Which is not a risk factor for preeclampsia?
 - a. Molar pregnancy
 - b. Multigravida
 - c. Age < 20 years
 - d. Family history
5. Which one of the following is the major contributor to development of physiological jaundice?
 - a. Increase bilirubin production
 - b. Decrease hepatic bilirubin excretion
 - c. Immature hepatic enzyme
 - d. Breastfeeding
6. Antepartum hemorrhage causes of the genital tract include the following except _____
 - a. Rupture of uterus and trauma
 - b. Infection
 - c. Tumour
 - d. Vasa previa
7. The management of epithelial cell abnormality of Atypical squamous cells (ASC) of undetermined significance (ASC-US), in women aged 21-24 includes the following except _____
 - a. Repeat cytology in every 12 months
 - b. Perform colposcopy in 12 months
 - c. If repeat cytology at 24 months is negative, resume routine screening
 - d. Perform a HPV testing, if positive repeat cytology
8. Which of the following reflex may not be elicited in a newborn?
 - a. Moro reflex
 - b. Rooting reflex
 - c. Sucking reflex
 - d. Righting reflex
9. Which of the following statements with regard to fundal height measurement is incorrect?
 - a. At about three months (13-14 weeks), the fundus is usually just above the pubic bone
 - b. At about five months (20-22 weeks), it is right at the mother's bellybutton (umbilicus or navel).
 - c. At about seven months (32-34 weeks), it is almost up to the bottom of the mother's ribs.
 - d. Babies may drop lower in the weeks just before birth.

P.T.O.

10. The management consideration of placenta previa when detected in the early pregnancy includes all of the following except _____
- Termination of pregnancy
 - Continuation of pregnancy
 - Provide bed rest
 - Monitoring of fetal wellbeing and growth

Identify the sentence as True or False:

(5 × 1 = 5)

(Please tick mark the answer)

True False

11. High blood sugar level in the mother does not affect the foetus' sugar level. ☐ ☐
12. The presence of a renal transplant in a pregnant women is an indication for caesarean section ☐ ☐
13. Pep test is able to detect pre-cancerous condition in the cervix. ☐ ☐
14. Women are at greater risk of placenta praevia in a subsequent pregnancy than who have had a caesarean section ☐ ☐
15. Sterility is not a single abnormality but a summation of several factors. ☐ ☐

Match the following

(5 × 1 = 5)

16.	Maternal complication of APH	A. Avoid vaginal examination in pregnancy
17.	Foetal complication of APH	B. Multiparity
18.	Unexplained APH	C. Bleeding disorder
19.	Risk of Placenta Previa	D. Domestic Violence
20.	Prevention of APH	E. Foetal Hypoxia
		F. Maternal Diabetes
		G. Maternal Shock

(16 -), (17-), (18-), (19-), (20-)

CHAROTAR UNIVERSITY OF SCIENCE & TECHNOLOGY

3rd Semester of M.P.T. Examination

June 2018

PT943 Physical & Functional Diagnosis for Women's Health

Date: 04/06/18

Time: 10:30 am to 1:00 pm

Maximum Marks: 50

Instructions:

1. There are two Sections in the paper. **SECTION –I** contains 20 Questions and **SECTION – II** contains 3 Questions.
2. **SECTION –I** should be answered in the question paper itself & **SECTION – II** should be answered in separate answer book.
3. Marks on the right side suggest the total marks of that question.
4. Maximum time allotted for **SECTION – II** is 2 Hr 30 min.
5. Draw the figure where necessary.

SECTION-II

Q. 1. Short answers (5 out of 7) (Answer not exceeding 50 words) (5 × 2 = 10)

- a. Enlist the complications of caesarean section
- b. Advantages and disadvantages of Abdominal hysterectomy
- c. Causes of umbilical cord prolapse
- d. Enlist the screening and diagnostic method for breast cancer
- e. Risk factors of placental abruption.
- f. Degrees of placenta previa.
- g. Sterility and infertility.

Q. 2. Short Notes (4 out of 5) (Answer not exceeding 150 words) (4 × 5 = 20)

- a. Short note on D & C.
- b. Write about eating disorders, its types and causes.
- c. Physical Activity and exercise during pregnancy.
- d. Female athlete triad.
- e. Fetal Malposition and presentation.

Q. 3. Essay (2 out of 3) (2 × 10 = 20)

- a. Write in detail about risk factors, assessment and management for fall in elderly women.
- b. Explain the various components of a gynecological history and examination.
- c. Explain the assessment of a 28-year-old well-educated female who has complaints of failed conception since 3 years. Write about the pharmacological and the non-pharmacological measures of infertility management.