

CHAROTAR UNIVERSITY OF SCIENCE & TECHNOLOGY

Fifth Semester of B. Tech. Theory Examination (IT)

November 2012

IT-304: Modeling Simulation and Operational Research

Date: 30.11.2012, Friday

Time: 10:00 a.m. To 01:00 p.m.

Maximum Marks: 70

Instructions:

1. The question paper comprises of two sections.
2. Section I and II must be attempted in separate answer sheets.
3. Make suitable assumptions and draw neat figures wherever required.
4. Use of scientific calculator is allowed.

SECTION - I

SECTION - I

Q - 1	Attempt following. 1. In Kendall's notations $\{(a/b/c) : (d/e)\}$, 'd' stands for _____. 2. Customer behavior in which he moves from one queue to another in a multiple channel situation is _____. 3. _____ Method is used to simulate randomly generated data. 4. Explain Pure Birth process. 5. Define Critical Path. 6. Dijkstra's algorithm is used to _____. 7. PERT stands for _____.	[07]																																																										
Q - 2 (a)	A project consists of 5 activities A to E. The completion time for each activity is a random variable. The data considering probability distribution along with completion time for each activity is as follows: <table border="1" style="border-collapse: collapse; text-align: center;"><thead><tr><th rowspan="2">Activity</th><th rowspan="2">Immediate Predecessor</th><th colspan="4">Time (Day)/ Prob.</th></tr><tr><th>1</th><th>2</th><th>3</th><th>4</th></tr></thead><tbody><tr><td>A</td><td>-</td><td>0.2</td><td>0.3</td><td>0.5</td><td>---</td></tr><tr><td>B</td><td>A</td><td>---</td><td>0.4</td><td>0.2</td><td>0.4</td></tr><tr><td>C</td><td>A</td><td>0.1</td><td>---</td><td>0.8</td><td>0.1</td></tr><tr><td>D</td><td>B</td><td>0.2</td><td>0.3</td><td>0.4</td><td>0.1</td></tr><tr><td>E</td><td>C, D</td><td>0.9</td><td>0.1</td><td>---</td><td>---</td></tr></tbody></table><table border="1" style="border-collapse: collapse; text-align: center;"><thead><tr><th>Activity</th><th>Run 1</th><th>Run 2</th></tr></thead><tbody><tr><td>A</td><td>12</td><td>93</td></tr><tr><td>B</td><td>14</td><td>08</td></tr><tr><td>C</td><td>39</td><td>12</td></tr><tr><td>D</td><td>22</td><td>52</td></tr><tr><td>E</td><td>67</td><td>49</td></tr></tbody></table> Using above information and 2 runs of simulation, simulate average project completion time. Use random numbers given in above table.	Activity	Immediate Predecessor	Time (Day)/ Prob.				1	2	3	4	A	-	0.2	0.3	0.5	---	B	A	---	0.4	0.2	0.4	C	A	0.1	---	0.8	0.1	D	B	0.2	0.3	0.4	0.1	E	C, D	0.9	0.1	---	---	Activity	Run 1	Run 2	A	12	93	B	14	08	C	39	12	D	22	52	E	67	49	[08]
Activity	Immediate Predecessor			Time (Day)/ Prob.																																																								
		1	2	3	4																																																							
A	-	0.2	0.3	0.5	---																																																							
B	A	---	0.4	0.2	0.4																																																							
C	A	0.1	---	0.8	0.1																																																							
D	B	0.2	0.3	0.4	0.1																																																							
E	C, D	0.9	0.1	---	---																																																							
Activity	Run 1	Run 2																																																										
A	12	93																																																										
B	14	08																																																										
C	39	12																																																										
D	22	52																																																										
E	67	49																																																										
(b)	Consider the Queuing Model $\{(M/M/1) : (\infty/FCFS)\}$. List out formulae to find length of queue, length of system, waiting time in queue, waiting time in system when inter arrival rate and service rate is given.	[06]																																																										
OR																																																												
Q - 2 (a)	A television repairman finds that the time spent on his job has an exponential distribution with a mean of 30 minutes. If he repairs sets in the order in which they came in, and if the arrival of sets follows a Poisson distribution approximately with an average rate of 10 per 8-hour day, what is the repairman's expected idle time each day? Find out traffic intensity. How many jobs are ahead of the average set just brought in?	[08]																																																										
(b)	Given Figure 1 [Page 3] represents permissible route and distances in miles between city 1 and other cities from 2 to 5. Determine shortest route from 1 to 5.	[06]																																																										
Q - 3 (a)	A dentist schedules all his patients for 30 - minute appointments. Some of the patients take more or less than 30 minutes depending on the type of dental work to be done. The following summary shows the various categories of work, their probabilities and time actually needed to complete the work: Simulate the dentist's clinic for two hours and determine the average waiting time for the patients as well as the idleness of the doctor. Assume that all the patients show up	[08]																																																										

at the clinic at exactly their scheduled arrival time starting at 9:00 a.m. Use the following random numbers for handling the above problem: 40, 82, 11, 34, 25, 66, 17

Category of service	Time required (mins)	Probability of category
Filling	45	0.40
Crowning	60	0.15
Cleaning	15	0.15
Extraction	45	0.10
Check – up	15	0.20

- (b) Define Spanning tree. Apply Prim's algorithm to find out minimal spanning tree for the graph given in Figure 2 [Page 3]. [06]

OR

- Q - 3 (a) Apply Floyd's algorithm on Figure 2 [Page 3] to find shortest route between any two nodes. Also discuss about shortest route between vertices 3 and 4 with its length. [08]

- (b) Consider a single server queuing system with Poisson input, exponential service times. Suppose the mean arrival rate is 3 calling units per hour, the expected service time is 0.25 hours and the maximum permissible calling units in the system is two. Derive the steady – state probability distribution of the number of calling units in the system, and then calculate the expected number in the system. [06]

SECTION – II

- Q - 4 (a) Discuss the Application of Operations Research in engineering. [03]

- (b) Use Graphical method solve the linear programming problem: [04]
 $Max Z = 15x_1 + 10x_2;$
 $sub\ to\ 4x_1 + 6x_2 \leq 360; \quad 3x_1 \leq 180; \quad 5x_2 \leq 200, \text{ where } x_1, x_2 \geq 0$

- Q - 5 (a) 1. True or False "For a maximization problem in Big-M method, the objective function coefficient for an artificial variable is M." [01]

2. True or False "In the optimal simplex table $z_j - c_j = 0$ value indicates existence of an alternative solution of the problem." [01]

3. Every _____ Problem is a Special case of Transportation Problem. [01]

4. Graphical method to solve LPP is applicable only for _____ number of variables. [01]

5. Define feasible solution. [02]

- (b) Solve the following LPP by using simplex method. [08]

$$Max Z = 3x_1 + 5x_2;$$

$$sub\ to\ 3x_1 + 2x_2 \leq 18; \quad x_1 \leq 4; \quad x_2 \leq 6, \text{ where } x_1, x_2 \geq 0$$

OR

- Q - 5 (a) 1. True or False "A basic feasible solution is called degenerate if values of all basic variables are non-zero and positive." [01]

2. True or False "An optimum basic feasible solution is always a basic feasible solution." [01]

- (b) Solve the following LPP by using Big-M method. [08]

$$Maximize\ Z = 5X_1 + X_2$$

$$subject\ to\ 5X_1 + 2X_2 \leq 20; \quad X_1 \geq 3; \quad X_2 \leq 5 \text{ where } X_1, X_2 \geq 0$$

- (c) GNFC chemicals manufactures two products say, naphtha (x) and urea (y) in its plant located near by Baroda. It gets a profit of Rs. 70 per unit for naphtha and Rs. 100 per unit for urea. The time requirements for each product and the total available time in each department are shown in the following table. Each product has to pass through two departments in the plant. [04]
 Further, the demand for these products restricts the production to a maximum of 450

