

CHAROTAR UNIVERSITY OF SCIENCE & TECHNOLOGY

3rd Semester of B. Pharm. Examination

University Theory Examination April 2016

PH216 Pharmacognosy-II

Date: 12.04.2016

Time: 1:30p.m. to 4:30 p.m.

Maximum Marks: 80

Instructions:

1. There are three sections in this question paper. .
2. SECTION – I comprises of Question 1. Total marks for Section 1 are 20. There are 20 sub-questions (MCQ type). Answers to SECTION – I are to be given in Answer Sheet for MCQ type questions provided to you. Maximum time allotted for SECTION – I is 30 minutes. Answers to SECTION – I must be written during the first 30 minutes of the examination.
3. Answers to SECTION – II and SECTION – III are to be provided in separate Main Answer Books provided to you.
4. Figures to right indicate marks.
5. Draw neat sketches wherever necessary.

SECTION - I

- | | | |
|------------|--|-----------|
| Q 1 | Attempt all questions. Each question is of one mark. | 20 |
| 1. | One of the following is not saponin glycoside
[A] Glycyrrhiza
[B] Ginseng
[C] Gentian
[D] Dioscorea | |
| 2. | Man root is known as
[A] Gentian
[B] Glycyrrhiza
[C] Ginseng
[D] Dioscorea | |
| 3. | Lignified trichomes are present in
[A] Senna
[B] Digitalis
[C] Datura
[D] Nuxvomica | |
| 4. | Vitali morin test is for
[A] Tropane
[B] Imidazole
[C] Indole
[D] All of above | |
| 5. | Antimalarial alkaloid is
[A] Kurchi
[B] Vasaka
[C] Rauwolfia
[D] Cinchona | |
| 6. | Myrobalan is
[A] hydrolysable tannin
[B] non hydrolysable tannin
[C] condensed tannin
[D] all of above | |
| 7. | Dragendorff reagent consist of | |

- [A]potassium bismuth iodide
[B] potassium mercuric iodide
[C]saturated picric acid solution
[D]iodine in potassium iodide
8. Tannins are generally used as
- [A]Astringent
[B]Carminative
[C]Antimalarial
[D]Flavoring agent
9. Glycoside which is used in skin disease
- [A]Senna
[B]Chirata
[C]Squill
[D]Psoralea
10. Example of bufadenolide is
- [A]Digitalis
[B]Strophanthus
[C]squill
[D]Ginseng
11. Khellin is chief constituent of
- [A]Psoralea
[B]Ammi
[C]Gentian
[D]Chirata
12. Example of pseudo alkaloid is
- [A]Ephedra
[B]Pilocarpus
[C]Tea
[D]Ergot
13. Example of proto alkaloid is
- [A]Ephedra
[B]Pilocarpus
[C]Tea
[D]Ergot
14. Thalloquine test is for
- [A]Ipecac
[B]Opium
[C]Camptotheca
[D]Cinchona
15. Synonym of Belladonna is
- [A]Zer Kachuro
[B]Ma huang
[C]Kutaj
[D]Deadly night shade
16. Paracytic stomata is found in
- [A]Datura
[B]vasaka
[C]Digitalis
[D]Senna
17. The drug which causes mydriasis
- [A]Pilocarpus
[B]Kurchi
[C]datura
[D]Colchicum

18. Isomer of a drug which has antimalarial and anti arrhythmic activity
 [A]Cinchona
 [B]Ephedrine
 [C]Belladonna
 [D]Ipecac
19. Strychnine is chief constituent of
 [A]Ergot
 [B]Rauwolfia
 [C]Catharanthus
 [D]Nuxvomica
20. Chhotachand is synonym of
 [A]Ergot
 [B]Rauwolfia
 [C]Catharanthus
 [D]Nuxvomica

SECTION – II

- Q 2** Attempt any **FOUR** of the following
- | | | |
|---|--|----|
| A | Differentiate hydrolyzable and non hydrolysable tannin. | 05 |
| B | Draw the detail diagram of T.S. of Senna leaf | 05 |
| C | Write source, Chemical constituent, uses and substitutes of “Yam Root” | 05 |
| D | Write pharmacognostic note of any one steroidal alkaloid. | 05 |
| E | Write a note on Quinazoline alkaloid. | 05 |
| F | Prepare pharmacognostic note on “Man Root” | 05 |

SECTION – III

- Q 3** Attempt any **FOUR** of the following
- | | | |
|---|---|----|
| A | Differentiate cardenolide and Bufadenolide | 05 |
| B | Write pharmacognostic note on Harde. | 05 |
| C | What are the general chemical test of Saponin and Cardiac glycoside | 05 |
| D | Prepare a note on “Deadly nightshade” | 05 |
| E | Write source, chemical constituent and uses of Gentian. | 05 |
| F | (i) Define true, proto and pseudo alkaloid with examples. | 03 |
| | (ii) Write general chemical test for alkaloid. | 02 |
- Q 4** Attempt any **FOUR** of the following
- | | | |
|---|--|----|
| A | Differentiate steroidal saponin and triterpenoid saponin | 05 |
| B | Write a note of glycosidic drug which is used in Psoriasis | 05 |
| C | Describe the different preparation method for different varieties of Aloe | 05 |
| D | Prepare a note on proto alkaloid which is used as sympathomimetic. | 05 |
| E | Write source, chemical constituents, uses and chemical Test of “Zer Kachuro” | 05 |
| F | Write a note on Imidazole alkaloid. | 05 |

