

T26 E-BIKE

PRODUCTS PARAMETERS CONTRAST:

Note: optional choice only for wholesaler, lead time around 45 working days.

RIDING MODE: Assist/Electric/Manpower

BATTERY 48V/15-25AH (REMOVABLE BATTERY)

CHARGE TIME 3.5-8.0H

LCD SCREEN Speed, total range, power, wrong code...

MOTOR ≥500W Rear high-speed motor

TIRE 26 inches beach tire/snow tire(Slick tire optional ≥300)

TOP SPEED 45KM/H

SPEED: SHIMANO 7 Speed Gear BRAKE SYSTEM Front and rear brake

BRAKE DISTANCE Dry road≤4.5M Moist road≤6M SUSPENSION Front and Rear Suspension

WEIGHT ≥35.0KG(Battery capacity different)

MATERIAL: Aluminum allo

MAX LOAD 150KG(Safty load≤120KG)

SIZE 190X68X110CM PACKING SIZE: L159*W31*H82CM

















Front and rear brand disc brakes + large-size disc brake discs more secure during your riding.

With front and rear shock absorption, more comfortable when you riding it. E-bike with daytime running lights, cool and safe for your daytime riding. Large capacity battery optional, up to 100KM (48V20AH) in pure electric mode

20-inches beach/snow tire, suitable for all kinds of roads

Quick battery replacement, easy to carry / charge






INTRODUCTION OF ELECTRIC VEHICLE PARTS

LCD screen display Speed, mileage, gear, power vehicle fault code ...











SPOKED WHEEL DIFFERENT CONFIGURATION



ONE WHEEL HUB



COSSIGNATION ELECTRIC BIKE

www.coswheel.com