




Practical – 19 Design Flutter Application for demonstrates different types of buttons.



This practical demonstrates six Flutter buttons in one application:

1. TextButton
2. IconButton
3. FloatingActionButton
4. ElevatedButton
5. DropdownButton
6. PopupMenuButton

Aim: Create a Flutter application that demonstrates different types of Material Design buttons.

```
import 'package:flutter/material.dart';

void main() {
  runApp(const MyApp());
}

class MyApp extends StatelessWidget {
  const MyApp({super.key});

  @override
  Widget build(BuildContext context) {
    return MaterialApp(
      debugShowCheckedModeBanner: false,
```

```
    home: ButtonDemo(),  
  );  
}  
}
```

```
class ButtonDemo extends StatefulWidget {  
  @override  
  State<ButtonDemo> createState() => _ButtonDemoState();  
}
```

```
class _ButtonDemoState extends State<ButtonDemo> {  
  String course = "Flutter";
```

```
  @override  
  Widget build(BuildContext context) {  
    return Scaffold(  
      appBar: AppBar(  
        title: const Text("Buttons"),  
        centerTitle: true,  
      ),
```

```
      appBar: AppBar(  
        backgroundColor: Colors.blue,  
        title: const Text(  
          "Buttons",  
          style: TextStyle(color: Colors.white),  
        ),  
        centerTitle: true,
```

```
      // Left side icon  
      leading: IconButton(  
        icon: const Icon(Icons.menu, color: Colors.white),  
        onPressed: () {  
          print("Menu Clicked");  
        },  
      ),
```

```
      // Right side icons  
      actions: [  
        IconButton(  
          icon: const Icon(Icons.search, color: Colors.white),  
          onPressed: () {  
            print("Search Clicked");  
          },  
        ),  
        IconButton(  
          icon: const Icon(Icons.notifications, color: Colors.white),  
          onPressed: () {  
            print("Notification Clicked");
```

```

    },
  ),
  IconButton(
    icon: const Icon(Icons.more_vert, color: Colors.white),
    onPressed: () {
      print("More Clicked");
    },
  ),
],
),

```

```

floatingActionButton: FloatingActionButton(
  onPressed: () {
    ScaffoldMessenger.of(context).showSnackBar(
      const SnackBar(
        content: Text("Floating Button Clicked"),
      ),
    );
  },
  child: const Icon(Icons.add),
),

```

```

body: Padding(
  padding: const EdgeInsets.all(20),

```

```

  child: Column(
    crossAxisAlignment: CrossAxisAlignment.center,
    children: [

```

```

      const SizedBox(height: 20),

```

```

      TextButton(
        onPressed: () {},
        child: const Text("TextButton"),
      ),

```

```

      const SizedBox(height: 10),

```

```

      IconButton(
        icon: const Icon(Icons.add),
        iconSize: 30,
        onPressed: () {},
      ),

```

```

      const SizedBox(height: 10),

```

```

      ElevatedButton(
        onPressed: () {},
        child: const Text("ElevatedButton"),

```

```

),

const SizedBox(height: 20),

DropDownButton<String>(
  value: course,
  items: const [
    DropdownMenuItem(
      value: "Flutter",
      child: Text("Flutter"),
    ),
    DropdownMenuItem(
      value: "Python",
      child: Text("Python"),
    ),
    DropdownMenuItem(
      value: "Java",
      child: Text("Java"),
    ),
  ],
  onChanged: (value) {
    setState(() {
      course = value!;
    });
  },
),

const SizedBox(height: 20),

PopupMenuButton<String>(
  onSelected: (value) {
    ScaffoldMessenger.of(context).showSnackBar(
      SnackBar(content: Text(value)),
    );
  },
  itemBuilder: (context) => const [
    PopupMenuItem(
      value: "Search",
      child: Text("Search"),
    ),
    PopupMenuItem(
      value: "Upload",
      child: Text("Upload"),
    ),
    PopupMenuItem(
      value: "Copy",
      child: Text("Copy"),
    ),
    PopupMenuItem(

```

```
        value: "Exit",
        child: Text("Exit"),
      ),
    ],
  ),

  ],
),
);
}
```