

Pool Trading for Hybrid Wind-Solar Power Producers

David Könen, Daniel Piersig, Laura Poreschak, Moritz Wegener

February 9, 2021

Blalba mit changedby werden Änderungen in eurer Farbe angezeigt.

1 Introduction

Renewable energies are currently advancing and gaining an increasing share of the energy production. On the one hand, this is induced by the desire to decrease the carbon footprint and on the other hand, the population is facing a decreasing availability of fossil fuels like natural gas, coal and oil. The advantage of renewable energies is that apart from not requiring fuel, which induces zero fuel costs, it is emission-free and therefore supported by the government. However, these energy sources are also non-dispatchable and have the major disadvantage of uncertainty. Conejo et al. [3] considered the case of a wind power producer. Due to the uncertainty, the wind power producer must rely on the energy traded on the balancing market. ~~Therefore, he~~ solved an optimisation problem ~~with the objective~~ to maximise the expected profits from trading on the day-ahead market and the adjustment market while also minimising the costs incurred in the balancing market caused by energy deviations.

In addition to the uncertainty, the wind producer also faces a substantial fluctuation in production throughout the year, caused by the strong dependence of wind availability over different months in a year. Considering a wind power producer in Europe, wind availability is much higher in the winter than summer months, see, e.g. [5].

For this case study, we consider the case of an energy producer producing both wind power as well as solar energy. Several studies have been carried out to see how both ~~resources' production variability~~ can be decreased by exploiting the anti-correlation of wind speed and solar irradiance. Coker et al. [1] considered a region in south-west Britain to assess the variability of wind, solar and tidal current energy resources. Santos-Alamillos et al. [4] aimed at finding the optimal spatial distribution of wind and solar farms across the Southern Iberian Peninsula ~~in an attempt~~ to minimise the resulting net variability. Bett et al. [2] analysed daily data for ~~the area of~~ Great Britain and ~~found~~ evidence for an overall anticorrelation between wind speed and solar irradiance. As a side product, they also discovered that solar variability is significantly higher than wind

Nur mal
grob run-
tergeschrieben

Fand die Ein-
leitung schon
sehr gut, habe
versucht noch
reinzubringen
warum wir uns
genau das set-
ting anschauen
und was wir
anders als zum
Kapitel machen
wollen.

variability and that both variabilities are higher in winter than in summer. Inspired by these results, we wish to set up a pool trading model for an energy producer offering energy produced from solar and wind power plants. This setting of a hybrid wind-solar power producer overcomes the strong fluctuation in production throughout the year due to the strong over year anti-correlation of wind speed and solar irradiance, see figure 1. In addition to the anti-correlation between wind speed and solar irradiance over the whole year, there is also an anti-correlation between both over the day, even if it is much smaller. We will exploit this anti-correlation over the day and include it into the forecast for wind speed and solar irradiance. Therefore, we will apply the forecast for wind speed for a time t in dependence on the previous times' wind speeds and previous times' solar irradiance to improve the forecast possibly.

Includen wir das nicht eher in den production quantity forecast?




Figure 1: The average annual profiles of solar irradiance and wind speed [5]

2 Decision framework

In the introduction we mentioned the three major trading places for energy, namely the day-ahead, the adjustment and the balancing market. All three of these are cleared in a single auction process, however at different times of the day.

- The day-ahead market is cleared at a given time period t^D of day $d - 1$.
- The adjustment market is cleared at time period t^A of day $d - 1$. Please note that time period t^A takes place *after* time period t^D .
- The balancing market ensures the real-time balancing between the generation of and demand for energy by balancing out differences between the real-time operation and the last energy program settled on in the previous markets. Therefore, it is cleared just before each time period of day d .

There are three major decisions the hybrid energy producer has to face. First, he has to submit an offering curve to the day-ahead market for each time period of day d . Then,

he has to modify the submitted energy offers in the adjustment market depending on how the wind and solar power forecast updates change. Finally, he needs to balance out his energy deviations by trading in the balancing market for each time period of day d . From now on, we assume hourly periods. This means that the balancing market for the time period 6.00-7.00 am of day d closes at 5.50 am of day d .

The producer faces several factors that influence his short-term decision making process. It is inevitable to account for the imbalance costs, i.e. the costs entailed by deviations in the energy production. Apart from that, he is influenced by all sorts of mechanisms through which energy deviations are priced in the balancing market and the beneficial impact of an adjustment market clearing after the clearance of the day-ahead market. Energy deviations are not unusual for producers of non-dispatchable energy sources as windspeed and solar irradiance exert a high variability. As soon as a producer deviates from his agreed-upon amount of energy he had traded on the market before, he has to sell its surplus or buy his generation deficit at an *imbalance price*. We denote the price for positive energy deviations, i.e. higher production than planned, by λ_t^+ , and the price for negative energy deviations by λ_t^- . If the producer faces a negative system imbalance δ_t , which means there is a deficit of energy generation, we have

$$\begin{aligned}\lambda_t^+ &= \lambda_t^D \\ \lambda_t^- &= \max(\lambda_t^D, \lambda_t^{UP}),\end{aligned}$$

where we write λ_t^D for the day-ahead market price and λ_t^{UP} for the price of the upward energy that needs to be added to the system. In case of a generation excess in the power system, i.e. $\delta_t > 0$, we have

$$\begin{aligned}\lambda_t^+ &= \min(\lambda_t^D, \lambda_t^{DOWN}) \\ \lambda_t^- &= \lambda_t^D.\end{aligned}$$

Here, λ_t^{DOWN} is the parameter for the price of the downward energy that has to be removed from the system.

The producer offers an amount E_t^D of energy at the day-ahead market, while his plant produces an amount E_t , which is most probably not equal to the amount offered at the day-ahead market. Hence, he expects a revenue of

$$R_t = \lambda_t^D \cdot E_t^D + I_t,$$

where we write I_t for the imbalance income. Note that this can be either positive or negative depending on the market imbalance and the production imbalance. We denote the total deviation by

$$\Delta_t = E_t - E_t^D = d_t(P_t - P_t^D)$$

indicating the timespan by d_t and the actual resp. offered amount of power by P_t resp. P_t^D . Applying this notation, we can write

$$I_t = \begin{cases} \lambda_t^+ \Delta_t & \text{if } \Delta_t \geq 0, \\ \lambda_t^- \Delta_t & \text{if } \Delta_t \leq 0 \end{cases}$$

and define the ratios

$$r_t^+ = \frac{\lambda_t^+}{\lambda_t^D} \text{ and } r_t^- = \frac{\lambda_t^-}{\lambda_t^D}.$$

Thus, the revenue can be rewritten as

$$R_t = \begin{cases} \lambda_t^+ (E_t - \Delta_t) + \lambda_t^D r_t^+ \Delta_t & \text{if } \Delta_t > 0, \\ \lambda_t^+ (E_t - \Delta_t) + \lambda_t^D r_t^- \Delta_t & \text{if } \Delta_t < 0 \end{cases}$$

In general, we can also formulate the revenue in terms of the maximum level of revenue, which could be realised in a situation free of wind and irradiance uncertainty, and the imbalance cost, which we define as C_t

$$C_t = \begin{cases} \lambda_t (1 - r_t^+) \Delta_t & \text{if } \Delta_t > 0 \\ -\lambda_t^D (r_t^- - 1) \Delta_t & \text{if } \Delta_t < 0. \end{cases}$$

This characterisation renders it possible to give a more concise formulation of the revenue

$$R_t = \lambda_t^D E_t - C_t,$$

which makes it easy to deduce that maximising the revenue is equivalent to minimising the imbalance costs.

We face four major sources of uncertainty. The most essential source of uncertainty is the weather, which influences both the wind and solar power generation. Apart from that, we have uncertainty concerning the market characteristics like day-ahead market price, adjustment market price and the prices for imbalance. For our purpose, we consider N_T periods of the market horizon, N_D scenarios for day-ahead prices, and N_A scenarios for the adjustment market prices. Thus, we have several realisations of day-ahead and adjustment market prices, which we summarise in

$$\begin{aligned} \lambda^D &= \left\{ \lambda_t^D \mid t \in \{1, \dots, N_T\} \right\} \\ \lambda^A &= \left\{ \lambda_t^A \mid t \in \{1, \dots, N_A\} \right\}. \end{aligned}$$

The hybrid power producer has to adhere the following sequence of decisions. First, he designs an offer strategy for the day-ahead market and submits his selling offers for each period of the market horizon. Second, once the day-ahead market price is known for each time period, he has to decide on the amount of energy that he wishes to sell or buy from the adjustment market. As soon as the adjustment market prices are known as well as the imbalance prices and the generated wind and solar power, the producer knows his level of imbalance and can compute the resulting costs for the latter.

References

- [1] J. Barlow, T. Cokerill, P. Coker, and D. Shipworth. Measuring significant variability characteristics: An assessment of three uk renewables. *Renewable Energy*, 53:111–120, 2013.
- [2] Philip E. Bett and Hazel E. Thornton. The climatological relationships between wind and solar energy supply in britain. *Renewable Energy*, 87:96–110, 2016.
- [3] Antonio J. Conejo, Miguel Carrión, and Juan M. Morales. *Decision Making Under Uncertainty in Electricity Markets*. Number 978-1-4419-7421-1 in International Series in Operations Research and Management Science. Springer, March 2010.
- [4] F. J. Santos-Alamillos, D. Pozo-Vázquez, J. A. Ruiz-Arias, V. Lara-Fanego, and J. Tovar-Pescador. Analysis of spatiotemporal balancing between wind and solar energy resources in the southern iberian peninsula. *J. Appl. Meteorol. Clim.*, 51(11):2005–2024, 2012.
- [5] Joakim Widén. Correlations between large-scale solar and wind power in a future scenario for sweden. *IEEE Transactions on Sustainable Energy*, 2:177–184, 2011.