

OpenAPI definition

Overview

Paths

PUT /api/sales/{id}

Parameters

Type	Name	Description	Schema
path	id <i>required</i>		integer (int64)

Responses

Code	Description	Links
200	OK <i>Content</i> /	No Links

PUT /api/products/{id}

Parameters

Type	Name	Description	Schema
path	id <i>required</i>		integer (int64)

Responses

Code	Description	Links
200	OK <i>Content</i> /	No Links

DELETE /api/products/{id}

Parameters

Type	Name	Description	Schema
path	id <i>required</i>		integer (int64)

Responses

Code	Description	Links
200	OK	No Links

PUT /api/clients/{id}

Parameters

Type	Name	Description	Schema
path	id <i>required</i>		integer (int64)

Responses

Code	Description	Links
200	OK <i>Content</i> /	No Links

DELETE /api/clients/{id}

Parameters

Type	Name	Description	Schema
path	id <i>required</i>		integer (int64)

Responses

Code	Description	Links
200	OK <i>Content</i> /	No Links

POST /auth/register

Responses

Code	Description	Links
200	OK <i>Content</i> /	No Links

POST /auth/login

Responses

Code	Description	Links
200	OK <i>Content</i> /	No Links

GET /api/sales

Responses

Code	Description	Links
200	OK <i>Content</i> /	No Links

POST /api/sales

Responses

Code	Description	Links
200	OK <i>Content</i> /	No Links

GET /api/products

Responses

Code	Description	Links
200	OK <i>Content</i> /	No Links

POST /api/products

Responses

Code	Description	Links
200	OK <i>Content</i> /	No Links

GET /api/clients

Responses

Code	Description	Links
200	OK <i>Content</i> /	No Links

POST /api/clients

Responses

Code	Description	Links
200	OK <i>Content</i> /	No Links

GET /api/reports/sales

Parameters

Type	Name	Description	Schema
query	requestDTO <i>required</i>		ReportRequestDTO

Responses

Code	Description	Links
200	OK <i>Content</i> /	No Links

GET /api/reports/products

Responses

Code	Description	Links
200	OK <i>Content</i> /	No Links

GET /api/reports/clients

Responses

Code	Description	Links
200	OK <i>Content</i> /	No Links

Components

Schemas

Sale

Properties

Name	Description	Schema
id <i>optional</i>		integer (int64)
creationDate <i>required</i>		string (date)
client <i>required</i>		string
seller <i>required</i>		string
product <i>required</i>		string
total <i>required</i>		integer (int32)

Product

Properties

Name	Description	Schema
createdAt <i>optional</i>		string (date-time)
updatedAt <i>optional</i>		string (date-time)
id <i>optional</i>		integer (int64)
name <i>required</i>		string
description <i>required</i>		string
category <i>required</i>		string
creationDate <i>required</i>		string (date)
availableQuantity <i>required</i>		integer (int32)
price <i>required</i>		number (double)

Client

Properties

Name	Description	Schema
createdAt <i>optional</i>		string (date-time)
updatedAt <i>optional</i>		string (date-time)
id <i>optional</i>		integer (int64)
name <i>required</i>		string
lastName <i>required</i>		string
mobile <i>required</i>		string
email <i>required</i>		string
address <i>required</i>		string

UserInfo

Properties

Name	Description	Schema
id <i>optional</i>		integer (int32)
name <i>optional</i>		string
email <i>optional</i>		string
password <i>optional</i>		string
roles <i>optional</i>		string

AuthRequest

Properties

Name	Description	Schema
username <i>optional</i>		string
password <i>optional</i>		string

ReportRequestDTO

Properties

Name	Description	Schema
startDate <i>required</i>		string (date)
endDate <i>required</i>		string (date)