
StandardDelivery
- FEE : double = 2.0
+ getFee(): double
ExpressDelivery
- FEE : double = 5.0
+ getFee(): double
CashPayment
+ calculateAmount(total: double): double
CardPayment
- CARD_FEE_RATE : double = 0.02
+ calculateAmount(total: double): double
uses
pay(method)
implements
implements
Order
- nextOrderNumber : int = 1001
- orderNumber : int
- customerName : String
- status : OrderStatus = NEW
- delivery : DeliveryOption
- lines : List<OrderLine>
+ Order(name: String, delivery: DeliveryOption)
+ addItem(item: MenuItem): void
+ addItem(item: MenuItem, qty: int): void
+ getSubtotal(): double
+ getTotal(): double
+ pay(method: PaymentMethod): double
+ deliver(): void
+ cancel(): void
0..*
delivery option
1
<<interface>>
DeliveryOption
+ getFee(): double
<<enumeration>>
OrderStatus
NEW
PAID
DELIVERED
CANCELLED
<<interface>>
PaymentMethod
+ calculateAmount(total: double): double
<<abstract>>
MenuItem
name : String
basePrice : double
+ MenuItem(name: String, basePrice: double)
+ getFinalPrice(): double
1
extends
menu item
1
contains
1..*
0..*
Meal
- extraToppings : int
- TOPPING_FEE : double = 1.5
+ Meal(name: String, basePrice: double, extraToppings: int)
+ getFinalPrice(): double
Drink
- isLarge : boolean
- LARGE_FEE : double = 1.0
+ Drink(name: String, basePrice: double, isLarge: boolean)
+ getFinalPrice(): double
OrderLine
- item : MenuItem
- quantity : int
+ OrderLine(item: MenuItem, qty: int)
+ getLineTotal(): double