



LeadCatch Module - Architecture Diagrams


1. High-Level Module Architecture



2. Lead Parsing Flow



3. Waterfall Enrichment Process



4. Lead Scoring Algorithm

LEAD SCORING ALGORITHM

TOTAL SCORE = 100 points maximum

1. PROFILE COMPLETENESS (25 points max)

firstName +3pts	lastName +3pts	email +3pts	phone +3pts	jobTitle +3pts
company +3pts	location +3pts	LinkedIn +2pts		

2. PROFESSIONAL RELEVANCE (20 points max)

- Has company info? +5 pts
- Has industry info? +5 pts
- Has company size? +5 pts
- Has company website? +3 pts
- Has AI summary? +2 pts

3. SENIORITY LEVEL (25 points max)

C-Suite (CEO, CTO, CFO, CMO, CIO)	= 25 pts
VP Level / Founders	= 20 pts
Directors	= 15 pts
Managers / Senior	= 10 pts
Other	= 5 pts


4. ENGAGEMENT & COMPANY FIT (30 points)

- Source quality (LinkedIn, referral, website)
- Industry match with target market
- Company size match with ICP
- Geographic relevance

QUALIFICATION TIERS:

Score 80-100	→	🔥	HOT	(High priority, ready for sales)
Score 50-79	→	🔥	WARM	(Nurture, needs more info)
Score 0-49	→	❄️	COLD	(Low priority, marketing pipeline)

5. Data Flow & Storage




6. File Structure

```
modules/leadcatch/
├── README.md                # Module documentation
├── services/
│   ├── index.ts            # Service exports
│   ├── lead-parser.ts      # Parse LinkedIn/Website/Text
│   ├── lead-enrichment.ts  # Waterfall enrichment orchestrator
│   ├── lead-scoring.ts     # AI-powered scoring algorithm
│   ├── scraper.ts          # Web scraping utilities
│   └── webhooks.ts         # Webhook handlers
├── providers/
│   ├── index.ts            # Provider exports
│   ├── apollo.ts           # Apollo.io API integration
│   ├── clearbit.ts         # Clearbit API integration
│   ├── hunter.ts           # Hunter.io API integration
│   ├── snovio.ts           # Snov.io API integration
│   ├── emailfinder.ts      # Pattern-based email finder
│   └── waterfall.ts        # Waterfall orchestrator
├── validators/
│   └── (validation schemas)
├── utils/
│   └── (helper functions)
```

7. API Endpoints Summary

Endpoint	Method	Description	AI Model Used
/api/leads	GET	List all leads	-
/api/leads	POST	Create new lead	-
/api/leads/parse	POST	Parse URL/Text	GPT-4o-mini
/api/leads/enrich	POST	Waterfall enrichment	GPT-4o-mini
/api/leads/score	POST	Calculate lead score	GPT-4o-mini
/api/leads/import	POST	Bulk import CSV	-
/api/leads/export	GET	Export to CSV	-
/api/leads/dedupe	GET/POST	Find/Merge duplicates	-
/api/leads/bulk	POST	Bulk operations	-

8. Technology Stack



Summary

The LeadCatch module is a comprehensive lead capture and enrichment system that:

1. **Captures leads** from multiple sources (LinkedIn, websites, text, CSV)
2. **Enriches data** using a waterfall approach (Apollo → Clearbit → Hunter → [Snov.io](#) → AI)
3. **Scores leads** using AI and predefined rules
4. **Stores everything** in Supabase with proper user isolation

The AI (GPT-4o-mini) is used for:

- Parsing unstructured text/URLs
- Generating professional summaries
- Filling in missing data gaps
- Contributing to lead scoring