

Student API

1. Endpoints

Operation	HTTP Method	URL	Status Code
Get all students	GET	/students	200 OK
Get a single student	GET	/students/{id}	200 OK
Create a new student	POST	/students	201 Created
Update entire student record	PUT	/students/{id}	200 OK
Update part of a student record	PATCH	/students/{id}	200 OK
Delete a student	DELETE	/students/{id}	204 No Content
Search students by course	GET	/students?courseId={courseId}	200 OK

2. Sample JSON Payloads

POST /students — Create Student (Request)

```
{
  "firstName": "Moaz",
  "lastName": "Tamer",
  "email": "moaztamer390@gmail.com",
  "dateOfBirth": "2002-08-14",
  "courseId": 12,
  "enrollmentDate": "2026-08-01"
}
```

PUT /students/{id} — Full Update (Request)

```
json
{
  "firstName": "Moaz",
  "lastName": "Tamer",
  "email": "moaz.tamer.new@gmail.com",
  "dateOfBirth": "2002-08-14",
  "courseId": 15,
  "enrollmentDate": "2026-08-01"
}
```

PATCH /students/{id} — Partial Update (Request)

```
json
{
  "email": "moaz.tamer.updated@gmail.com"
}
```

3. Error Status Codes

Scenario	Method	Status Code
ID not exist	GET/PUT/PATCH/DELETE	404 Not Found
Invalid data	POST/PUT/PATCH	400 Bad Request
Not logged in	Any	401 Unauthorized
Server error	Any	500 Internal Server Error
No permission	Any	403 Forbidden