

```

import React from 'react';
import { View, Text, StyleSheet, Image } from 'react-native';
import { LinearGradient } from 'expo-linear-gradient';

export default function HealthScoreBanner({ score }) {
  const percentage = Math.min(score / 3000, 1);

  return (
    <View style={styles.container}>
      {/* Header Section */}
      <View style={styles.header}>
        <Image
          source={{ uri: 'https://via.placeholder.com/50' }} // Replace with user's photo URI
          style={styles.userImage}
        />
        <Text style={styles.userName}>Ethan Harkinson</Text>
        <View style={styles.notificationIcon}>
          <Text>🔔</Text> {/* Replace with a proper icon if needed */}
        </View>
      </View>

      {/* Health Score */}
      <Text style={styles.scoreTitle}>Health Score</Text>
      <Text style={styles.scoreValue}>{score.toLocaleString()}</Text>
      <Text style={styles.scoreSubtitle}>
        This score is for information purposes only.
      </Text>

      {/* Gradient Bar */}

```

```

<View style={styles.barContainer}>
  <LinearGradient
    colors={['#FF5A5A', '#FFD700', '#4CAF50']}
    start={{ x: 0, y: 0 }}
    end={{ x: 1, y: 0 }}
    style={styles.barGradient}
  />
  <View style={[styles.arrow, { left: `${percentage * 100}%` }]} />
  { /* Tick Marks */ }
  <View style={styles.tickContainer}>
    {[0, 600, 1200, 1800, 2400, 3000].map((value, index) => (
      <Text key={index} style={styles.tickText}>
        {value}
      </Text>
    ))}
  </View>
</View>
</View>
</View>
);
}

```

```

const styles = StyleSheet.create({
  container: {
    padding: 20,
    backgroundColor: '#4A6ED1',
    borderRadius: 12,
    marginBottom: 20,
  },
  header: {
    flexDirection: 'row',
    alignItems: 'center',
    marginBottom: 15,
  },

```

```
},
userImage: {
  width: 50,
  height: 50,
  borderRadius: 25,
  marginRight: 10,
},
userName: {
  flex: 1,
  fontSize: 18,
  fontWeight: '600',
  color: '#fff',
},
notificationIcon: {
  marginLeft: 10,
},
scoreTitle: {
  color: '#D5D8FF',
  fontSize: 16,
  fontWeight: '500',
  marginBottom: 5,
},
scoreValue: {
  color: '#fff',
  fontSize: 48,
  fontWeight: 'bold',
},
scoreSubtitle: {
  color: '#D5D8FF',
  fontSize: 12,
  marginBottom: 20,
},
barContainer: {
```

```
    position: 'relative',
    height: 30,
    marginTop: 10,
  },
  barGradient: {
    height: 10,
    borderRadius: 5,
  },
  arrow: {
    position: 'absolute',
    top: -15,
    width: 0,
    height: 0,
    borderLeftWidth: 10,
    borderRightWidth: 10,
    borderBottomWidth: 15,
    borderLeftColor: 'transparent',
    borderRightColor: 'transparent',
    borderBottomColor: '#fff',
  },
  tickContainer: {
    flexDirection: 'row',
    justifyContent: 'space-between',
    position: 'absolute',
    width: '100%',
    top: 15,
  },
  tickText: {
    fontSize: 10,
    color: '#D5D8FF',
  },
});
```